TARIFF SUSPENSION DOCUMENT
VERSION 1.7, DATED 5 DECEMBER 2022

Commodity Code	Duty Expression	Notes	Description	Expiry Date
0302 51 10 20	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Cod (Gadus morhua, Gadus ogac, Gadus macrocephalus), of the species Gadus morhua, for processing	31 August 2024
0302 51 90 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing	Cod (Gadus morhua, Gadus ogac, Gadus macrocephalus), other, for industrial manufacture	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
0302 52 00 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption.	Haddock (Melanogrammus aeglefinus), with heads off, gilled and gutted, for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
0302 59 10 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK	Polar cod (Boreogadus saida), for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Statutory Instruments 2018 No. 1249).		
0303 63 10 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Frozen cod (Gadus morhua, Gadus ogac, Gadus macrocephalus), of the species Gadus morhua, for processing	31 August 2024
0303 63 30 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings.	Frozen cod (Gadus morhua, Gadus ogac, Gadus macrocephalus), of the species Gadus ogac, for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
0303 63 90 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption.	Frozen cod (Gadus morhua, Gadus ogac, Gadus macrocephalus), of the species Gadus macrocephalus, for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
0303 64 00 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK	Frozen haddock (Melanogrammus aeglefinus), with heads off, gilled and gutted, for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Statutory Instruments 2018 No. 1249).		
0303 66 11 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks, slicing for materials. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Frozen cape hake (shallow-water hake) (Merluccius capensis) and deepwater hake (deepwater Cape hake) (Merluccius paradoxus), for processing	31 August 2024
0303 66 12 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings.	Frozen Argentine hake (Southwest Atlantic hake) (Merluccius hubbsi), for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks, slicing for materials. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
0303 66 13 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of	Frozen southern hake (Meluccius australis), for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		interleaved fillet blocks, slicing for materials. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
0303 66 19 11	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks, slicing for materials. For human consumption. Suspension of duties is subject to Authorised-Use	Frozen silver hake (Merluccius bilinearis), for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
0303 66 19 91	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks, slicing for materials. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK	Other frozen hake of the genus Merluccius, for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Statutory Instruments 2018 No. 1249).		
0303 69 10 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Frozen polar cod, (Boreogadus saida), for processing	31 August 2024
0303 89 70 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings.	Frozen pink cusk-eel (Genypterus blacodes), for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks, slicing for materials. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
0303 89 90 30	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks, slicing for materials.	Pink cusk-eel (Genypterus blacodes), for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
0304 79 50 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special	Frozen fillets of blue grenadier (Macruronus novaezelandiae), for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
0304 79 90 11	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Frozen fillets of Patagonian grenadier (Macruronus magellanicus), for processing	31 August 2024
0304 79 90 17	0.00%	The measure is not allowed where processing is carried	Frozen fillets of fish of the genus Macruronus, other than	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	blue grenadier (Macruronus novaezelandiae) mentioned in subheading 0304 79 50, for processing	
0304 83 90 21	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of	Frozen fillets of flat fish (Limanda aspera, Lepidopsetta bilineata, Pleuronectes quadrituberculatus, Limanda ferruginea, Lepidopsetta polyxystra), for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		frozen blocks, splitting of interleaved fillet blocks. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
0304 95 90 11	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in	Other frozen blue grenadier (Macruronus novaezelandiae), for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
0304 95 90 17	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Other frozen fish of the genus Macruronus spp., For processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
0304 99 99 65	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings. Subject to one or more of the following processing operations: dicing, filleting, production of flaps, cutting of frozen blocks, splitting of interleaved fillet blocks. For human consumption. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Other frozen flatfish (Limanda aspera, Lepidopsetta bilineata, Pleuronectes quadrituberculatus, Limanda ferruginea, Lepidopsetta polyxystra), for processing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
0709 53 00 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings.	Fresh or chilled chanterelles for treatment other than simple repacking for retail sale	31 August 2024
0710 21 00 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings.	Peas in pods, of the species Pisum sativum of the variety Hortense axiphium, frozen, of a thickness of not more than 6 mm, to be used, in their pods, in the manufacture of prepared meals	31 August 2024
0710 40 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. The measure is not allowed where processing is carried out by retail or catering undertakings. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special	Corn cobs (Zea mays saccharata) whether or not cut, with a diameter of at least 10 mm but not more than 20 mm, for use in the manufacture of products of the food industry for treatment other than simple repacking	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
0710 80 69 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. The measure is not allowed where processing is carried out by retail or catering undertakings. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Mushrooms of the species Auricularia polytricha (uncooked or cooked by steaming or boiling), frozen, for the manufacture of prepared meals	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
0710 80 95 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bamboo shoots, frozen, not put up for retail sale	31 August 2024
0712 32 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. The measure is not allowed where processing is carried out by retail or catering undertakings. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Mushrooms, excluding mushrooms of the genus Agaricus, dried, whole or in identifiable slices or pieces, for treatment other than simple repacking for retail sale	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
0712 33 00 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings.	Mushrooms, excluding mushrooms of the genus Agaricus, dried, whole or in identifiable slices or pieces, for treatment other than simple repacking for retail sale	31 August 2024
0712 34 00 31	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. The measure is not allowed where processing is carried out by retail or catering undertakings. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Mushrooms, excluding mushrooms of the genus Agaricus, dried, whole or in identifiable slices or pieces, for treatment other than simple repacking for retail sale	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
0712 39 00 31	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. The measure is not allowed where processing is carried out by retail or catering undertakings. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Mushrooms, excluding mushrooms of the genus Agaricus, dried, whole or in identifiable slices or pieces, for treatment other than simple repacking for retail sale	31 August 2024
0804 10 00 30	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings.	Dates, fresh or dried, for use in the manufacture (excluding packing) of products of drink or food industries	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
0811 90 50 00	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Fruit of the species Vaccinium myrtillus	31 August 2024
0811 90 70 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fruit of the species Vaccinium myrtilloides and Vaccinium angustifolium	31 August 2024
0811 90 95 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Boysenberries, frozen, not containing added sugar, not put up for retail sale	31 August 2024
0811 90 95 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pineapple (Ananas comosus), in pieces, frozen	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
0811 90 95 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rose-hips, uncooked or cooked by steaming or boiling in water, frozen, not containing added sugar or other sweetening matter	31 August 2024
0811 90 95 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fruit of the genus Vaccinium, uncooked or cooked by steaming or boiling in water, frozen, not containing added sugar or other sweetening matter	31 August 2024
1511 90 19 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	For the manufacture of: • industrial monocarboxylic fatty acids of subheading 3823 19 10, • methyl esters of fatty acids of heading 2915 or 2916, • fatty alcohols of subheadings 2905 17,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, • fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, • stearic acid of subheading 3823 11 00, • goods of heading 3401, or	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• fatty acids with high purity of heading 2915	
1511 90 91 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	For the manufacture of: • industrial monocarboxylic fatty acids of subheading 3823 19 10, • methyl esters of fatty acids of heading 2915 or 2916, • fatty alcohols of subheadings 2905 17,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, • fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, • stearic acid of subheading 3823 11 00, • goods of heading 3401, or	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• fatty acids with high purity of heading 2915	
1512 19 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Refined safflower oil (CAS RN 8001-23-8) for use in the manufacture of: • conjugated linoleic acid of heading 3823, or • ethyl- or methyl esters of linoleic acid of heading 2916	31 August 2024
1513 11 10 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	For the manufacture of: • industrial monocarboxylic fatty acids of subheading 3823 19 10, • methyl esters of fatty acids of heading 2915 or 2916,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, • fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, • stearic acid of subheading 3823 11 00, • goods of heading 3401, or	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• fatty acids with high purity of heading 2915	
1513 19 30 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	For the manufacture of: • industrial monocarboxylic fatty acids of subheading 3823 19 10, • methyl esters of fatty acids of heading 2915 or 2916, • fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			manufacture of cosmetics, washing products or pharmaceutical products, • fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, • stearic acid of subheading 3823 11 00, • goods of heading 3401, or • fatty acids with high purity of heading 2915	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
1513 21 10 20	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Palm kernel oil for the manufacture of: • industrial monocarboxylic fatty acids of subheading 3823 19 10, • methyl esters of fatty acids of heading 2915 or 2916, • fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, • fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			cosmetics, washing products or pharmaceutical products, • stearic acid of subheading 3823 11 00, • goods of heading 3401, or • fatty acids with high purity of heading 2915	
1513 29 30 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit)	Palm kernel oil for the manufacture of: • industrial monocarboxylic fatty acids of subheading 3823 19 10, • methyl esters of fatty acids of heading 2915 or 2916,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	• fatty alcohols of subheadings 2905 17, 2905 19 and 3823 70 used for the manufacture of cosmetics, washing products or pharmaceutical products, • fatty alcohols of subheading 2905 16, pure or mixed, used for the manufacture of cosmetics, washing products or pharmaceutical products, • stearic acid of subheading 3823 11 00, • goods of heading 3401, or • fatty acids with high purity of heading 2915	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
1515 90 99 92	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Vegetable oil, refined, containing by weight 35% or more but not more than 50% of arachidonic acid or 35% or more but not more than 50% of docosahexaenoic acid	31 August 2024
1516 20 10 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hydrogenated castor oil, so called 'opal-wax'	31 August 2024
1516 20 96 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Jojoba oil, hydrogenated and interesterified, without any further chemical modification and not subjected to any texturisation process	31 August 2024
1517 90 99 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Vegetable oil, refined, containing by weight 25% or more but not more than 50% arachidonic acid or 12% or more but not more than 65% docosahexaenoic acid and standardized with high oleic sunflower oil (HOSO)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
1901 90 99 39	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation in powder form containing by weight: • 15% or more but not more than 35% of wheat derived Maltodextrin, • 15% or more but not more than 35% of whey (milk serum), • 10% or more but not more than 30% of refined, bleached, deodorised and non-hydrogenated sunflower oil, • 10% or more but not more than 30% of blended, aged spray dried cheese, • 5% or more but not more than 15% of buttermilk and,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 0.1% or more but not more than 10% of sodium caseinate, disodium phosphate, lactic acid	
1902 30 10 10	0.00 GBP / 100 kg	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Transparent noodles, cut in pieces, obtained from beans (Vigna radiata (L.) Wilczek), not put up for retail sale	31 August 2024
2005 80 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. The measure is not allowed where processing is carried out by retail or catering undertakings.	Corn cobs (Zea mays saccharata) whether or not cut, with a diameter of at least 10 mm but not more than 20 mm, for use in the manufacture of products of the food industry for treatment other than simple repacking	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
2005 91 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bamboo shoots, prepared or preserved, in immediate packings of a net content of more than 5 kg	31 August 2024
2007 99 50 83	6.00% + 3.50 GBP / 100 kg	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mango puree concentrate, obtained by cooking: • of the Genus Mangifera spp., • with a sugar content by weight of not more than 30% for use in the manufacture of products of food and drink industry	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2007 99 50 84	6.00% + 3.50 GBP / 100 kg	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Papaya puree concentrate, obtained by cooking: • of the Genus Carica spp., • with a sugar content by weight of more than 13% but not more than 30% for use in the manufacture of products of food and drink industry	31 August 2024
2007 99 50 85	6.00% + 3.50 GBP / 100 kg	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit)	Guava puree concentrate, obtained by cooking: • of the Genus Psidium spp., • with a sugar content by weight of more than 13% but not more than 30% for use in the manufacture of products of food and drink industry	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
2007 99 50 93	6.00% + 3.50 GBP / 100 kg	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Mango puree concentrate, obtained by cooking: • of the Genus Mangifera spp., • with a sugar content by weight of not more than 30% for use in the manufacture of products of food and drink industry	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2007 99 50 94	6.00% + 3.50 GBP / 100 kg	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Papaya puree concentrate, obtained by cooking: • of the Genus Carica spp., • with a sugar content by weight of more than 13% but not more than 30% for use in the manufacture of products of food and drink industry	31 August 2024
2007 99 50 95	6.00% + 3.50 GBP / 100 kg	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK	Guava puree concentrate, obtained by cooking: • of the Genus Psidium spp., • with a sugar content by weight of more than 13% but not more than 30% for use in the manufacture of products of food and drink industry	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Statutory Instruments 2018 No. 1249).		
2007 99 93 10	6.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Mango puree concentrate, obtained by cooking: • of the Genus Mangifera spp., • with a sugar content by weight of not more than 30% for use in the manufacture of products of food and drink industry	31 August 2024
2008 60 39 30	10.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special	Sweet cherries containing added spirit, with a sugar content of not more than 9% by weight, of a diameter of not more than 19.9 mm, with	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	stones, for use in chocolate products	
2008 93 91 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sweetened dried cranberries, excluding packing alone as processing, for the manufacture of products of food processing industries	31 August 2024
2008 99 48 94	6.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward	Mango puree: • not from concentrate, • of the genus Mangifera, • of a Brix value of 14 or more, but not more than 20	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	used in the manufacture of products of drink industry	
2008 99 49 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Seedless boysenberry puree not containing added spirit, whether or not containing added sugar	31 August 2024
2008 99 49 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Blanched vine leaves of the genus Karakishmish, in brine, containing by weight: • more than 6% of salt concentration, • 0.1% or more but not more than 1.4% of acidity expressed as citric acid monohydrate, and • whether or not but not more than	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			2 000 mg / kg of sodium benzoate according CODEX STAN 192-1995 for use in the manufacture of stuffed vine leaves with rice	
2008 99 91 20	0.00% + 3.10 GBP / 100 kg / net drained wt	The measure is not allowed where processing is carried out by retail or catering undertakings.	Chinese water chestnuts (Eleocharis dulcis or Eleocharis tuberosa) peeled, washed, blanched, chilled and individually quick-frozen for use in the manufacture of products of food industry for treatment other than simple repacking	31 August 2024
2008 99 99 11	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Blanched vine leaves of the genus Karakishmish, in brine, containing by weight: • more than 6% of salt concentration, • 0.1% or more but not more than 1.4% of acidity expressed as citric acid	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			monohydrate and • whether or not but not more than 2 000 mg / kg of sodium benzoate according CODEX STAN 192-1995 for use in the manufacture of stuffed vine leaves with rice	
2008 99 99 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Frozen pulp from acai berries: • hydrated and pasteurised, • separated from the kernels by the addition of water, • with a Brix value of less than 6, and • with a sugar content of less than 5.6%	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2008 99 99 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Seedless boysenberry puree not containing added spirit, whether or not containing added sugar	31 August 2024
2009 41 92 20	8.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pineapple juice: • not from concentrate, • of the genus Ananas, • of a Brix value of 11 or more but not more than 16 used in the manufacture of products of drink industry	31 August 2024
2009 41 99 70	8.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pineapple juice: • not from concentrate, • of the genus Ananas,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• of a Brix value of 11 or more but not more than 16 used in the manufacture of products of drink industry	
2009 49 30 91	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Pineapple juice, other than in powder form: • with a Brix value of more than 20 but not more than 67, • a value of more than 25.00 GBP per 100 kg net weight, • containing added sugar used in the manufacture of products of food or drink industry	31 August 2024
2009 81 31 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Cranberry juice concentrate: • of a Brix value of 40 or more but not more than 66,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	• in immediate packings of a content of 50 litres or more	
2009 89 73 11	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Powdered	31 August 2024
2009 89 73 13	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2009 89 79 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Frozen boysenberry juice concentrate with a Brix value of 61 or more, but not more than 67, in immediate packings of a content of 50 litres or more	31 August 2024
2009 89 79 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Frozen acerola juice concentrate: • with a Brix value of more than 48 but not more than 67, • in immediate packings of a content of 50 litres or more	31 August 2024
2009 89 79 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acai berry juice concentrate: • of the species Euterpe oleracea, • frozen, • not sweetened, • not in powder form,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• of a Brix value of 23 or more but not more than 32, • in immediate packings of a content of 10 kg or more	
2009 89 97 21	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Powdered	31 August 2024
2009 89 97 29	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK	Other	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Statutory Instruments 2018 No. 1249).		
2009 89 99 96	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. The measure is not allowed where processing is carried out by retail or catering undertakings.	Coconut water: • unfermented, • not containing added spirit or sugar, and • in immediate packing of a content of 20 litres or more	31 August 2024
2106 10 20 20	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings.	Soya protein concentrate having a protein content by weight, calculated on a dry weight basis, of 65% or more but not more than 90% in powder or textured form	31 August 2024
2106 10 20 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Preparation on the base of soya protein isolate, containing by weight 6.6%	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	or more but not more than 8.6% of calcium phosphate	
2106 90 92 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Casein protein hydrolysate consisting of: • by weight 20% or more but not more than 70% free amino acids, and • peptones of which by weight more than 90% having a molecular weight of not more than 2 000 Da	31 August 2024
2106 90 92 60	0.00%	This suspension only applies to: Preparation containing by weight: • more than 30% but not more than 35% licorice extract, • more than 65% but not more than 70% tricaprylin	Preparation containing by weight: • more than 30% but not more than 35% licorice extract, • more than 65% but not more than 70% tricaprylin standardised by weight to 3% or more but not more than 4% glabridin	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		standardised by weight to 3% or more but not more than 4% glabridin falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2106 90 98 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation in powder form containing by weight: • 15% or more but not more than 35% of wheat derived Maltodextrin, • 15% or more but not more than 35% of whey (milk serum), • 10% or more but not more than 30% of refined, bleached, deodorised and non-hydrogenated	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			sunflower oil, • 10% or more but not more than 30% of blended, aged spray dried cheese, • 5% or more but not more than 15% of buttermilk, and • 0.1% or more but not more than 10% of sodium caseinate, disodium phosphate, lactic acid	
2106 90 98 47	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation, having a moisture content of 1% or more but not more than 4%, and containing by weight: • 15% or more but not more than 35% of buttermilk,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 20% (± 10 %) of lactose, • 20% (± 10 %) of whey protein concentrate, • 15% (± 10 %) of cheddar cheese, • 3% (± 2 %) of salt, • 0.1% or more but not more than 10% of lactic acid E270, • 0.1% or more but not more than 10% of gum arabic E414 for use in the manufacture of products of food and drink industry	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2309 90 31 87	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Soya bean protein concentrate containing by weight: • 60% (± 10%) of crude protein, • 5% (± 3%) of crude fibre, • 5% (± 3%) of crude ash, and • at least 3% but not more than 6.9% of starch for use in the manufacture of animal feed products	31 August 2024
2401 10 35 91	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Tobacco, not stemmed/stripped, light air-cured tobacco, other, whether or not cut in regular size, having a custom value of not less than 376.00 GBP per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2401 10 70 10	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tobacco, not stemmed/stripped, dark air-cured tobacco, whether or not cut in regular size, having a custom value of not less than 376.00 GBP per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2401 10 95 11	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tobacco, not stemmed/stripped, other, fire-cured tobacco, Kentucky type, whether or not cut in regular size, having a custom value of not less than 376.00 GBP per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	31 August 2024
2401 10 95 21	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different	Tobacco, not stemmed/stripped, other, fire-cured tobacco, other, whether or not cut in regular size, having a custom value of not less than 376.00 GBP per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2401 10 95 91	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tobacco not stemmed/stripped, other, other tobacco, whether or not cut in regular size, having a custom value of not less than 376.00 GBP per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2401 20 35 91	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tobacco, partly or wholly stemmed/stripped, light air-cured tobacco, other, whether or not cut in regular size, having a custom value of not less than 376.00 GBP per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	31 August 2024
2401 20 70 10	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different	Tobacco, partly or wholly stemmed/stripped, dark air-cured tobacco, whether or not cut in regular size, having a custom value of not less than 376.00 GBP per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2401 20 95 11	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tobacco, partly or wholly stemmed/stripped, other, fire-cured tobacco, Kentucky type, whether or not cut in regular size, having a custom value of not less than 376.00 GBP per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2401 20 95 21	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tobacco, partly or wholly stemmed/stripped, other, fire-cured tobacco, other, whether or not cut in regular size, having a custom value of not less than 376.00 GBP per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	31 August 2024
2401 20 95 91	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different	Tobacco, partly or wholly stemmed/stripped, other, other tobacco, whether or not cut in regular size, having a custom value of not less than 376.00 GBP per 100 kg net weight, for use as binder or wrapper for the manufacture of goods falling within subheading 2402 10 00	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2710 19 81 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: • 90% or more by weight of saturates, and • not more than 0.03% by weight of sulphur, and with a • viscosity index of 80 or more, but less than 120, and a kinematic viscosity less than 5.0 cSt at 100°C or more than 13.0 cSt at 100°C	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2710 19 81 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: • 90% or more by weight of saturates, and • not more than 0.03% by weight of sulphur, with a viscosity index of 120 or more	31 August 2024
2710 19 99 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalytic de-waxed base oil, synthesised from gaseous hydrocarbons, followed by a heavy paraffin conversion process (HPC), containing: • not more than 1 mg / kg of sulphur, • more than 99% by weight of saturated hydrocarbons,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• more than 75% by weight of n- and iso-paraffinic hydrocarbons with a carbon chain length of 18 or more but not more than 50; and • a kinematic viscosity at 40 °C of more than 6.5 mm2/s, or • a kinematic viscosity at 40 °C of more than 11 mm2/s with a viscosity index of 120 or more	
2710 19 99 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 90% or more by weight of saturates, and • not more than 0.03% by weight of sulphur, and with a • viscosity index of 80 or more, but less than 120, and a kinematic viscosity less than 5.0 cSt at 100°C or more than 13.0 cSt at 100°C	
2710 19 99 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: • 90% or more by weight of saturates, and • not more than 0.03% by weight of sulphur, with a viscosity index of 120 or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2712 20 90 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Paraffin wax containing by weight less than 0.75% of oil, other than synthetic paraffin wax of a molecular weight of 460 or more but not exceeding 1 560	31 August 2024
2712 90 39 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Slack wax (CAS RN 64742-61-6)	31 August 2024
2804 50 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tellurium (CAS RN 13494-80-9) of a purity by weight of 99.99% or more, but not more than 99.999%, based on metallic impurities measured by ICP analysis	31 August 2024
2804 70 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Red phosphorus	31 August 2024
2804 70 90	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Phosphorous, other than red phosphorous	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2805 12 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Calcium with a purity of 98% or more by weight, in powder or wire form (CAS RN 7440-70-2)	31 August 2024
2805 19 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lithium metal of a purity by weight of 98.8% or more (CAS RN 7439-93-2)	31 August 2024
2805 30 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Alloy of cerium with other rare-earth metals, containing by weight 47% or more of cerium	31 August 2024
2805 30 21 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cerium	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2805 30 21 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lanthanum	31 August 2024
2805 30 29 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Praseodymium	31 August 2024
2805 30 29 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Neodymium	31 August 2024
2805 30 29 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Samarium	31 August 2024
2805 30 39 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Europium	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2805 30 31 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Gadolinium	31 August 2024
2805 30 31 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Terbium	31 August 2024
2805 30 31 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dysprosium	31 August 2024
2805 30 39 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Holmium	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2805 30 39 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Erbium	31 August 2024
2805 30 39 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Thulium	31 August 2024
2805 30 39 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ytterbium	31 August 2024
2805 30 39 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lutetium	31 August 2024
2805 30 39 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Yttrium	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2805 30 40 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Scandium	31 August 2024
2811 19 80 90	0.00%	This suspension only applies to: • Hydrogen iodide (CAS RN 10034-85-2), and • Sulphamidic acid (CAS RN 5329-14-6) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Hydrogen iodide (CAS RN 10034-85-2) • Sulphamidic acid (CAS RN 5329-14-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2811 22 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Silicon dioxide (CAS RN 7631-86-9) in the form of powder, for use in the manufacture of high performance liquid chromatography columns (HPLC) and sample preparation cartridges	31 August 2024
2811 22 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Amorphous silicon dioxide (CAS RN 60676-86-0), • in the form of powder, • of a purity by weight of 99% or more, • with a median grain size of 0.7 μm or more, but not more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			than 2.1 μm, • where 70% of the particles have a diameter of not more than 3 μm	
2811 22 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Silica filler in the form of granules, with a purity by weight of at least 97% of silicon dioxide	31 August 2024
2811 29 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tellurium dioxide (CAS RN 7446-07-3)	31 August 2024
2812 90 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Nitrogen trifluoride (CAS RN 7783-54-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2818 10 11 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sol-Gel corundum (CAS RN 1302-74-5) with an aluminium oxide content of 99.6% or more by weight, having a micro crystalline structure in the form of rods with an aspect ratio of 1.3 or more, but not more than 6.0	31 August 2024
2818 10 91 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sintered corundum with a micro crystalline structure, consisting of aluminium oxide (CAS RN 1344-28-1), magnesium aluminate (CAS RN 12068-51-8) and the rare earth aluminates of yttrium, lanthanum, and neodymium, with a content by weight (calculated as oxides) of: • 94% or more, but less than 98.5% of aluminium oxide, • 2% (± 1.5%) of magnesium oxide, • 1% (± 0.6%) of yttrium oxide, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• either 2% (± 1.2%) of lanthanum oxide or • 2% (± 1.2%) of lanthanum oxide and neodymium oxide with less than 50% of the total weight having a particle size of more than 10 mm	
2818 20 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Activated alumina with a specific surface area of at least 350 m^2/g	31 August 2024
2818 30 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium hydroxide (CAS RN 21645-51-2): • in the form of powder, • with a purity by weight of 99.5% or more,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• with a decomposition point of 263 °C or more, • with a particle size of 4 µm (± 1 µm), • with a Total-Na2O-content by weight of not more than 0.06%	
2818 30 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium hydroxide oxide (CAS RN 1318-23-6) in the form of boehmite or pseudoboehmite	31 August 2024
2825 10 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hydroxylammonium chloride (CAS RN 5470-11-1)	31 August 2024
2825 20 00 10	2.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Lithium hydroxide monohydrate (CAS RN 1310-66-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2825 30 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Vanadium oxides and hydroxides	31 August 2024
2825 50 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copper (I or II) oxide containing by weight 78% or more of copper and not more than 0.03% of chloride	31 August 2024
2825 50 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copper (II) oxide (CAS RN 1317-38-0), with a particle size of not more than 100 nm	31 August 2024
2825 60 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Zirconium dioxide (CAS RN 1314-23-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2825 70 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Molybdenum trioxide (CAS RN 1313-27-5)	31 August 2024
2825 70 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Molybdic Acid (CAS RN 7782-91-4)	31 August 2024
2825 90 40 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tungsten trioxide, including blue tungsten oxide (CAS RN 1314-35-8 or CAS RN 39318-18-8)	31 August 2024
2827 39 85 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copper monochloride of a purity by weight of 96% or more but not more than 99% (CAS RN 7758-89-6)	31 August 2024
2827 39 85 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Antimony pentachloride of a purity by weight of 99% or more (CAS RN 7647-18-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2827 39 85 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Barium chloride dihydrate (CAS RN 10326-27-9)	31 August 2024
2827 49 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hydrated zirconium dichloride oxide (CAS RN 7699-43-6)	31 August 2024
2827 60 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sodium iodide (CAS RN 7681-82-5)	31 August 2024
2828 10 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Calcium hypochlorite (CAS RN 7778-54-3) having an active chlorine content of 65% or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2830 10 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Disodium tetrasulfide (CAS RN 12034-39-8), containing by weight 38% or less of sodium calculated on the dry weight	31 August 2024
2833 29 80 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Manganese sulphate monohydrate (CAS RN 10034-96-5)	31 August 2024
2833 29 80 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Zirconium sulphate (CAS RN 14644-61-2)	31 August 2024
2833 29 80 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Caesium sulphate (CAS RN 10294-54-9) in solid form or as aqueous solution containing by weight at least 48% but not more than 52% of caesium sulphate	31 August 2024
2835 10 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Sodium hypophosphite monohydrate (CAS RN 10039-56-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2835 10 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sodium hypophosphite (CAS RN 76 81-53-0)	31 August 2024
2835 10 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium Phosphinate (CAS RN 7784-22-7)	31 August 2024
2836 91 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lithium carbonate, containing one or more of the following impurities at the concentrations indicated: • 2 mg / kg or more of arsenic, • 200 mg / kg or more of calcium,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 200 mg / kg or more of chlorides, • 20 mg / kg or more of iron, • 150 mg / kg or more of magnesium, • 20 mg / kg or more of heavy metals, • 300 mg / kg or more of potassium, • 300 mg / kg or more of sodium, and • 200 mg / kg or more of sulphates determined according to the methods specified in the European Pharmacopœia	
2836 99 17 30	0.00%	This suspension does not apply to any mixtures, preparations or products	Zirconium (IV) basic carbonate (CAS RN 57219-64-4 or 37356-18-6) with a	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		made up of different components containing these products.	purity by weight of 96% or more	
2841 50 00 11	2.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Potassium dichromate (CAS RN 7778-50-9) with a purity by weight of 99% or more	31 August 2024
2841 70 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diammonium tetraoxomolybdate(2-) (CAS RN 13106-76-8)	31 August 2024
2841 70 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hexaammonium heptamolybdate, anhydrous (CAS RN 12027-67-7) or as tetrahydrate (CAS RN 12054-85-2)	31 August 2024
2841 70 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diammonium dimolybdate (CAS RN 27546-07-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2841 80 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diammonium wolframate (ammonium paratungstate) (CAS RN 11120-25-5)	31 August 2024
2841 90 30 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Potassium metavanadate (CAS RN 13769-43-2)	31 August 2024
2841 90 85 10	2.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lithium cobalt(III) oxide (CAS RN 12190-79-3) with a cobalt content of at least 59%	31 August 2024
2841 90 85 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Potassium titanium oxide in powder form with a purity of 99% or more (CAS RN 12056-51-8)	31 August 2024
2850 00 20 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Silane (CAS RN 7803-62-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2850 00 20 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Titanium nitride with a particle size of not more than 250 nm (CAS RN 25583-20-4)	31 August 2024
2850 00 20 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Germanium tetrahydride (CAS RN 7782-65-2)	31 August 2024
2850 00 20 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Disilane (CAS RN 1590-87-0)	31 August 2024
2850 00 20 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cubic Boron nitride (CAS RN 10043-11-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2850 00 20 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Arsine (CAS RN 7784-42-1) with a purity by volume of 99.999% or more	31 August 2024
2850 00 60 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sodium azide (CAS RN 26628-22-8)	31 August 2024
2853 90 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Phosphine (CAS RN 7803-51-2)	31 August 2024
2903 42 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Difluoromethane	31 August 2024
2903 44 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Pentafluoroethane (CAS RN 354-33-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2903 45 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,1,1,2-Tetrafluoroethane feedstock for pharmaceutical grade production conforming to the following specification: • not more than 600 ppm by weight of R134 (1,1,2,2-tetrafluoroethane), • not more than 5 ppm by weight of R143a (1,1,1-trifluoroethane), • not more than 2 ppm by weight of R125 (pentafluoroethane), • not more than 100 ppm by weight of R124 (1-chloro-1,2,2,2-	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			tetrafluoroethane), • not more than 30 ppm by weight of R114 (1,2-dichlorotetrafluoroethane), • not more than 50 ppm by weight of R114a (1,1-Dichlorotetrafluoroethane), • not more than 250 ppm by weight of R133a (1-Chloro-2,2,2-Trifluoroethane), • not more than 2 ppm by weight of R22 (Chlorodifluoromethane), • not more than 2 ppm by weight of	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			R115 (Chloropentafluoroethane), • not more than 2 ppm by weight of R12 (Dichlorodifluoromethane), • not more than 20 ppm by weight of R40 (Methyl chloride), • not more than 20 ppm by weight of R245cb (1,1,1,2,2-pentafluoropropane), • not more than 20 ppm by weight of R12B1 (Chlorodifluorobromomethane),	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• not more than 20 ppm by weight of R32 (Difluoromethane), • not more than 15 ppm by weight of R31 (Chlorofluoromethane), • not more than 10 ppm by weight of R152a (1,1-Difluoroethane), • not more than 20 ppm by weight of 1131 (1-Chloro-2 Fluoroethylene), • not more than 20 ppm by weight of 1122 (1-Chloro-2,2-Difluoroethylene), • not more than 3 ppm by weight of	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			1234yf (2,3,3,3-Tetrafluoropropene), • not more than 3 ppm by weight of 1243zf (3,3,3 Trifluoropropene), • not more than 3 ppm by weight of 1122a (1-chloro-1,2-difluoroethylene), • not more than 4.5ppm by weight of 1234yf+1122a+1243zf (2,3,3,3-tetrafluoropropene, +1-Chloro-1,2-Difluoroethylene+3,3,3-Trifluoropropene), • not more than 3 ppm by weight of any individual	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			unspecified/unknown chemical, • not more than 10 ppm by weight of all unspecified/unknown chemicals combined, • not more than 10 ppm by weight of Water, • with an acidity level of not more than 0.1 ppm by weight, • without Halides, • not more than 0.01% by volume of High Boilers, • without any odour (no malodour)	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			for further purification to an inhalation grade of HFC 134a produced under GMP (Good Manufacturing Practice) for use in the manufacture of a propellant for medical aerosols whose contents are taken into the oral or nasal cavities, and/or the respiratory tract (CAS RN 811-97-2)	
2903 47 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,1,1,3,3-Pentafluoropropane (CAS RN 460-73-1)	31 August 2024
2903 49 30 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Carbon tetrafluoride (tetrafluoromethane) (CAS RN 75-73-0)	31 August 2024
2903 49 30 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Perfluoroethane (CAS RN 76-16-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2903 49 30 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1H-Perfluorohexane (CAS RN 355-37-3)	31 August 2024
2903 51 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,3,3,3-Tetrafluoroprop-1-ene (2,3,3,3-tetrafluoropropene) (CAS RN 754-12-1)	31 August 2024
2903 51 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Trans-1,3,3,3-tetrafluoroprop-1-ene (Trans-1,3,3,3-tetrafluoropropene) (CAS R N 29118-24-9)	31 August 2024
2903 59 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(Perfluorobutyl) ethylene (CAS RN 19430-93-4)	31 August 2024
2903 59 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products	Hexafluoropropene (CAS RN 116-15-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		made up of different components containing these products.		
2903 59 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,1,2,3,4,4-hexafluorobuta-1,3-diene (CAS RN 685-63-2)	31 August 2024
2903 59 00 90	0.00%	This suspension only applies to Perfluoro(4-methyl-2-pentene) (CAS RN 84650-68-0) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Perfluoro(4-methyl-2-pentene) (CAS RN 84650-68-0)	31 August 2024
2903 69 19 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5-Bromopent-1-ene (CAS RN 1119-51-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2903 72 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dichloro-1,1,1-trifluoroethane (CAS RN 306-83-2) with a purity by weight of 99% or more	31 August 2024
2903 74 00 00	0.00%	This suspension only applies to 2-Chloro-1,1-difluoroethane (CAS RN 338-65-8) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Chloro-1,1-difluoroethane (CAS RN 338-65-8)	31 August 2024
2903 77 60 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,1,1-Trichlorotrifluoroethane (CAS RN 354-58-5)	31 August 2024
2903 77 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Chlorotrifluoroethylene (CAS RN 79-38-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2903 78 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Octafluoro-1,4-diiodobutane (CAS RN 375-50-8)	31 August 2024
2903 78 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Trifluoroiodomethane (CAS RN 2314-97-8)	31 August 2024
2903 79 30 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Trans-1-chloro-3,3,3-trifluoropropene (CAS RN 102687-65-0)	31 August 2024
2903 79 30 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bromochloromethane (CAS RN 74-97-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2903 79 30 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-Bromo-5-chloropentane (CAS RN 54512-75-3) with a purity by weight of 99% or more	31 August 2024
2903 89 80 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Chlorocyclopentane (CAS RN 930-28-9)	31 August 2024
2903 89 80 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Octafluorocyclobutane (CAS RN 115-25-3)	31 August 2024
2903 89 80 90	0.00%	This suspension only applies to ‘1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.1^{6,9}.0^{2,13}.0^{5,10}]octadeca-7,15-diene (CAS RN 13560-89-9) with a purity by weight of 99% or more’	1,6,7,8,9,14,15,16,17,17,18,18-Dodecachloropentacyclo[12.2.1.1^{6,9}.0^{2,13}.0^{5,10}]octadeca-7,15-diene (CAS RN 13560-89-9) with a purity by weight of 99% or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2903 99 80 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Bromo-2-chloro-1-fluorobenzene (CAS RN 60811-21-4)	31 August 2024
2903 99 80 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,2-Bis(pentabromophenyl)ethane (CAS RN 84852-53-9)	31 August 2024
2903 99 80 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,3-Dichlorobenzene (CAS RN 541-73-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2903 99 80 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,6-Dichlorotoluene (CAS RN 118-69-4), of a purity by weight of 99% or more and containing: • 0.001 mg / kg or less of tetrachlorodibenzodioxines, • 0.001 mg / kg or less of tetrachlorodibenzofurans, • 0.2 mg / kg or less of tetrachlorobiphenyls	31 August 2024
2903 99 80 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fluorobenzene (CAS RN 462-06-6)	31 August 2024
2903 99 80 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	1,1'-methanediylbis(4-fluorobenzene) (CAS RN 457-68-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2903 99 80 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Chloro-alpha,alpha,alpha-trifluorotoluene (CAS RN 98-15-7)	31 August 2024
2903 99 80 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-Bromo-3,4,5-trifluorobenzene (CAS RN 138526-69-9)	31 August 2024
2905 12 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Propan-1-ol (propyl alcohol) (CAS RN 71-23-8)	31 August 2024
2905 22 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Linalool (CAS RN 78-70-6) containing by weight 90.7% or more of (3R)-(-)-Linalool (CAS RN 126-91-0)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2905 22 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,7-Dimethyloct-6-en-1-ol (CAS RN 106-22-9)	31 August 2024
2905 29 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cis-hex-3-en-1-ol (CAS RN 928-96-1)	31 August 2024
2905 32 00 90	0.00%	This suspension only applies to (2S)-propane-1,2-diol (CAS RN 4254-15-3) falling under this CN10 code This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(2S)-propane-1,2-diol (CAS RN 4254-15-3)	31 August 2024
2905 39 95 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Propane-1,3-diol (CAS RN 504-63-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2905 39 95 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Butane-1,2-diol (CAS RN 584-03-2) (CAS RN 584-03-2)	31 August 2024
2905 39 95 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,4,7,9-Tetramethyl-4,7-decanediol (CAS RN 17913-76-7)	31 August 2024
2905 39 95 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Decane-1,10-diol (CAS RN 112-47-0)	31 August 2024
2905 39 95 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Methyl-2-propylpropane-1,3-diol (CAS RN 78-26-2)	31 August 2024
2905 39 95 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Dodecane-1,12-diol (CAS RN 5675-51-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2905 39 95 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-methylpropane-1,3-diol (CAS RN 2163-42-0) with a purity by weight of 98% or more	31 August 2024
2905 49 00 00	0.00%	This suspension only applies to: • Ethylidynetrimethanol (CAS RN 77-85-0) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Ethylidynetrimethanol (CAS RN 77-85-0)	31 August 2024
2905 59 98 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	2,2,2-Trifluoroethanol (CAS RN 75-89-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2906 19 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cyclopropylmethanol (CAS RN 2516-33-8)	31 August 2024
2907 12 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	O-Cresol (CAS RN 95-48-7) with a purity by weight of at least 98.5%	31 August 2024
2907 12 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of meta-cresol (CAS RN 108-39-4) and para-cresol (CAS RN 106-44-5) with a purity by weight of 99% or more	31 August 2024
2907 12 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	p-Cresol (CAS RN 106-44-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2907 15 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Naphthol (CAS RN 135-19-3)	31 August 2024
2907 19 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,6-Xylenol (CAS RN 576-26-1)	31 August 2024
2907 19 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Biphenyl-4-ol (CAS RN 92-69-3)	31 August 2024
2907 19 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-methyl-5-(propan-2-yl)phenol (CAS RN 499-75-2)	31 August 2024
2907 21 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Resorcinol (CAS RN 108-46-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2907 29 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	6,6'-Di-tert-butyl-4,4'-butylidenedi-m-cresol (CAS RN 85-60-9)	31 August 2024
2907 29 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4,4'-(3,3,5-Trimethylcyclohexylidene)diphenol (CAS RN 129188-99-4)	31 August 2024
2907 29 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Hydroxybenzyl alcohol (CAS RN 623-05-2)	31 August 2024
2907 29 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4,4',4"-Ethylidynetriphenol (CAS RN 27955-94-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2907 29 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Methylhydroquinone (CAS RN 95-71-6)	31 August 2024
2907 29 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	6,6',6''-Tricyclohexyl-4,4',4''-butane-1,1,3-triyltri(m-cresol) (CAS RN 111850-25-0)	31 August 2024
2907 29 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,2'-Methylenebis(6-cyclohexyl-p-cresol) (CAS RN 4066-02-8)	31 August 2024
2907 29 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,2′,2″,6,6′,6″-Hexa-_tert_-butyl-_α,α′,α″_-(mesitylene-2,4,6-triyl)tri- _p_-cresol (CAS RN 1709-70-2)	31 August 2024
2907 29 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Biphenyl-4,4'-diol (CAS RN 92-88-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2907 29 00 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Phloroglucinol whether or not hydrated	31 August 2024
2908 19 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pentafluorophenol (CAS RN 771-61-9)	31 August 2024
2908 19 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4,4'-(Perfluoroisopropylidene)diphenol (CAS RN 1478-61-1)	31 August 2024
2908 19 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Chlorophenol (CAS RN 106-48-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2908 19 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,4,5-Trifluorophenol (CAS RN 99627-05-1)	31 August 2024
2908 19 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Fluorophenol (CAS RN 371-41-5)	31 August 2024
2908 19 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,2',6,6'-tetrabromo-4,4'-isopropylidenediphenol (CAS RN 79-94-7)	31 August 2024
2909 19 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bis(2-chloroethyl) ether (CAS RN 111-44-4)	31 August 2024
2909 19 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Mixture of isomers of nonafluorobutyl methyl ether or nonafluorobutyl ethyl ether, of a purity by weight of 99% or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2909 19 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Ethoxy-perfluoro-2-methylhexane (CAS RN 297730-93-9)	31 August 2024
2909 20 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	8-Methoxycedrane (CAS RN 19870-74-7)	31 August 2024
2909 30 38 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,1'-Propane-2,2-diylbis[3,5-dibromo-4-(2,3-dibromopropoxy)benzene], (CAS RN 21850-44-2)	31 August 2024
2909 30 38 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,1'-(1-Methylethylidene)bis[3,5-dibromo-4-(2,3-dibromo-2-methylpropoxy)]-benzene (CAS RN 97416-84-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2909 30 38 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Benzyloxybromobenzene (CAS RN 6793-92-6)	31 August 2024
2909 30 38 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(1-Adamantyl)-4-Bromoanisole (CAS RN 104224-63-7) with a purity by weight of 99% or more	31 August 2024
2909 30 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(Phenylmethoxy)naphthalene (CAS RN 613-62-7)	31 August 2024
2909 30 90 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	{[(2,2-dimethylbut-3-yn-1-yl)oxy]methyl}benzene (CAS RN 1092536-54-3)	31 August 2024
2909 30 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	1,2-Bis(3-methyl-phenoxy)ethane (CAS RN 54914-85-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2909 30 90 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,2-Diphenoxyethane (CAS RN 104-66-5) in the form of powder or as an aqueous dispersion containing by weight 30% or more but not more than 60% of 1,2-diphenoxyethane	31 August 2024
2909 30 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,4,5-Trimethoxytoluene (CAS RN 6443-69-2)	31 August 2024
2909 30 90 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-Chloro-2-(4-ethoxybenzyl)-4-iodobenzene (CAS RN 1103738-29-9)	31 August 2024
2909 30 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-Chloro-2,5-dimethoxybenzene (CAS RN 2100-42-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2909 30 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-Ethoxy-2,3-difluorobenzene (CAS RN 121219-07-6)	31 August 2024
2909 30 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-Butoxy-2,3-difluorobenzene (CAS RN 136239-66-2)	31 August 2024
2909 30 90 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	O,O,O-1,3,5-trimethylresorcinol (CAS RN 621-23-8)	31 August 2024
2909 30 90 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Oxyfluorfen (ISO) (CAS RN 42874-03-3) with a purity by weight of 97% or more	31 August 2024
2909 44 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	2-Propoxyethanol (CAS RN 2807-30-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2909 49 80 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-Propoxypropan-2-ol (CAS RN 1569-01-3)	31 August 2024
2909 49 80 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,2,2',2'-Tetrakis(hydroxymethyl)-3,3'-oxydipropan-1-ol (CAS RN 126-58-9)	31 August 2024
2909 50 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-(2-Methoxyethyl)phenol (CAS RN 56718-71-9)	31 August 2024
2909 50 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-methoxy-4-(trifluoromethoxy)phenol (CAS RN 166312-49-8) with a purity by weight of 98% or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2909 50 00 90	0.00%	This suspension only applies to Ubiquinol (CAS RN 992-78-9) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ubiquinol (CAS RN 992-78-9)	31 August 2024
2909 60 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bis(α,α-dimethylbenzyl) peroxide (CAS RN 80-43-3)	31 August 2024
2909 60 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,6,9-Triethyl-3,6,9-trimethyl-1,4,7-triperoxonane (CAS RN 24748-23-0), dissolved in isoparaffinic hydrocarbons	31 August 2024
		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Solution of 3,6,9-(ethyl and/or propyl)-3,6,9-trimethyl-1,2,4,5,7,8-hexoxonanes (CAS RN 1613243-54-1) in mineral spirits (CAS RN 1174522-09-8), containing by weight	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2909 60 90 50	0.00%		25% or more, but not more than 41% of the hexoxonanes	31 August 2024
2912 19 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Undecanal (CAS RN 112-44-7)	31 August 2024
2912 29 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,6,6-Trimethylcyclohexenecarbaldehyde (alpha-beta isomers mixture) (CAS RN 52844-21-0)	31 August 2024
2912 29 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cinnamaldehyde (CAS RN 104-55-2)	31 August 2024
2912 29 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	p-Phenylbenzaldehyde (CAS RN 3218-36-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2912 29 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Isobutylbenzaldehyde (CAS RN 40150-98-9)	31 August 2024
2912 29 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cyclohex-3-ene-1-carbaldehyde (CAS RN 100-50-5)	31 August 2024
2912 29 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-tert-Butylbenzaldehyde (CAS RN 939-97-9)	31 August 2024
2912 29 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Isopropylbenzaldehyde (CAS RN 122-03-2)	31 August 2024
2912 29 00 90	0.00%	This suspension only applies to Mixture of isomers consisting of:	Mixture of isomers consisting of: • 85 (± 10) % by weight of 4-isobutyl-2-	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• 85 (± 10) % by weight of 4-isobutyl-2-methylbenzaldehyde (CAS RN 73206-60-7) • 15 (± 10) % by weight of 2-isobutyl-4-methyllbenzaldehyde (CAS RN 68102-28-3)' falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	methylbenzaldehyde (CAS RN 73206-60-7) • 15 (± 10) % by weight of 2-isobutyl-4-methyllbenzaldehyde (CAS RN 68102-28-3)'	
2912 42 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethylvanillin (3-ethoxy-4-hydroxybenzaldehyde) (CAS RN 121-32-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2912 49 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Phenoxybenzaldehyde (CAS RN 39515-51-0)	31 August 2024
2912 49 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Hydroxybenzaldehyde (CAS RN 123-08-0)	31 August 2024
2912 49 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Salicylaldehyde (CAS RN 90-02-8)	31 August 2024
2912 49 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Hydroxy-p-anisaldehyde (CAS RN 621-59-0)	31 August 2024
2912 49 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	2,6-dihydroxybenzaldehyde (CAS RN 387-46-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2914 19 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Heptan-2-one (CAS RN 110-43-0)	31 August 2024
2914 19 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Methylbutanone (CAS RN 563-80-4)	31 August 2024
2914 19 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pentan-2-one (CAS RN 107-87-9)	31 August 2024
2914 19 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Zinc acetylacetonate (CAS RN 14024-63-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2914 19 90 70	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Calcium acetylacetonate (CAS RN 19372-44-2) for use in the manufacture of stabilisator systems in tablet form	31 August 2024
2914 29 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	oestr-5(10)-ene-3,17-dione (CAS RN 3962-66-1)	31 August 2024
2914 29 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cyclohexadec-8-enone (CAS RN 3100-36-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2914 29 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cyclohex-2-enone (CAS RN 930-68-7)	31 August 2024
2914 29 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(R)-p-Mentha-1(6),8-dien-2-one (CAS RN 6485-40-1)	31 August 2024
2914 29 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Camphor	31 August 2024
2914 29 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	trans-β-Damascone (CAS RN 23726-91-2)	31 August 2024
2914 29 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Cyclopropyl methyl ketone (CAS RN 765-43-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2914 29 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-sec-butylcyclohexanone (CAS RN 14765-30-1)	31 August 2024
2914 29 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-(cedr-8-en-9-yl)ethanone (CAS RN 32388-55-9)	31 August 2024
2914 39 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,6-Dimethyl-1-indanone (CAS RN 66309-83-9)	31 August 2024
2914 39 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,3-Diphenylpropane-1,3-dione (CAS RN 120-46-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2914 39 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Benzophenone (CAS RN 119-61-9)	31 August 2024
2914 39 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Phenylbenzophenone (CAS RN 2128-93-0)	31 August 2024
2914 39 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Methylbenzophenone (CAS RN 134-84-9)	31 August 2024
2914 39 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Benzil (CAS RN 134-81-6)	31 August 2024
2914 39 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	4'-Methylacetophenone (CAS RN 122-00-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2914 50 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,1-dimethoxyacetone (CAS RN 6342-56-9) with a purity by weight of 98% or more	31 August 2024
2914 50 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3'-Hydroxyacetophenone (CAS RN 121-71-1)	31 August 2024
2914 50 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4'-Methoxyacetophenone (CAS RN 100-06-1)	31 August 2024
2914 50 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Hydroxy-1-[4-[4-(2-hydroxy-2-methylpropanoyl)phenoxy]phenyl]-2-methylpropan-1-one (CAS-RN 71868-15-0)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2914 50 00 36	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,7-Dihydroxy-9-fluorenone (CAS RN 42523-29-5)	31 August 2024
2914 50 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-(4-Hydroxyphenyl)butan-2-one (CAS RN 5471-51-2)	31 August 2024
2914 50 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,4-Dihydroxybenzophenone (CAS RN 10425-11-3)	31 August 2024
2914 50 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,2-Dimethoxy-2-phenylacetophenone (CAS RN 24650-42-8)	31 August 2024
2914 50 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	7-Hydroxy-3,4-dihydro-1(2H)-naphthalenone (CAS RN 22009-38-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2914 50 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2',6'-Dihydroxyacetophenone (CAS RN 699-83-2)	31 August 2024
2914 50 00 90	0.00%	This suspension only applies to • 4,4'-Dihydroxybenzophenone (CAS RN 611-99-4) • 3-Methoxyacetophenone (CAS RN 586-37-8) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• 4,4'-Dihydroxybenzophenone (CAS RN 611-99-4) • 3-Methoxyacetophenone (CAS RN 586-37-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2914 69 80 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Ethylanthraquinone (CAS RN 84-51-5)	31 August 2024
2914 69 80 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,4-Dihydroxyanthraquinone (CAS RN 81-64-1)	31 August 2024
2914 69 80 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	p-Benzoquinone (CAS RN 106-51-4)	31 August 2024
2914 69 80 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reaction mass of 2-(1,2-dimethylpropyl)anthraquinone (CAS RN 68892-28-4) and 2-(1,1-dimethylpropyl)anthraquinone (CAS RN 32588-54-8)	31 August 2024
2914 79 00 18	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	2-Chloro-1-cyclopropylethanone (CAS RN 7379-14-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2914 79 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,4'-Difluorobenzophenone (CAS RN 342-25-6)	31 August 2024
2914 79 00 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5-Chloro-2-hydroxybenzophenone (CAS RN 85-19-8)	31 August 2024
2914 79 00 27	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(2-Chloro-5-iodo-phenyl)-(4-fluoro-phenyl)-methanone (CAS RN 915095-86-2)	31 August 2024
2914 79 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5-Methoxy-1-[4-(trifluoromethyl)phenyl]pentan-1-one (CAS RN 61718-80-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2914 79 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-[4-(benzyloxy)phenyl]-2-bromopropan-1-one (CAS RN 35081-45-9)	31 August 2024
2914 79 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Perfluoro(2-methylpentan-3-one) (CAS RN 756-13-8)	31 August 2024
2914 79 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3’-Chloropropiophenone (CAS RN 34841-35-5)	31 August 2024
2914 79 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4'-tert-Butyl-2',6'-dimethyl-3',5'-dinitroacetophenone (CAS RN 81-14-1)	31 August 2024
2914 79 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	4-Chloro-4'-hydroxybenzophenone (CAS RN 42019-78-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2914 79 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetrachloro-p-benzoquinone (CAS RN 118-75-2)	31 August 2024
2914 79 00 90	0.00%	This suspension only applies to: • 1-(4-Methylphenyl)-4,4,4-trifluorobutane-1,3-dione (CAS RN 720-94-5), and • 1-(7-Bromo-9,9-difluoro-9H-fluoren-2-yl)-2-chloroethanone (CAS RN 1378387-81-5) • - 1,4-bis(4-Fluorobenzoyl) Benzene (CAS RN 68418-51-9), and	• 1-(4-Methylphenyl)-4,4,4-trifluorobutane-1,3-dione (CAS RN 720-94-5), and • 1-(7-Bromo-9,9-difluoro-9H-fluoren-2-yl)-2-chloroethanone (CAS RN 1378387-81-5) • - 1,4-bis(4-Fluorobenzoyl) Benzene (CAS RN 68418-51-9), and • - 4,4'-Difluorobenzophen	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• - 4,4'-Difluorobenzophenone (CAS RN 345-92-6) • falling under this CN10 code. falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	one (CAS RN 345-92-6) • falling under this CN10 code.	
2915 12 00	0.00%	This suspension only applies to 'Aqueous solution containing by weight 60% or more but not more than 84% of caesium formate (CAS RN 3495-36-1)' falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aqueous solution containing by weight 60% or more but not more than 84% of caesium formate (CAS RN 3495-36-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2915 21 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acetic acid (CAS RN 64-19-7) of a purity by weight of 99% or more (CAS RN 64-19-7)	31 August 2024
2915 24 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acetic anhydride (CAS RN 108-24-7)	31 August 2024
2915 32 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Vinyl acetate (CAS RN 108-05-4)	31 August 2024
2915 39 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cis-3-hexenyl acetate (CAS RN 3681-71-8)	31 August 2024
2915 39 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	2-Methylcyclohexyl acetate (CAS RN 5726-19-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2915 39 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-tert-butylcyclohexyl acetate (CAS RN 32210-23-4)	31 August 2024
2915 39 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	_tert_-Butyl acetate (CAS RN 540-88-5)	31 August 2024
2915 39 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dodec-8-enyl acetate (CAS RN 28079-04-1)	31 August 2024
2915 39 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dodeca-7,9-dienyl acetate (CAS RN 54364-62-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2915 39 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dodec-9-enyl acetate (CAS RN 16974-11-1)	31 August 2024
2915 39 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Isobornyl acetate (CAS RN 125-12-2)	31 August 2024
2915 39 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-Phenylethyl acetate (CAS RN 93-92-5)	31 August 2024
2915 39 00 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-tert-Butylcyclohexyl acetate (CAS RN 88-41-5)	31 August 2024
		This suspension does not apply to any mixtures, preparations or products made up of different	Ethyl trichloroacetate (CAS RN 515-84-4) with a purity by weight of 98% or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2915 40 00 10	0.00%	components containing these products.		
2915 40 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sodium trichloroacetate (CAS RN 650-51-1) with a purity by weight of 96% or more	31 August 2024
2915 60 19 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl butyrate (CAS RN 105-54-4)	31 August 2024
2915 70 40 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl palmitate (CAS RN 112-39-0)	31 August 2024
2915 90 30 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl laurate (CAS RN 111-82-0)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2915 90 70 18	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Myristic acid, lithium salt (CAS RN 20336-96-3) with a purity by weight of 95% or more	31 August 2024
2915 90 70 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl (R)-2-fluoropropionate (CAS RN 146805-74-5)	31 August 2024
2915 90 70 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl octanoate (CAS RN 111-11-5), methyl decanoate (CAS RN 110-42-9) or methyl myristate (CAS RN 124-10-7)	31 August 2024
2915 90 70 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,3-Dimethylbutyryl chloride (CAS RN 7065-46-5)	31 August 2024
2915 90 70 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	2,2-Dimethylbutanoyl chloride (CAS RN 5856-77-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2915 90 70 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Trimethyl orthoformate (CAS RN 149-73-5)	31 August 2024
2915 90 70 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Allyl heptanoate (CAS RN 142-19-8)	31 August 2024
2915 90 70 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl-6,8-dichlorooctanoate (CAS RN 1070-64-0)	31 August 2024
2915 90 70 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl trifluoroacetate (CAS RN 383-63-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2915 90 70 98	0.00%	This suspension only applies to: • Ethyl difluoroacetate (CAS RN 454-31-9) • 2-Ethyl-2-methyl butanoic acid (CAS RN 19889-37-3) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Ethyl difluoroacetate (CAS RN 454-31-9) • 2-Ethyl-2-methyl butanoic acid (CAS RN 19889-37-3) • Triethyl orthoformate (CAS RN 122-51-0)	31 August 2024
2916 12 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-tert-Butyl-6-(3-tert-butyl-2-hydroxy-5-methylbenzyl)-4-methylphenyl acrylate (CAS RN 61167-58-6)	31 August 2024
2916 12 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	2,4-Di-tert-pentyl-6-[1-(3,5-di-tert-pentyl-2-hydroxyphenyl)ethyl]phenyl acrylate (CAS RN 123968-25-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2916 12 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(2-Vinyloxyethoxy)ethyl acrylate (CAS RN 86273-46-3)	31 August 2024
2916 13 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Zinc monomethacrylate powder (CAS RN 63451-47-8) whether or not containing not more than 17% by weight of manufacturing impurities	31 August 2024
2916 13 00 90	0.00%	This suspension only applies to Zinc dimethacrylate, in the form of powder (CAS RN 13189-00-9) falling under this CN10 code This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Zinc dimethacrylate, in the form of powder (CAS RN 13189-00-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2916 14 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,3-Epoxypropyl methacrylate (CAS RN 106-91-2)	31 August 2024
2916 14 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl methacrylate (CAS RN 97-63-2)	31 August 2024
2916 19 95 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl 3,3-dimethylpent-4-enoate (CAS RN 63721-05-1)	31 August 2024
2916 19 95 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Potassium (E,E)-hexa-2,4-dienoate (CAS RN 24634-61-5)	31 August 2024
2916 19 95 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Sorbic acid for use in the manufacture of animal feeds (CAS RN 110-44-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2916 19 95 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl 2-fluoroacrylate (CAS RN 2343-89-7)	31 August 2024
2916 20 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Transfluthrin (ISO) (CAS RN 118712-89-3)	31 August 2024
2916 20 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of the (1S,2R,6R,7R)- and(1R,2R,6R,7S)-isomers of ethyl tricyclo[5.2.1.0(2,6)]decane-2-carboxylate (CAS RN's 80657-64-3 and 80623-07-0)	31 August 2024
2916 20 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl 2,2-dimethyl-3-(2-methylpropenyl)cyclopropanecarboxylate (CAS RN 97-41-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2916 20 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Cyclohexylpropionic acid (CAS RN 701-97-3)	31 August 2024
2916 20 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cyclopropanecarbonyl chloride (CAS RN 4023-34-1)	31 August 2024
2916 31 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Benzyl benzoate (CAS RN 120-51-4)	31 August 2024
2916 39 90 13	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,5-Dinitrobenzoic acid (CAS RN 99-34-3)	31 August 2024
2916 39 90 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	2-Chloro-5-nitrobenzoic acid (CAS RN 2516-96-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2916 39 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,5-Dichlorobenzoyl chloride (CAS RN 2905-62-6)	31 August 2024
2916 39 90 22	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	6-bromo-2-fluoro-3-(trifluoromethyl)benzoic acid (CAS RN 1026962-68-4) with a purity by weight of 95% or more	31 August 2024
2916 39 90 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(2,4,6-Trimethylphenyl)acetyl chloride (CAS RN 52629-46-6)	31 August 2024
2916 39 90 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Methyl-3-(4-Fluorophenyl)-propionyl chloride (CAS RN 1017183-70-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2916 39 90 27	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl 6-Bromo-2-naphthoate (CAS RN 33626-98-1) with a purity by weight of 99% or more	31 August 2024
2916 39 90 28	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,5-Dimethylphenylacetyl chloride (CAS RN 55312-97-5)	31 August 2024
2916 39 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,4,6-Trimethylbenzoyl chloride (CAS RN 938-18-1)	31 August 2024
2916 39 90 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl 4-tert-butylbenzoate (CAS RN 26537-19-9)	31 August 2024
2916 39 90 41	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	4-Bromo-2,6-difluorobenzoyl chloride (CAS RN 497181-19-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2916 39 90 43	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(3,5-Bis(trifluoromethyl)phenyl)-2-methylpropanoic acid (CAS RN 289686-70-0)	31 August 2024
2916 39 90 48	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Fluorobenzoyl chloride (CAS RN 1711-07-5)	31 August 2024
2916 39 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,5-Dimethylbenzoyl chloride (CAS RN 6613-44-1)	31 August 2024
2916 39 90 53	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5-Iodo-2-methylbenzoic acid (CAS RN 54811-38-0)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2916 39 90 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-tert-Butylbenzoic acid (CAS RN 98-73-7)	31 August 2024
2916 39 90 57	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Phenylprop-2-enoic acid (CAS RN 492-38-6)	31 August 2024
2916 39 90 63	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• 2-Phenylbutyric Acid (CAS RN 90-27-7)	31 August 2024
2916 39 90 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ibuprofen (INN) (CAS RN 15687-27-1)	31 August 2024
2916 39 90 73	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	(2,4-Dichlorophenyl)acetyl chloride (CAS RN 53056-20-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2916 39 90 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	m-Toluic acid (CAS RN 99-04-7)	31 August 2024
2916 39 90 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(2,4,5-Trifluorophenyl)acetic acid (CAS RN 209995-38-0)	31 August 2024
2916 39 90 90	0.00%	This suspension only applies to: • 3-Chloro-2-fluorobenzoic acid (CAS RN 161957-55-7), and • Methyl 4'-(bromomethyl)biphenyl-2-carboxylate (CAS RN 114772-38-2)	• 3-Chloro-2-fluorobenzoic acid (CAS RN 161957-55-7), and • 2-Phenylbutyric Acid (CAS RN 90-27-7) • Methyl 4'-(bromomethyl)biphenyl-2-carboxylate (CAS RN 114772-38-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• 2-Phenylbutyric Acid (CAS RN 90-27-7) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2917 11 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bis(p-methylbenzyl) oxalate (CAS RN 18241-31-1)	31 August 2024
2917 11 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cobalt oxalate (CAS RN 814-89-1)	31 August 2024
2917 11 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Diethyl oxalate (CAS RN 95-92-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2917 12 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bis(3,4-epoxycyclohexylmethyl) adipate (CAS RN 3130-19-6)	31 August 2024
2917 13 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dimethyl sebacate (CAS RN 106-79-6)	31 August 2024
2917 19 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dimethyl malonate (CAS RN 108-59-8)	31 August 2024
2917 19 10 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diethyl malonate (CAS RN 105-53-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2917 19 80 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dimethyl but-2-ynedioate (CAS RN 762-42-5)	31 August 2024
2917 19 80 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethylene brassylate (CAS RN 105-95-3)	31 August 2024
2917 19 80 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diethyl methylmalonate (CAS RN 609-08-5)	31 August 2024
2917 19 80 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dodecanedioic acid (CAS RN 693-23-2) with a purity by weight of more than 98.5%	31 August 2024
		This suspension does not apply to any mixtures, preparations or products made up of different	Iron fumarate (CAS RN 141-01-5) with a purity by weight of 93% or more	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2917 19 80 45	0.00%	components containing these products.		31 August 2024
2917 19 80 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetradecanedioic acid (CAS RN 821-38-5)	31 August 2024
2917 19 80 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Itaconic acid (CAS RN 97-65-4)	31 August 2024
2917 20 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,4,5,6,7,7-Hexachloro-8,9,10-trinorborn-5-ene-2,3-dicarboxylic anhydride (CAS RN 115-27-5)	31 August 2024
2917 20 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Methyl-1,2,3,6-tetrahydrophthalic anhydride (CAS RN 5333-84-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2917 34 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diallyl phthalate (CAS RN 131-17-9)	31 August 2024
2917 39 85 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dibutyl-1,4-benzenedicarboxylate (CAS RN 1962-75-0)	31 August 2024
2917 39 85 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Naphthalene-1,8-dicarboxylic anhydride (CAS RN 81-84-5)	31 August 2024
2917 39 85 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Benzene-1,2:4,5-tetracarboxylic dianhydride (CAS RN 89-32-7)	31 August 2024
2917 39 85 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	1-Methyl-2-nitroterephthalate (CAS RN 35092-89-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2917 39 85 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dimethyl 2-nitroterephthalate (CAS RN 5292-45-5)	31 August 2024
2917 39 85 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,4,5,8-Naphthalenetetracarboxylic acid-1,8-monoanhydride (CAS RN 52671-72-4)	31 August 2024
2917 39 85 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Perylene-3,4:9,10-tetracarboxylic dianhydride (CAS RN 128-69-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2918 19 30 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cholic acid (CAS RN 81-25-4)	31 August 2024
2918 19 30 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-α,12-α-Dihydroxy-5-β-cholan-24-oic acid (deoxycholic acid) (CAS RN 83-44-3)	31 August 2024
2918 19 98 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	L-Malic acid (CAS RN 97-67-6)	31 August 2024
2918 19 98 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl 1-hydroxycyclopentanecarboxylate (CAS RN 41248-23-1)	31 August 2024
2918 19 98 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl 1-hydroxycyclohexanecarboxylate (CAS RN 1127-01-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2918 19 98 50	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	12-Hydroxyoctadecanoic acid (CAS RN 106-14-9) with a purity by weight of 90% or more for use in the manufacture of polyglycerin-poly-12-hydroxyoctadecanoic acid esters	31 August 2024
2918 22 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	o-Acetylsalicylic acid (CAS RN 50-78-2)	31 August 2024
2918 29 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Monohydroxynaphthoic acids	31 August 2024
2918 29 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Propyl 3,4,5-trihydroxybenzoate (CAS RN 121-79-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2918 29 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hexamethylene bis[3-(3,5-di-_tert_-butyl-4-hydroxyphenyl)propionate] (CAS RN 35074-77-2)	31 August 2024
2918 29 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl, ethyl, propyl or butyl esters of 4-hydroxybenzoic acid or their sodium salts (CAS RN 35285-68-8, 99-76-3, 5026-62-0, 94-26-8, 94-13-3, 35285-69-9, 120-47-8, 36457-20-2 or 4247-02-3)	31 August 2024
2918 29 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,5-Diiodosalicylic acid (CAS RN 133-91-5)	31 August 2024
2918 29 00 75	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different	Octadecyl 3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate (CAS RN 2082-79-3) with: • a sieve passing fraction at a mesh width of 500 μm of more than 99% by weight, and • a melting point of at least 49 °C but not more than 54 °C	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	for use in the manufacture of PVC processing stabiliser-one packs based on powder mixtures (powders or press granulates)	
2918 29 00 80	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pentaerythritol tetrakis(3-(3,5-di-tert-butyl-4-hydroxyphenyl)propionate) (CAS RN 6683-19-8) with: • a sieve passing fraction at a mesh width of 250 μm of more than 75% by weight and at a mesh width of 500 μm of more than 99% by weight, and • a melting point of at least 110 °C but not more than 125 °C, for use in the manufacture of PVC processing stabiliser-one packs based on powder mixtures (powders or press granulates)	31 August 2024
2918 30 00 10	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Benzophenone-3,3',4,4'-tetracarboxylic dianhydride (CAS RN 2421-28-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2918 30 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-fluoro-5-formylbenzoic acid (CAS RN 550363-85-4)	31 August 2024
2918 30 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(E)-1-ethoxy-3-oxobut-1-en-1-olate; 2-methylpropan-1-olate; titanium(4+) (CAS RN 83877-91-2)	31 August 2024
2918 30 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl-2-benzoylbenzoate (CAS RN 606-28-0)	31 August 2024
2918 30 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Oxocyclobutane-1-carboxylic acid with a purity by weight of 98% or more (CAS RN 23761-23-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2918 30 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl acetoacetate (CAS RN 141-97-9)	31 August 2024
2918 30 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Oxovaleric acid (CAS RN 123-76-2)	31 August 2024
2918 30 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-[4-Chloro-3-(chlorosulphonyl) benzoyl]benzoic acid (CAS RN 68592-12-1)	31 August 2024
2918 30 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl benzoylformate (CAS RN 15206-55-0)	31 August 2024
2918 99 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,4-Epoxycyclohexylmethyl 3,4-epoxycyclohexanecarboxylate (CAS RN 2386-87-0)	31 August 2024
2918 99 90 13	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	3-Methoxy-2-methylbenzoyl chloride (CAS RN 24487-91-0)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2918 99 90 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl 2,3-epoxy-3-phenylbutyrate (CAS RN 77-83-8)	31 August 2024
2918 99 90 18	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl 2-hydroxy-2-(4-phenoxyphenyl)propanoate (CAS RN 132584-17-9)	31 August 2024
2918 99 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl 3-methoxyacrylate (CAS RN 5788-17-0)	31 August 2024
2918 99 90 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl (E)-3-methoxy-2-(2-chloromethylphenyl)-2-propenoate (CAS RN 117428-51-0)	31 August 2024
2918 99 90 27	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl 3-ethoxypropionate (CAS RN 763-69-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2918 99 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl 2-(4-hydroxyphenoxy)propionate (CAS RN 96562-58-2)	31 August 2024
2918 99 90 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Vanillic Acid (CAS RN 121-34-6) containing: • not more than 10 ppm of Palladium (CAS RN 7440-05-3), • not more than 10 ppm of bismuth (CAS RN 7440-69-9), • not more than 14 ppm of formaldehyde (CAS RN 50-00-0), • not more than 1.3% by weight of 3,4-dihydroxybenzoic acid (CAS RN 99-50-3), • not more than 0.5% by weight of vanillin (CAS RN 121-33-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2918 99 90 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	p-Anisic acid (CAS RN 100-09-4)	31 August 2024
2918 99 90 38	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diclofop-methyl (ISO) (CAS RN 51338-27-3)	31 August 2024
2918 99 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	trans-4-Hydroxy-3-methoxycinnamic acid (CAS RN 1135-24-6)	31 August 2024
2918 99 90 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Methylcatechol dimethyl acetate (CAS RN 52589-39-6)	31 August 2024
2918 99 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl 3,4,5-trimethoxybenzoate (CAS RN 1916-07-0)	31 August 2024
2918 99 90 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Stearyl glycyrrhetinate(CAS RN 13832-70-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2918 99 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,4,5-Trimethoxybenzoic acid (CAS RN 118-41-2)	31 August 2024
2918 99 90 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acetic acid, difluoro[1,1,2,2-tetrafluoro-2-(pentafluoroethoxy)ethoxy]-, ammonium salt (CAS RN 908020-52-0)	31 August 2024
2918 99 90 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Allyl-(3-methylbutoxy)acetate (CAS RN 67634-00-8)	31 August 2024
2918 99 90 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Trinexapac-Ethyl (ISO) (CAS RN 95266-40-3) with a purity by weight of 96% or more	31 August 2024
2918 99 90 90	0.00%	This suspension only applies to: • 1,8-Dihydroxyanthraquinone-3-	• 1,8-Dihydroxyanthraquinone-3-carboxylic acid (CAS RN 478-43-3), and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		carboxylic acid (CAS RN 478-43-3), and • Sodium 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate, (CAS RN 62476-59-9) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Sodium 5-[2-chloro-4-(trifluoromethyl)phenoxy]-2-nitrobenzoate, (CAS RN 62476-59-9)	
2920 19 00 90	0.00%	This suspension only applies to Fenitrothion (ISO) (CAS RN 122-14-5) and Tolclofos-methyl (ISO) (CAS RN 57018-04-9) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fenitrothion (ISO) (CAS RN 122-14-5) Tolclofos-methyl (ISO) (CAS RN 57018-04-9)	31 August 2024
2920 19 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,2'-Oxybis(5,5-dimethyl-1,3,2-dioxaphosphorinane)-2,2'-disulphide (CAS RN 4090-51-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2920 23 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Trimethyl phosphite	31 August 2024
2920 24 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Triethyl phosphite	31 August 2024
2920 29 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	O,O'-Dioctadecyl pentaerythritol bis(phosphite) (CAS RN 3806-34-6)	31 August 2024
2920 29 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Phosphorous acid 3,3',5,5'-tetrakis(1,1-dimethylethyl)-6,6'-dimethyl[1,1'-biphenyl]-2,2'-diyl tetra-1-naphthalenyl ester (CAS RN 198979-98-5)	31 August 2024
2920 29 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tris(methylphenyl)phosphite (CAS RN 25586-42-9)	31 August 2024
2920 29 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Bis(2,4-dicumylphenyl)pentaerythritol	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	diphosphite (CAS RN 154862-43-8)	
2920 29 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fosetyl-aluminium (CAS RN 39148-24-8)	31 August 2024
2920 29 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tris (2,4-di-tert-butylphenyl)phosphite (CAS RN 31570-04-4)	31 August 2024
2920 29 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• 2,4,8,10-tetrakis(1,1-dimethylethyl)-6-(2-ethylhexyloxy)-12H dibenzo[d,g][1,3,2]dioxaphosphocin (CAS RN 126050-54-2) with a purity by weight of 95% or more by weight	31 August 2024
2920 29 00 90	0.00%	This suspension only applies to: • 2,2'-[[3,3',5,5'-Tetrakis(1,1-dimethylethyl)[1,1'-biphenyl]-2,2'-diyl]bis(oxy)]bis[biphenyl-1,3,2-dioxaphosphepine]	• 2,2'-[[3,3',5,5'-Tetrakis(1,1-dimethylethyl)[1,1'-biphenyl]-2,2'-diyl]bis(oxy)]bis[biphenyl-1,3,2-dioxaphosphepine] (CAS RN 138776-88-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		(CAS RN 138776-88-2) and • Fosetyl-sodium (CAS RN 39148-16-8) in form of an aqueous solution with a content by weight of fosetyl-sodium of 35 % or more but not more than 45 % for use in the manufacture of pesticides falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Fosetyl-sodium (CAS RN 39148-16-8) in form of an aqueous solution with a content by weight of fosetyl-sodium of 35 % or more but not more than 45 % for use in the manufacture of pesticides	
2920 90 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diethyl sulphate (CAS RN 64-67-5)	31 August 2024
2920 90 10 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diallyl 2,2'-oxydiethyl dicarbonate (CAS RN 142-22-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2920 90 10 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dimethyl carbonate (CAS RN 616-38-6)	31 August 2024
2920 90 10 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Di-tert-butyl dicarbonate (CAS RN 24424-99-5)	31 August 2024
2920 90 10 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,4-Di-tert-butyl-5-nitrophenyl methyl carbonate (CAS RN 873055-55-1)	31 August 2024
2920 90 10 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dimethyl Sulphate (CAS RN 77-78-1) with a purity of at least 99%	31 August 2024
2920 90 10 90	2.00%	This suspension only applies to: • Diethyl carbonate (CAS RN 105-58-8) • Vinylene carbonate (CAS RN 872-36-6) • Sodium 2-[2-(2-tridecoxyethoxy)ethoxy]eth	• Diethyl carbonate (CAS RN 105-58-8) • Vinylene carbonate (CAS RN 872-36-6) • Sodium 2-[2-(2-tridecoxyethoxy)ethoxy]ethyl sulphate (CAS RN	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		yl sulphate (CAS RN 25446-78-0) in the form of a liquid paste with a content by weight in water of 62% or more but not more than 65% falling under this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	25446-78-0) in the form of a liquid paste with a content by weight in water of 62% or more but not more than 65%	
2920 90 70 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diethyl phosphorochloridate (CAS RN 814-49-3)	31 August 2024
2920 90 70 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-isopropoxy-4,4,5,5-tetramethyl-1,3,2-dioxaborolane (CAS RN 61676-62-8)	31 August 2024
2920 90 70 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bis(neopentylglycolato)diboron (CAS RN 201733-56-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2920 90 70 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bis(pinacolato)diboron (CAS RN 73183-34-3)	31 August 2024
2921 13 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(N,N-Diethylamino)ethylchloride hydrochloride	31 August 2024
2921 19 99 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl(2-methylallyl)amine (CAS RN 18328-90-0)	31 August 2024
2921 19 99 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Allylamine (CAS RN 107-11-9)	31 August 2024
2921 19 99 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Chloro-N-(2-chloroethyl)ethanamine hydrochloride (CAS RN 821-48-7)	31 August 2024
2921 19 99 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	N,N-Dimethyloctylamine - boron trichloride (1:1) (CAS RN 34762-90-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2921 19 99 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Octadecylamine (CAS RN 124-30-1)	31 August 2024
2921 19 99 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Taurine (CAS RN 107-35-7), with 0.5% addition of anti-caking agent silicon dioxide (CAS RN 112926-00-8)	31 August 2024
2921 29 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tris[3-(dimethylamino)propyl]amine (CAS RN 33329-35-0)	31 August 2024
2921 29 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bis[3-(dimethylamino)propyl]methylamine (CAS RN 3855-32-1)	31 August 2024
2921 29 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Decamethylenediamine (CAS RN 646-25-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2921 29 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N'-[3-(Dimethylamino)propyl]-N,N-dimethylpropane-1,3-diamine, (CAS RN 6711-48-4)	31 August 2024
2921 29 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bis(2-dimethylaminoethyl)(methyl)amine (CAS RN 3030-47-5)	31 August 2024
2921 30 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(4-(cyclopropanecarbonyl)phenyl)-2-methylpropanoic acid cyclohexylamine salt (CAS RN 1690344-90-1)	31 August 2024
2921 30 99 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cyclopropylamin (CAS RN 765-30-0)	31 August 2024
2921 30 99 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bicyclo[1.1.1]pentan-1-amine hydrochloride (CAS RN 22287-35-0)	31 August 2024
2921 30 99 90	0.00%	This suspension only applies to 1,3-Cyclohexanedimethanamine (CAS	1,3-Cyclohexanedimethanamine (CAS RN 2579-20-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		RN 2579-20-6) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2921 41 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aniline (CAS RN 62-53-3) with a purity by weight of 99% or more	31 August 2024
2921 42 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sodium hydrogen 2-aminobenzene-1,4-disulphonate (CAS RN 24605-36-5)	31 August 2024
2921 42 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Nitroaniline (CAS RN 88-74-4)	31 August 2024
2921 42 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sodium sulphanilate (CAS RN 515-74-2), also in form of its mono- or dihydrates (CAS RN 12333-70-0 or 6106-22-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2921 42 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,4,5-Trichloroaniline (CAS RN 636-30-6)	31 August 2024
2921 42 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Aminobenzenesulfonic acid (CAS RN 121-47-1)	31 August 2024
2921 42 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Chloroaniline (CAS RN 106-47-8)	31 August 2024
2921 42 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Aminobenzene-1,4-disulfonic acid (CAS RN 98-44-2)	31 August 2024
2921 42 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Chloro-2-nitroaniline (CAS RN 89-63-4)	31 August 2024
2921 42 00 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	3,5-Dichloroaniline (CAS RN 626-43-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2921 42 00 86	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,5-Dichloroaniline (CAS RN 95-82-9)	31 August 2024
2921 42 00 87	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-Methylaniline (CAS RN 100-61-8)	31 August 2024
2921 42 00 88	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,4-Dichloroaniline-6-sulphonic acid (CAS RN 6331-96-0)	31 August 2024
2921 42 00 89	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Fluoro-N-(1-methylethyl)benzeneamine (CAS RN 70441-63-3)	31 August 2024
2921 42 00 90	0.00%	This suspension only applies to 2-Fluoroaniline (CAS RN 348-54-9) falling under this CN10 code. This suspension does not apply to	2-Fluoroaniline (CAS RN 348-54-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		any mixtures, preparations or products made up of different components containing these products.		
2921 43 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Amino-6-chlorotoluene-3-sulphonic acid (CAS RN 88-51-7)	31 August 2024
2921 43 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Nitro-p-toluidine (CAS RN 119-32-4)	31 August 2024
2921 43 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Aminotoluene-3-sulphonic acid (CAS RN 88-44-8)	31 August 2024
2921 43 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Aminobenzotrifluoride (CAS RN 98-16-8)	31 August 2024
2921 43 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	5-Bromo-4-fluoro-2-methylaniline (CAS RN 627871-16-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2921 43 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Methylaniline (CAS RN 95-53-4) with a purity by weight of 99% or more	31 August 2024
2921 43 00 90	0.00%	This suspension only applies to 4-Aminobenzotrifluoride (CAS RN 455-14-1) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Aminobenzotrifluoride (CAS RN 455-14-1)	31 August 2024
2921 44 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diphenylamine (CAS RN 122-39-4)	31 August 2024
2921 45 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Aminonaphthalene-1,5-disulphonic acid (CAS RN 117-62-4) or one of its sodium salts (CAS RN 19532-03-7) or (CAS RN 62203-79-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2921 45 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(5 or 8)-Aminonaphthalene-2-sulphonic acid (CAS RN 51548-48-2)	31 August 2024
2921 45 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	7-Aminonaphthalene-1,3,6-trisulphonic acid (CAS RN 118-03-6)	31 August 2024
2921 45 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-Naphthylamine (CAS RN 134-32-7)	31 August 2024
2921 45 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	8-Aminonaphthalene-2-sulphonic acid (CAS RN 119-28-8)	31 August 2024
2921 45 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Aminonaphthalene-1-sulphonic acid (CAS RN 81-16-3)	31 August 2024
2921 49 00 20	2.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Pendimethalin (ISO) (CAS RN 40487-42-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2921 49 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Isopropylaniline (CAS RN 99-88-7)	31 August 2024
2921 49 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Ethylaniline (CAS RN 578-54-1)	31 August 2024
2921 49 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-1-Naphthylaniline (CAS RN 90-30-2)	31 August 2024
2921 49 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,6-Diisopropylaniline (CAS RN 24544-04-5)	31 August 2024
2921 49 00 90	0.00%	This suspension only applies to 4-Heptafluoroisopropyl-2-methylaniline (CAS RN 238098-26-5) falling under this CN10 code.	4-Heptafluoroisopropyl-2-methylaniline (CAS RN 238098-26-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2921 51 19 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	o-Phenylenediamine (CAS RN 95-54-5)	31 August 2024
2921 51 19 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Methyl-p-phenylenediamine sulphate (CAS RN 615-50-9)	31 August 2024
2921 51 19 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	p-Phenylenediamine (CAS RN 106-50-3)	31 August 2024
2921 51 19 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mono- and dichloroderivatives of p-phenylenediamine and p-diaminotoluene	31 August 2024
2921 51 19 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	2,4-Diaminobenzenesulphonic acid (CAS RN 88-63-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2921 51 19 90	0.00%	This suspension only applies to 4-Bromo- 1,2-diaminobenzene (CAS RN 1575-37-7) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Bromo- 1,2-diaminobenzene (CAS RN 1575-37-7)	31 August 2024
2921 51 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-(4-Chlorophenyl)benzene-1,2-diamine (CAS RN 68817-71-0) with a purity by weight of 97% or more	31 August 2024
2921 59 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of isomers of 3,5-diethyltoluenediamine (CAS RN 68479-98-1, CAS RN 75389-89-8)	31 August 2024
2921 59 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,3'-Dichlorobenzidine dihydrochloride (CAS RN 612-83-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2921 59 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4,4'-Diaminostilbene-2,2'-disulphonic acid (CAS RN 81-11-8)	31 August 2024
2921 59 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(2R,5R)-1,6-Diphenylhexane-2,5-diamine dihydrochloride (CAS RN 1247119-31-8)	31 August 2024
2921 59 90 85	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4,4'-Methanediyldianiline (CAS RN 101-77-9) with a purity by weight of at least 97%, in the form of granules, for use in the manufacture of prepolymers	31 August 2024
2921 59 90 90	0.00%	This suspension only applies to Tris(4-aminophenyl)methane (CAS RN 548-61-8) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or	Tris(4-aminophenyl)methane (CAS RN 548-61-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		products made up of different components containing these products.		
2922 19 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aqueous solution, containing by weight: • 73% or more 2-amino-2-methyl-1-propanol (CAS RN 124-68-5), • 4.5% or more, but not more than 27% water (CAS RN 7732-18-5)	31 August 2024
2922 19 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(2-Methoxyphenoxy)ethylamine hydrochloride (CAS RN 64464-07-9)	31 August 2024
2922 19 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N,N,N',N'-Tetramethyl-2,2'-oxybis(ethylamine) (CAS RN 3033-62-3)	31 August 2024
2922 19 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-[2-(Dimethylamino)ethoxy] ethanol (CAS RN 1704-62-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2922 19 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(R)-1-((4-amino-2-bromo-5-fluorophenyl)amino)-3-(benzyloxy)propan-2-ol 4-methylbenzenesulphonate (CAS RN 1294504-64-5)	31 August 2024
2922 19 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Methoxymethyl-p-phenylenediamine (CAS RN 337906-36-2)	31 August 2024
2922 19 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(2-Methoxyphenoxy)ethylamine (CAS RN 1836-62-0)	31 August 2024
2922 19 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Aminoadamantan-1-ol (CAS RN 702-82-9)	31 August 2024
2922 19 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N,N,N'-trimethyl-N'-(2-hydroxy-ethyl) 2,2'-oxybis(ethylamine), (CAS RN 83016-70-0)	31 August 2024
2922 19 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	trans-4-Aminocyclohexanol (CAS RN 27489-62-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2922 19 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Ethoxyethylamine (CAS RN 110-76-9)	31 August 2024
2922 19 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-[2-[2-(Dimethylamino)ethoxy]ethyl]-N-methyl-1,3-propanediamine (CAS RN 189253-72-3)	31 August 2024
2922 19 00 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(1S,4R)-cis-4-Amino-2-cyclopentene-1-methanol-D-tartrate (CAS RN 229177-52-0)	31 August 2024
2922 21 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Amino-5-hydroxynaphthalene-1,7-disulphonic acid (CAS RN 6535-70-2)	31 August 2024
2922 21 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	6-Amino-4-hydroxynaphthalene-2-sulphonic acid (CAS RN 90-51-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2922 21 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	7-Amino-4-hydroxynaphthalene-2-sulphonic acid (CAS RN 87-02-5)	31 August 2024
2922 21 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sodium hydrogen 4-amino-5-hydroxynaphthalene-2,7-disulphonate (CAS RN 5460-09-3)	31 August 2024
2922 21 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Amino-5-hydroxynaphthalene-2,7-disulphonic acid with a purity by weight of 80% or more (CAS RN 90-20-0)	31 August 2024
2922 29 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Aminophenol (CAS RN 591-27-5)	31 August 2024
2922 29 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5-Amino-o-cresol (CAS RN 2835-95-2)	31 August 2024
2922 29 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	1,2-Bis(2-aminophenoxy)ethane (CAS RN 52411-34-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2922 29 00 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	o-Phenetidine (CAS RN 94-70-2)	31 August 2024
2922 29 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Anisidines	31 August 2024
2922 29 00 63	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aclonifen (ISO) (CAS RN 74070-46-5) with a purity by weight of 97% or more	31 August 2024
2922 29 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Trifluoromethoxyaniline (CAS RN 461-82-5)	31 August 2024
2922 29 00 67	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Chloro-2,5-dimethoxyaniline (CAS RN 6358-64-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2922 29 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Nitro-o-anisidine (CAS RN 97-52-9)	31 August 2024
2922 29 00 73	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tris(4-aminophenyl) thiophosphate (CAS RN 52664-35-4)	31 August 2024
2922 29 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-(2-Aminoethyl)phenol (CAS RN 51-67-2)	31 August 2024
2922 29 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Diethylaminophenol (CAS RN 91-68-9)	31 August 2024
2922 29 00 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Benzyloxyaniline hydrochloride (CAS RN 51388-20-6)	31 August 2024
2922 29 00 90	0.00%	This suspension only applies to 4-Hydroxy-6-[(3-sulphophenyl)amino]naphthalene-2-	4-Hydroxy-6-[(3-sulphophenyl)amino]naphthalene-	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		sulphonic acid (CAS RN 25251-42-7) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-sulphonic acid (CAS RN 25251-42-7)	
2922 39 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-Amino-4-bromo-9,10-dioxoanthracene-2-sulfonic acid and its salts	31 August 2024
2922 39 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Amino-3,5-dibromobenzaldehyde (CAS RN 50910-55-9)	31 August 2024
2922 39 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Amino-5-chlorobenzophenone (CAS RN 719-59-5)	31 August 2024
2922 39 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(2-Fluorophenyl)-[2-(methylamino)-5-nitrophenyl]methanone (CAS RN 735-06-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2922 39 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5-Chloro-2-(methylamino)benzophenone (CAS RN 1022-13-5)	31 August 2024
2922 39 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4,4'-Bis(diethylamino)benzophenone (CAS RN 90-93-7)	31 August 2024
2922 39 00 90	0.00%	This suspension only applies to 3-(Dimethylamino)-1-(1-naphthalenyl)-1-propanone)hydrochloride (CAS RN 5409-58-5) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-(Dimethylamino)-1-(1-naphthalenyl)-1-propanone)hydrochloride (CAS RN 5409-58-5)	31 August 2024
2922 41 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	L-Lysine hydrochloride (CAS RN 657-27-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2922 43 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Anthranilic acid (CAS RN 118-92-3)	31 August 2024
2922 50 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(2-(2-Aminoethoxy)ethoxy)acetic acid hydrochloride (CAS RN 134979-01-4)	31 August 2024
2922 50 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,5-Diiodothyronine (CAS RN 1041-01-6)	31 August 2024
2922 50 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-[2-Amino-1-(4-methoxyphenyl)-ethyl]-cyclohexanol hydrochloride (CAS RN 130198-05-9)	31 August 2024
2922 50 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	L-Threonine (CAS RN 72-19-5)	31 August 2024
2922 50 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	(2S)-2-Amino-3-(3,4-dimethoxyphenyl)-2-methylpropanoic acid	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	hydrochloride (CAS RN 5486-79-3)	
2922 50 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(1-Hydroxycyclohexyl)-2-(4-methoxyphenyl)ethylammonium acetate	31 August 2024
2923 10 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Calcium phosphoryl choline chloride tetrahydrate (CAS RN 72556-74-2)	31 August 2024
2923 90 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetramethylammonium hydroxide, in the form of an aqueous solution containing 25% (± 0.5%) by weight of tetramethylammonium hydroxide	31 August 2024
2923 90 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetrakis(dimethylditetradecylammonium) molybdate, (CAS RN 117342-25-3)	31 August 2024
2923 90 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Betaine hydrochloride (CAS RN 590-46-5), with a purity by weight of 93% or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2923 90 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetrabutylammonium bromide (CAS RN 1643-19-2)	31 August 2024
2923 90 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N,N,N-trimethyl-tricyclo[3.3.1.13,7]decan-1-aminium hydroxide (CAS RN 53075-09-5) in form of an aqueous solution with a content of N,N,N-trimethyl-tricyclo[3.3.1.13,7]decan-1-aminium hydroxide by weight of 17.5% or more but not more than 27.5%	31 August 2024
2923 90 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetrapropylammonium hydroxide, in the form of an aqueous solution containing: • 40% (± 2%) by weight of tetrapropylammonium hydroxide, • 0.3% by weight or less of carbonate,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 0.1% by weight or less of tripropylamine, • 500 mg / kg or less of bromide and, • 25 mg / kg or less of potassium and sodium taken together	
2923 90 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetraethylammonium hydroxide, in the form of an aqueous solution containing: • 35% (± 0.5%) by weight of tetraethylammonium hydroxide, • not more than 1 000 mg / kg of chloride, • not more than 2 mg / kg of iron, and • not more than 10 mg / kg of potassium	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2923 90 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diallyldimethylammonium chloride, in the form of an aqueous solution containing by weight 63% or more but not more than 67% of diallyldimethylammonium chloride (CAS RN 7398-69-8)	31 August 2024
2923 90 00 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N,N,N-Trimethylanilinium chloride (CAS RN 138-24-9)	31 August 2024
2924 19 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Acrylamido-2-methylpropanesulphonic acid (CAS RN 15214-89-8) or its sodium salt (CAS RN 5165-97-9), or its ammonium salt (CAS RN 58374-69-9)	31 August 2024
2924 19 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-Ethyl N-methylcarbamoyl chloride (CAS RN 42252-34-6)	31 August 2024
2924 19 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Isobutylidenediurea (CAS RN 6104-30-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2924 19 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl 2-acetamido-3-chloropropionate (CAS RN 87333-22-0)	31 August 2024
2924 19 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acetamide (CAS RN 60-35-5)	31 August 2024
2924 19 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Propynyl butylcarbamate (CAS RN 76114-73-3)	31 August 2024
2924 19 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N,N-Dimethylacrylamide (CAS RN 2680-03-7)	31 August 2024
2924 19 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,2,2-trifluoroacetamide (CAS RN 354-38-1)	31 August 2024
2924 19 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Methylcarbamate (CAS RN 598-55-0)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2924 19 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(S)-4-((tert-Butoxycarbonyl)amino)-2-hydroxybutanoic acid (CAS RN 207305-60-0)	31 August 2024
2924 19 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetrabutylurea (CAS RN 4559-86-8)	31 August 2024
2924 19 00 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-iodoprop-2-yn-1-yl butylcarbamate (CAS RN 55406-53-6)	31 August 2024
2924 19 00 90	0.00%	This suspension only applies to (R)-(-)-3-(carbamoylmethyl)-5-methylhexanoic acid (CAS RN 181289-33-8) and - 3-Chloro-N-methoxy-N-methylpropanamide (CAS RN 1062512-53-1) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or	• (R)-(-)-3-(carbamoylmethyl)-5-methylhexanoic acid (CAS RN 181289-33-8) • - 3-Chloro-N-methoxy-N-methylpropanamide (CAS RN 1062512-53-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		products made up of different components containing these products.		
2924 19 00 90	2.00%	This suspension only applies to Acrylamide (CAS RN 79-06-1) with a purity by weight of 97 % or more falling under this CN10 code This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acrylamide (CAS RN 79-06-1) with a purity by weight of 97 %	31 August 2024
2924 21 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4,4'-Dihydroxy-7,7'-ureylenedi(naphthalene-2-sulfonic acid) and its sodium salts	31 August 2024
2924 21 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(3-Aminophenyl)urea hydrochloride (CAS RN 59690-88-9)	31 August 2024
2924 25 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Alachlor (ISO)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2924 29 70 12	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-(Acetylamino)-2-aminobenzenesulphonic acid (CAS RN 88-64-2)	31 August 2024
2924 29 70 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acetochlor (ISO), (CAS RN 34256-82-1)	31 August 2024
2924 29 70 17	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(Trifluoromethyl)benzamide (CAS RN 360-64-5)	31 August 2024
2924 29 70 19	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-[[2-(Benzyloxycarbonylamino)acetyl]amino]propionic acid (CAS RN 3079-63-8)	31 August 2024
2924 29 70 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Chloro-N-(2-ethyl-6-methylphenyl)-N-(propan-2-yloxymethyl)acetamide (CAS RN 86763-47-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2924 29 70 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Benalaxyl-M (ISO) (CAS RN 98243-83-5)	31 August 2024
2924 29 70 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sodium 4-(4-methyl-3-nitrobenzoylamino)benzenesulphonate (CAS RN 84029-45-8)	31 August 2024
2924 29 70 37	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Beflubutamid (ISO) (CAS RN 113614-08-7)	31 August 2024
2924 29 70 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N,N'-1,4-Phenylenebis[3-oxobutyramide] (CAS RN 24731-73-5)	31 August 2024
2924 29 70 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Propoxur (ISO) (CAS RN 114-26-1)	31 August 2024
2924 29 70 47	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	(S)-tert-butyl (1-amino-3-(4-iodophenyl)-1-oxopropan-2-yl)carbamate (CAS RN 868694-44-	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	4) with a purity by weight of 95% or more	
2924 29 70 53	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Amino-N-[4-(aminocarbonyl)phenyl]benzamide (CAS RN 74441-06-8)	31 August 2024
2924 29 70 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N,N'-(2,5-Dimethyl-1,4-phenylene)bis[3-oxobutyramide] (CAS RN 24304-50-5)	31 August 2024
2924 29 70 62	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Chlorobenzamide (CAS RN 609-66-5)	31 August 2024
2924 29 70 63	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-Ethyl-2-(isopropyl)-5-methylcyclohexanecarboxamide (CAS RN 39711-79-0)	31 August 2024
2924 29 70 64	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-(3',4'-dichloro-5-fluoro[1,1'-biphenyl]-2-yl)-acetamide (CAS RN 877179-03-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2924 29 70 67	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N,N'-(2,5-Dichloro-1,4-phenylene)bis[3-oxobutyramide] (CAS RN 42487-09-2)	31 August 2024
2924 29 70 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-[(benzyloxy)carbonyl]glycyl-N-[(2S)-1-{4-[(tert-butoxycarbonyl)oxy]phenyl}-3-hydroxypropan-2-yl]-L-alaninamide	31 August 2024
2924 29 70 73	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Napropamide (ISO) (CAS RN 15299-99-7)	31 August 2024
2924 29 70 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Amino-p-anisanilide (CAS RN 120-35-4)	31 August 2024
2924 29 70 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	p-Aminobenzamide (CAS RN 2835-68-9)	31 August 2024
2924 29 70 86	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Anthranilamide of a purity by weight of 99.5 % or more (CAS RN 88-68-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2924 29 70 87	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Paracetamol (INN) (CAS RN 103-90-2)	31 August 2024
2924 29 70 88	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5'-Chloro-3-hydroxy-2'-methyl-2-naphthanilide (CAS RN 135-63-7)	31 August 2024
2924 29 70 89	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Flutolanil (ISO) (CAS RN 66332-96-5)	31 August 2024
2924 29 70 91	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Hydroxy-2'-methoxy-2-naphthanilide (CAS RN 135-62-6)	31 August 2024
2924 29 70 92	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Hydroxy-2-naphthanilide (CAS RN 92-77-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2924 29 70 93	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Hydroxy-2'-methyl-2-naphthanilide (CAS RN 135-61-5)	31 August 2024
2924 29 70 94	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2'-Ethoxy-3-hydroxy-2-naphthanilide (CAS RN 92-74-0)	31 August 2024
2924 29 70 97	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,1-Cyclohexanediacetic acid monoamide (CAS RN 99189-60-3)	31 August 2024
2924 29 70 99	0.00%	This suspension only applies to: • N,N'-(2-Chloro-5-methyl-1,4-phenylene)bis[3-oxobutyramide] (CAS RN 41131-65-1), • (S)-1-Phenylethanamine (S)-2-(((1R,2R)-2-allylcyclopropoxy)carbonylamino)-3,3-dimethylbutanoate (CUS 0143288-8)	• N,N'-(2-Chloro-5-methyl-1,4-phenylene)bis[3-oxobutyramide] (CAS RN 41131-65-1), and • (S)-1-Phenylethanamine (S)-2-(((1R,2R)-2-allylcyclopropoxy)carbonylamino)-3,3-dimethylbutanoate (CUS 0143288-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• 2-Bromo-4-fluoroacetanilide (CAS RN 1009-22-9), and • N-Benzyloxycarbonyl-L-tert-leucine isopropylamine salt (CAS RN 1621085-33-3) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• 2-Bromo-4-fluoroacetanilide (CAS RN 1009-22-9), and • N-Benzyloxycarbonyl-L-tert-leucine isopropylamine salt (CAS RN 1621085-33-3) •	
2926 10 00 10	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of Chapter 55 and Heading 6815	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2926 10 00 20	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acrylonitrile (CAS RN 107-13-1), for use in the manufacture of goods of Headings 2921, 2924, 3906 and 4002	31 August 2024
2926 90 70 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Cyclohexylidene-2-phenylacetonitrile (CAS RN 10461-98-0)	31 August 2024
2926 90 70 16	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Cyano-2-nitrobenzoic acid methyl ester (CAS RN 52449-76-0)	31 August 2024
2926 90 70 17	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cypermethrin (ISO) with its stereoisomers (CAS RN 52315-07-8) with a purity by weight of 90% or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2926 90 70 18	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Flumethrin (ISO) (CAS RN 69770-45-2)	31 August 2024
2926 90 70 19	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(4-amino-2-chloro-5-methylphenyl)-2-(4-chlorophenyl) acetonitrile (CAS RN 61437-85-2)	31 August 2024
2926 90 70 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(m-Benzoylphenyl)propiononitrile (C AS RN 42872-30-0)	31 August 2024
2926 90 70 21	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Bromo-2-chlorobenzonitrile (CAS RN 154607-01-9)	31 August 2024
2926 90 70 22	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acetonitrile (CAS RN 75-05-8)	31 August 2024
2926 90 70 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Acrinathrin (ISO) (CAS RN 101007-06-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2926 90 70 24	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Hydroxy-2-methylpropiononitrile (CAS RN 75-86-5) with a purity by weight of 99% or more	31 August 2024
2926 90 70 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,2-Dibromo-3-nitrilopropionamide (CAS RN 10222-01-2)	31 August 2024
2926 90 70 26	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cyfluthrin (ISO) (CAS RN 68359-37-5) with a purity by weight of 95.5% or more for the use in the manufacture of biocidal products	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2926 90 70 27	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cyhalofop-butyl (ISO) (CAS RN 122008-85-9)	31 August 2024
2926 90 70 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4,5-Dichloro-3,6-dioxocyclohexa-1,4-diene-1,2-dicarbonitrile (CAS RN 84-58-2)	31 August 2024
2926 90 70 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Deltamethrin (ISO) (CAS RN 52918-63-5)	31 August 2024
2926 90 70 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Cyano-2-methoxybenzaldehyde (CAS RN 21962-45-8)	31 August 2024
2926 90 70 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(4-Cyanophenylamino)acetic acid (CAS RN 42288-26-6)	31 August 2024
2926 90 70 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Alkyl or alkoxyalkyl esters of cyanoacetic acid	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2926 90 70 61	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	m-(1-Cyanoethyl)benzoic acid (CAS RN 5537-71-3)	31 August 2024
2926 90 70 64	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Esfenvalerate (CAS RN 66230-04-4) of a purity by weight of 83% or more in a mixture of its own isomers	31 August 2024
2926 90 70 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methacrylonitrile (CAS RN 126-98-7)	31 August 2024
2926 90 70 74	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Chlorothalonil (ISO) (CAS RN 1897-45-6)	31 August 2024
2926 90 70 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl 2-cyano-2-ethyl-3-methylhexanoate (CAS RN 100453-11-0)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2926 90 70 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl 2-cyano-2-phenylbutyrate (CAS RN 718-71-8)	31 August 2024
2926 90 70 84	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Nitro-4(trifluoromethyl)benzonitrile (CAS RN 778-94-9)	31 August 2024
2926 90 70 86	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethylenediaminetetraacetonitrile (CAS RN 5766-67-6)	31 August 2024
2926 90 70 89	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Butyronitrile (CAS RN 109-74-0)	31 August 2024
2926 90 70 90	0.00%	This suspension only applies to Cyanoacetic acid (CAS RN 372-09-8) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different	Cyanoacetic acid (CAS RN 372-09-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2928 00 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,3´-Bis(3,5-di-tert-butyl-4-hydroxyphenyl)-N,N´-bipropionamide (CAS RN 32687-78-8)	31 August 2024
2928 00 90 13	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cymoxanil (ISO) (CAS RN 57966-95-7)	31 August 2024
2928 00 90 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Monomethylhydrazine (CAS RN 60-34-4) in the form of an aqueous solution with a content by weight of monomethylhydrazine of 40% (± 5) %	31 August 2024
2928 00 90 18	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acetone oxime (CAS RN 127-06-0) of a purity by weight of 99% or more	31 August 2024
2928 00 90 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Metobromuron (ISO) (CAS RN 3060-89-7) with a purity by weight of 98% or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2928 00 90 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acetaldehyde oxime in an aqueous solution (CAS RN 107-29-9)	31 August 2024
2928 00 90 28	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pentan-2-one oxime (CAS RN 623-40-5)	31 August 2024
2928 00 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-Isopropylhydroxylamine (CAS RN 5080-22-8)	31 August 2024
2928 00 90 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4- Chlorophenylhydrazine Hydrochloride (CAS RN 1073-70-7)	31 August 2024
2928 00 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	O-Ethylhydroxylamine, in the form of an aqueous solution (CAS RN 624-86-2)	31 August 2024
2928 00 90 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Tebufenozide (ISO) (CAS RN 112410-23-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2928 00 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aqueous solution of 2,2'-(hydroxyimino) bisethanesulphonic acid disodium salt (CAS RN 133986-51-3) with a content by weight of more than 33.5% but not more than 36.5%	31 August 2024
2928 00 90 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aminoguanidinium hydrogen carbonate (CAS RN 2582-30-1)	31 August 2024
2928 00 90 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Amino-3-(4-hydroxyphenyl) propanal semicarbazone hydrochloride	31 August 2024
2928 00 90 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Butanone oxime (CAS RN 96-29-7)	31 August 2024
2928 00 90 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Metaflumizone (ISO) (CAS RN 139968-49-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2928 00 90 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cyflufenamid (ISO) (CAS RN 180409-60-3)	31 August 2024
2928 00 90 90	0.00%	This suspension only applies to Daminozide (ISO) with a purity by weight of 99% or more (CAS RN 1596-84-5) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Daminozide (ISO) with a purity by weight of 99% or more (CAS RN 1596-84-5)	31 August 2024
2929 10 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,3'-Dimethylbiphenyl-4,4'-diyl diisocyanate (CAS RN 91-97-4)	31 August 2024
2929 10 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Butyl isocyanate (CAS RN 111-36-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2929 10 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,5-Naphthylene diisocyanate (CAS RN 3173-72-6) with a purity by weight of at least 90%	31 August 2024
2929 10 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	m-Isopropenyl-α,α-dimethylbenzyl isocyanate (CAS RN 2094-99-7)	31 August 2024
2929 10 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	m-Phenylenediisopropylidene diisocyanate (CAS RN 2778-42-9)	31 August 2024
2929 10 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,5 (and 2,6)-Bis(isocyanatomethyl)bicyclo[2.2.1]heptane (CAS RN 74091-64-8)	31 August 2024
2929 10 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Trimethylhexamethylene diisocyanate, mixed isomers	31 August 2024
2929 10 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	1,3-Bis(isocyanatomethyl) benzene (CAS RN 3634-83-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2929 90 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Nitroguanidine (CAS RN 556-88-7)	31 August 2024
2930 20 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Isopropylethylthiocarbamate (CAS RN 141-98-0)	31 August 2024
2930 20 00 90	0.00%	This suspension only applies to Prosulfocarb (ISO) (CAS RN 52888-80-9) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Prosulfocarb (ISO) (CAS RN 52888-80-9)	31 August 2024
2930 90 98 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,3-Bis((2-mercaptoethyl)thio)-1-propanethiol (CAS RN 131538-00-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2930 90 98 12	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4,4'-Sulfonyldiphenol (CAS RN 80-09-1) used in the manufacture of polyarylsulfones or polyarylethersulfones	31 August 2024
2930 90 98 13	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mercaptamine hydrochloride (CAS RN 156-57-0)	31 August 2024
2930 90 98 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethoprophos (ISO) (CAS RN 13194-48-4)	31 August 2024
2930 90 98 16	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-(Dimethoxymethylsilyl)-1-propanethiol (CAS RN 31001-77-1)	31 August 2024
2930 90 98 17	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(3-Aminophenylsulphonyl)ethyl hydrogen sulphate (CAS RN 2494-88-4)	31 August 2024
2930 90 98 18	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Dimethyl sulfone (CAS RN 67-71-0)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2930 90 98 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-(4-Methylphenylthio)benzophenone (CAS RN 83846-85-9)	31 August 2024
2930 90 98 21	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	[2,2'-Thio-bis(4-tert-octylphenolato)]-n-butylamine nickel (CAS RN 14516-71-3)	31 August 2024
2930 90 98 22	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tembotrione (ISO) (CAS RN 335104-84-2) with a purity by weight of 94.5% or more	31 August 2024
2930 90 98 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dimethyl [(methylsulphanyl)methylylidene]biscarbamate (CAS RN 34840-23-8)	31 August 2024
2930 90 98 24	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Phenyl vinyl sulfone (CAS RN 5535-48-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2930 90 98 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Thiophanate-methyl (ISO) (CAS RN 23564-05-8)	31 August 2024
2930 90 98 26	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Folpet (ISO)(CAS RN 133-07-3) with a purity by weight of 97.5% or more	31 August 2024
2930 90 98 27	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-[(4-Amino-3-methoxyphenyl)sulphonyl]ethyl hydrogen sulphate (CAS RN 26672-22-0)	31 August 2024
2930 90 98 29	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-amino-5-(ethylsulfanyl)-2-methoxybenzoic acid (CAS RN 71675-86-0) with a purity by weight of 98% or more	31 August 2024
2930 90 98 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-(4-Isopropoxyphenylsulphonyl)phenol (CAS RN 95235-30-6)	31 August 2024
2930 90 98 31	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	(p-toluenesulphonyl)methyl isocyanide (CAS RN 36635-61-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	with a purity by weight of 98% or more	
2930 90 98 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Amino-5-{[2-(sulfooxy)ethyl]sulfonyl}benzenes ulfonIc acid (CAS RN 42986-22-1)	31 August 2024
2930 90 98 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Glutathione (CAS RN 70-18-8)	31 August 2024
2930 90 98 38	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Allyl isothiocyanate (CAS RN 57-06-7)	31 August 2024
2930 90 98 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,3´-Thiodi(propionic acid) (CAS RN 111-17-1)	31 August 2024
2930 90 98 43	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Trimethylsulfoxonium iodide (CAS RN 1774-47-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2930 90 98 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-[(p-Aminophenyl)sulphonyl]ethyl hydrogen sulphate (CAS RN 2494-89-5)	31 August 2024
2930 90 98 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Mercaptopropionic acid (CAS RN 107-96-0)	31 August 2024
2930 90 98 53	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bis(4-chlorophenyl) sulphone (CAS RN 80-07-9)	31 August 2024
2930 90 98 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Thiourea (CAS RN 62-56-6)	31 August 2024
2930 90 98 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl phenyl sulphide (CAS RN 100-68-5)	31 August 2024
2930 90 98 64	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	3-Chloro-2-methylphenyl methyl sulphide (CAS RN 82961-52-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2930 90 98 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pentaerythritol tetrakis(3-mercaptopropionate) (CAS RN 7575-23-7)	31 August 2024
2930 90 98 68	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Clethodim (ISO) (CAS RN 99129-21-2)	31 August 2024
2930 90 98 77	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-[4-(2-Propenyloxy)phenylsulphonyl]phenol (CAS RN 97042-18-7)	31 August 2024
2930 90 98 78	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Mercaptomethyl-3,6-dithia-1,8-octanedithiol (CAS RN 131538-00-6)	31 August 2024
2930 90 98 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Captan (ISO) (CAS RN 133-06-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2930 90 98 81	2.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Disodium hexamethylene-1,6-bisthiosulfate dihydrate (CAS RN 5719-73-3)	31 August 2024
2930 90 98 89	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Potassium- or sodium-salt of O-ethyl-, O-isopropyl-, O-butyl-, O-isobutyl- or O-pentyl-dithiocarbonates	31 August 2024
2930 90 98 93	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-Hydrazino-3-(methylthio)propan-2-ol (CAS RN 14359-97-8)	31 August 2024
2930 90 98 94	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bis[3-(triethoxysilyl)propyl]disulphide (CAS RN 56706-10-6)	31 August 2024
2930 90 98 95	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-(cyclohexylthio)phthalimide (CAS RN 17796-82-6)	31 August 2024
2930 90 98 96	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	2-Chloro-4-(methylsulphonyl)-3-((2,2,2-trifluoroethoxy)methyl)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	benzoic acid (CAS RN 120100-77-8)	
2930 90 98 97	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diphenyl sulphone (CAS RN 127-63-9)	31 August 2024
2930 90 98 99	0.00%	This suspension only applies to: • N-(2-Methylsulfinyl-1,1-dimethyl-ethyl)-N'-{2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl}phthalamide (CAS RN 371771-07-2), • Methyl (methylthio)acetate (CAS RN 16630-66-3) • 2-Methyl-1-(methylthio)-2-propanamine (CAS RN 36567-04-1) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different	• N-(2-Methylsulfinyl-1,1-dimethyl-ethyl)-N'-{2-methyl-4-[1,2,2,2-tetrafluoro-1-(trifluoromethyl)ethyl]phenyl}phthalamide (CAS RN 371771-07-2) • Methyl (methylthio)acetate (CAS RN 16630-66-3) 2-Methyl-1-(methylthio)-2-propanamine (CAS RN 36567-04-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2931 49 90 08	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sodium diisobutyldithiophosphinate (CAS RN 13360-78-6) in an aqueous solution	31 August 2024
2931 49 90 13	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Trioctylphosphine oxide (CAS RN 78-50-2)	31 August 2024
2931 49 90 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Di-tert-butylphosphane (CAS RN 819-19-2)	31 August 2024
2931 49 90 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(Z)-Prop-1-en-1-ylphosphonic acid (CAS RN 25383-06-6)	31 August 2024
2931 49 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bis(2,4,4-trimethylpentyl)phosphinic acid (CAS RN 83411-71-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2931 49 90 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl phenyl(2,4,6-trimethylbenzoyl)phosphinate (CAS RN 84434-11-7)	31 August 2024
2931 49 90 38	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-(Phosphonomethyl)iminodiacetic acid (CAS RN 5994-61-6) containing by weight not more than 15% of water, and with a dry weight purity of 97% or more	31 August 2024
2931 49 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetrakis(hydroxymethyl)phosphonium chloride (CAS RN 124-64-1)	31 August 2024
2931 49 90 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diphenyl(2,4,6-trimethylbenzoyl)phosphine oxide (CAS RN 75980-60-8)	31 August 2024
2931 49 90 48	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetrabutylphosphonium acetate in the form of an aqueous solution (CAS RN 30345-49-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2931 49 90 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-(Hydroxyphenylphosphinoyl)propionic acid (CAS RN 14657-64-8)	31 August 2024
2931 49 90 90	0.00%	This suspension only applies to Trimethyl phosphonoacetate (CAS RN 5927-18-4) falling under this CN10 code.	Trimethyl phosphonoacetate (CAS RN 5927-18-4)	31 August 2024
2931 59 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Chloroethylphosphonic acid (CAS RN 16672-87-0) solid or in aqueous solution, with a content by weight of 2-Chloroethylphosphonic acid of 65% or more	31 August 2024
2931 90 00 03	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Butylethylmagnesium (CAS RN 62202-86-2), in the form of a solution in heptane	31 August 2024
2931 90 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(3-fluoro-5-isobutoxyphenyl)boronic acid (CAS RN 850589-57-0)	31 August 2024
2931 90 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Methylcyclopentadienyl manganese tricarbonyl (CAS RN 12108-13-3) containing not more than 4.9% by weight of	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	cyclopentadienyl manganese tricarbonyl	
2931 90 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ferrocene (CAS RN 102-54-5)	31 August 2024
2931 90 00 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dimethyl[dimethylsilyldiindenyl]hafnium (CAS RN 220492-55-7)	31 August 2024
2931 90 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N,N-Dimethylanilinium tetrakis(pentafluorophenyl)borate (CAS RN 118612-00-3)	31 August 2024
2931 90 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Trimethylsilane (CAS RN 993-07-7)	31 August 2024
2931 90 00 63	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Chloroethenyldimethylsilane (CAS RN 1719-58-0)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2931 90 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bis(4-tert-butylphenyl)iodonium hexafluorophosphate (CAS RN 61358-25-6)	31 August 2024
2931 90 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hexadecyltrimethoxysilane (CAS RN 16415-12-6) with a purity by weight of at least 95%, for use in the manufacture of polyethylene	31 August 2024
2931 90 00 90	0.00%	This suspension only applies to: • Diethylmethoxyborane (CAS RN 7397-46-8), whether or not in the form of a solution in tetrahydrofuran according to note 1e to Chapter 29 of the CN, • 4-Chloro-2-fluoro-3-methoxyphenylboronic acid (CAS RN 944129-07-1) • Dimethyltin dioleate (CAS RN 3865-34-7), and	• Diethylmethoxyborane (CAS RN 7397-46-8), whether or not in the form of a solution in tetrahydrofuran according to note 1e to Chapter 29 of the CN, • 4-Chloro-2-fluoro-3-methoxyphenylboronic acid (CAS RN 944129-07-1), • Dimethyltin dioleate (CAS RN 3865-34-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• (4-Propylphenyl)boronic acid (CAS RN 134150-01-9) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• (4-Propylphenyl)boronic acid (CAS RN 134150-01-9)	
2932 12 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• 2-Furaldehyde (furfuraldehyde)	31 August 2024
2932 13 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetrahydrofurfuryl alcohol (CAS RN 97-99-4)	31 August 2024
2932 14 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,6-Dichloro-1,6-dideoxy-β-D-fructofuranosyl-4-chloro-4-deoxy-α-D-galactopyranoside (CAS RN 56038-13-2)	31 August 2024
2932 19 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Furan (CAS RN 110-00-9) of a purity by weight of 99% or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2932 19 00 41	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,2 Di(tetrahydrofuryl)propane (CAS RN 89686-69-1)	31 August 2024
2932 19 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tefuryltrione (ISO) (CAS RN 473278-76-1)	31 August 2024
2932 19 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Furfurylamine (CAS RN 617-89-0)	31 August 2024
2932 19 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetrahydro-2-methylfuran (CAS RN 96-47-9)	31 August 2024
2932 19 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5-Nitrofurfurylidene di(acetate) (CAS RN 92-55-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2932 19 00 90	0.00%	This suspension only applies to Tetrahydrofuran-borane (CAS RN 14044-65-6) and Flurtamone (ISO) (CAS RN 96525-23-4) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Tetrahydrofuran-borane (CAS RN 14044-65-6) • Flurtamone (ISO) (CAS RN 96525-23-4)	31 August 2024
2932 20 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2'-Anilino-6'-[ethyl(isopentyl)amino]-3'-methylspiro[isobenzofuran-1(3H),9'-xanthen]-3-one (CAS RN 70516-41-5)	31 August 2024
2932 20 90 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Coumarin (CAS RN 91-64-5)	31 August 2024
2932 20 90 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Decan-5-olide (CAS RN 705-86-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2932 20 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dodecan-5-olide (CAS RN 713-95-1)	31 August 2024
2932 20 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(S)-(−)-α-Amino-γ-butyrolactonehydrobromide (CAS RN 15295-77-9)	31 August 2024
2932 20 90 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,2-Dimethyl-1,3-dioxane-4,6-dione (CAS RN 2033-24-1)	31 August 2024
2932 20 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	L-Lactide (CAS RN 4511-42-6) or D-Lactide (CAS RN 13076-17-0) or dilactide (CAS RN 95-96-5)	31 August 2024
2932 20 90 53	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(R)-4-propyldihydrofuran-2(3H)-one (CAS RN 63095-51-2) with a purity by weight of 98% or more	31 August 2024
2932 20 90 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	6-Dimethylamino-3,3-bis(4-dimethylaminophenyl)phthalide (CAS RN 1552-42-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2932 20 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	6'-(Diethylamino)-3'-methyl-2'-(phenylamino)-spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one (CAS RN 29512-49-0)	31 August 2024
2932 20 90 63	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Selamectin (INN) 5Z-isomer (CAS RN 220119-17-5)	31 August 2024
2932 20 90 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sodium 4-(methoxycarbonyl)-5-oxo-2,5-dihydrofuran-3-olate (CAS RN 1134960-41-0)	31 August 2024
2932 20 90 71	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	6'-(Dibutylamino)-3'-methyl-2'-(phenylamino)-spiro[isobenzofuran-1(3H),9'-[9H]xanthen]-3-one (CAS RN 89331-94-2)	31 August 2024
2932 20 90 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Acetyl-6-methyl-2H-pyran-2, 4(3H)-dione (CAS RN 520-45-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2932 20 90 77	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hexan-6-olide (CAS RN 502-44-3)	31 August 2024
2932 20 90 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Gibberellic acid with a minimum purity by weight of 88% (CAS RN 77-06-5)	31 August 2024
2932 20 90 84	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Decahydro-3a,6,6,9a-tetramethylnaphth [2,1-b] furan-2 (1H)-one (CAS RN 564-20-5)	31 August 2024
2932 93 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Piperonal (CAS RN 120-57-0)	31 August 2024
2932 99 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bendiocarb (ISO) (CAS RN 22781-23-3)	31 August 2024
2932 99 00 13	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	(4-Chloro-3-(4-ethoxybenzyl)phenyl)((3aS,5R,6S,6aS)-6-hydroxy 2,2-	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	dimethyltetrahydrofuro[2,3-d][1 ,3]dioxol-5-yl)methanone (CAS RN 1103738-30-2)	
2932 99 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,3,4,6,7,8-Hexahydro-4,6,6,7,8,8-hexamethylindeno[5,6-c]pyran (CAS RN 1222-05-5)	31 August 2024
2932 99 00 18	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-(4-Bromo-3-((tetrahydro-2H-pyran-2-yloxy)methyl)phenoxy)benzonitrile (CAS RN 943311-78-2)	31 August 2024
2932 99 00 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-ethyl-3-hydroxy-4-pyrone (CAS RN 4940-11-8)	31 August 2024
2932 99 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-(2,2-Difluorobenzo[d][1,3]dioxol-5-yl)cyclopropanecarboxylic acid (CAS RN 862574-88-7)	31 August 2024
2932 99 00 27	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(2-Butyl-3-benzofuranyl)(4-hydroxy-3,5-diiodophenyl)methanone (CAS RN 1951-26-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2932 99 00 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-hydroxy-2-methyl-4-pyrone (CAS RN 118-71-8)	31 August 2024
2932 99 00 43	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethofumesate (ISO) (CAS RN 26225-79-6) with a purity by weight of 97% or more	31 August 2024
2932 99 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Butylbenzofuran (CAS RN 4265-27-4)	31 August 2024
2932 99 00 47	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	12H-[1]Benzofuro[3,2-c][1]benzoxepin-6-one (CAS RN 28763-77-1)	31 August 2024
2932 99 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	7-Methyl-3,4-dihydro-2H-1,5-benzodioxepin-3-one (CAS RN 28940-11-6)	31 August 2024
2932 99 00 53	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	1,3-Dihydro-1,3-dimethoxyisobenzofurane (CAS RN 24388-70-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
2932 99 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4,4-Dimethyl-3,5,8-trioxabicyclo[5,1,0]octane (CAS RN 57280-22-5)	31 August 2024
2932 99 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-(3,4-Methylenedioxyphenyl)-2-methylpropanal (CAS RN 1205-17-0)	31 August 2024
2932 99 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,3:2,4-bis-O-(4-Methylbenzylidene)-D-glucitol (CAS RN 81541-12-0)	31 August 2024
2932 99 00 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,3:2,4-bis-O-(3,4-dimethylbenzylidene)-D-glucitol (CAS RN 135861-56-2)	31 August 2024
2932 99 00 90	0.00%	This suspension only applies to: • 4-(2-butyl-1-benzofuran-3-carbonyl)-2,6-diiodophenol (CAS RN 1951-26-4) with a	• 4-(2-butyl-1-benzofuran-3-carbonyl)-2,6-diiodophenol (CAS RN	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		purity by weight of 99% or more, • Ethyl-2-methyl-1,3-dioxolane-2-acetate (CAS RN 6413-10-1) • 1,3:2,4-bis-O-Benzylidene-D-glucitol (CAS RN 32647-67-9) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1951-26-4) with a purity by weight of 99% or more, • Ethyl-2-methyl-1,3-dioxolane-2-acetate (CAS RN 6413-10-1) • 1,3:2,4-bis-O-Benzylidene-D-glucitol (CAS RN 32647-67-9)	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2933 19 90 13	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-(Difluoromethyl)-5-fluoro-1-methyl-1H-pyrazole-4-carbonyl fluoride (CAS RN 1255735-07-9) with a purity by weight of 95% or more	31 August 2024
2933 19 90 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pyrasulfotole (ISO) (CAS RN 365400-11-9) with a purity by weight of 96% or more	31 August 2024
2933 19 90 17	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,3-dimethyl-1H-pyrazole (CAS RN 694-48-4) with a purity by weight of 98% or more	31 August 2024
2933 19 90 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fluindapyr (ISO) (CAS RN 1383809-87-7) with a purity by weight of 96% or more	31 August 2024
2933 19 90 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Difluoromethyl-1-methyl-1H-pyrazole-4-carboxylic acid (CAS RN 176969-34-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2933 19 90 27	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-(3,3,3-trifluoro-2,2-dimethylpropoxy)-1H-pyrazole-4-carboxylic acid (CAS RN 2229861-20-3) with a purity by weight of 95% or more	31 August 2024
2933 19 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Methyl-1-p-tolyl-5-pyrazolone (CAS RN 86-92-0)	31 August 2024
2933 19 90 33	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fipronil (ISO) (CAS RN 120068-37-3) with a purity by weight of 95% or more for the use in the manufacture of veterinary medicine	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2933 19 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Edaravone (INN) (CAS RN 89-25-8)	31 August 2024
2933 19 90 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5-Amino-1-[2,6-dichloro-4-(trifluoromethyl)phenyl]-1H-pyrazole-3-carbonitrile (CAS RN 120068-79-3)	31 August 2024
2933 19 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fenpyroximate (ISO) (CAS RN 134098-61-6)	31 August 2024
2933 19 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pyraflufen-ethyl (ISO) (CAS RN 129630-19-9)	31 August 2024
2933 19 90 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• 4,5-Diamino-1-(2-hydroxyethyl)-	31 August 2024
2933 19 90 90	0.00%	This suspension only applies to:	• 1,3-Dimethyl-5-fluoro-1H-pyrazole-4-carbonyl fluoride	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• 1,3-Dimethyl-5-fluoro-1H-pyrazole-4-carbonyl fluoride (CAS RN 191614-02-5), and • 4-Bromo-1-(1-ethoxyethyl)-1H-pyrazole (CAS RN 1024120-52-2) • 4,5-Diamino-1-(2-hydroxyethyl)- • 5-Methyl-1-(naphthalen-2-yl)-1,2-dihydro-3H-pyrazol-3-one (CAS RN 1192140-15-0) falling under this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(CAS RN 191614-02-5), and • 4-Bromo-1-(1-ethoxyethyl)-1H-pyrazole (CAS RN 1024120-52-2) • 5-Methyl-1-(naphthalen-2-yl)-1,2-dihydro-3H-pyrazol-3-one (CAS RN 1192140-15-0) • 4,5-Diamino-1-(2-hydroxyethyl)-	
2933 21 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made	1-Bromo-3-chloro-5,5-dimethylhydantoin (CAS RN	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.	16079-88-2) / (CAS RN 32718-18-6)	
2933 21 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-Aminohydantoin hydrochloride (CAS RN 2827-56-7)	31 August 2024
2933 21 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	DL-p-Hydroxyphenylhydantoin (CAS RN 2420-17-9)	31 August 2024
2933 21 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5,5-Dimethylhydantoin (CAS RN 77-71-4)	31 August 2024
2933 39 50 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fluroxypyr (ISO), methyl ester	31 August 2024
2933 39 99 43	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,2,6,6-Tetramethylpiperidin-4-ol (CAS RN 2403-88-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2933 39 99 90	0.00%	This suspension only applies to Chlorpyrifos (ISO) (CAS RN 2921-88-2) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Chlorpyrifos (ISO) (CAS RN 2921-88-2)	31 August 2024
2933 49 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Quinmerac (ISO) (CAS RN 90717-03-6)	31 August 2024
2933 49 10 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-Hydroxy-2-methylquinoline-4-carboxylic acid (CAS RN 117-57-7)	31 August 2024
2933 49 10 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl 4-oxo-1,4-dihydroquinoline-3-carboxylate (CAS RN 52980-28-6)	31 August 2024
2933 49 10 40	0.00%	This suspension does not apply to any mixtures, preparations or products made	4,7-Dichloroquinoline (CAS RN 86-98-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.		
2933 49 10 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-Cyclopropyl-6,7,8-trifluoro-1,4-dihydro-4-oxo-3-quinolinecarboxylic acid (CAS RN 94695-52-0)	31 August 2024
2933 49 10 90	0.00%	This suspension only applies to Roxadustat (INN) (CAS RN 808118-40-3) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Roxadustat (INN) (CAS RN 808118-40-3)	31 August 2024
2933 49 90 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cloquintocet-mexyl (ISO) (CAS RN 99607-70-2)	31 August 2024
2933 49 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Quinoline (CAS RN 91-22-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2933 49 90 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	6,7-Dimethoxy-3,4-dihydroisoquinoline hydrochloride (CAS RN 20232-39-7)	31 August 2024
2933 49 90 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Quinolin-8-ol (CAS RN 148-24-3)	31 August 2024
2933 49 90 90	0.00%	This suspension only applies to: • Isoquinoline (CAS RN 119-65-3), • Ethyl 6,7,8-trifluoro-1-[formyl(methyl)amino]-4-oxo-1,4-dihydroquinoline-3-carboxylate (CAS RN 100276-65-1), and • Roxadustat (INN) (CAS RN 808118-40-3) falling under this CN10 code.	• Isoquinoline (CAS RN 119-65-3), and • Ethyl 6,7,8-trifluoro-1-[formyl(methyl)amino]-4-oxo-1,4-dihydroquinoline-3-carboxylate (CAS RN 100276-65-1) • Roxadustat (INN) (CAS RN 808118-40-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2933 52 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Malonylurea (barbituric acid) (CAS RN 67-52-7)	31 August 2024
2933 54 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5,5 '-(1,2-diazenediyl)bis [2,4,6 (1H, 3H, 5H)-pyrimidinetrione] (CAS RN 25157-64-6)	31 August 2024
2933 59 95 39	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ibrutinib (INN) (CAS RN 936563-96-1)	31 August 2024
2933 69 80 13	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Metribuzin (ISO) (CAS RN 21087-64-9) with a purity by weight of 93% or more	31 August 2024
2933 69 80 15	0.00%	This suspension does not apply to any mixtures, preparations or products made	2-Chloro-4,6-dimethoxy-1,3,5-triazine (CAS RN 3140-73-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.		
2933 69 80 17	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Benzoguanamine (CAS RN 91-76-9)	31 August 2024
2933 69 80 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,3,5-tris(2,3-dibromopropyl)-1,3,5-triazinane-2,4,6-trione (CAS RN 52434-90-9)	31 August 2024
2933 69 80 27	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Troclosene sodium dihydrate (INNM) (CAS RN 51580-86-0)	31 August 2024
2933 69 80 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,3,5-Tris[3-(dimethylamino)propyl]hexahydro-1,3,5-triazine (CAS RN 15875-13-5)	31 August 2024
2933 69 80 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Troclosene sodium (INNM) (CAS RN 2893-78-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2933 69 80 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(4,6-Bis-(2,4-dimethylphenyl)-1,3,5-triazin-2-yl)-5-(octyloxy)-phenol (CAS RN 2725-22-6)	31 August 2024
2933 69 80 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Terbutryn (ISO) (CAS RN 886-50-0)	31 August 2024
2933 69 80 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cyanuric acid (CAS RN 108-80-5)	31 August 2024
2933 69 80 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,3,5-Triazine-2,4,6(1H,3H,5H)-trithione, trisodium salt (CAS RN 17766-26-6)	31 August 2024
2933 69 80 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Metamitron (ISO) (CAS RN 41394-05-2)	31 August 2024
2933 69 80 80	0.00%	This suspension does not apply to any mixtures, preparations or products made	Tris(2-hydroxyethyl)-1,3,5-triazinetrione (CAS RN 839-90-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.		
2933 79 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyl N-(tert-Butoxycarbonyl)-L-pyroglutamate (CAS RN 144978-12-1)	31 August 2024
2933 79 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl 2-oxo-2,3-dihydro-1H-indole-6-carboxylate (CAS RN 14192-26-8)	31 August 2024
2933 79 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5-Vinyl-2-pyrrolidone (CAS RN 7529-16-0)	31 August 2024
2933 79 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-tert-butyl 2-methyl(2S)-5-oxopyrrolidine-1,2-dicarboxylate (CAS RN 108963-96-8)	31 August 2024
2933 79 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	6-Bromo-3-methyl-3H-dibenz(f,ij)isoquinoline-2,7-dione (CAS RN 81-85-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2933 79 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(S)-N-[(Diethylamino)methyl]-alpha-ethyl-2-oxo-1-pyrrolidineacetamide L-(+)-tartrate (CAS RN 754186-36-2)	31 August 2024
2933 99 80 73	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5-(Acetoacetylamino)benzimidazolone (CAS RN 26576-46-5)	31 August 2024
2933 99 80 90	0.00%	This suspension only applies to 1,4,7,10-Tetraazacyclododecane (CAS RN 294-90-6) Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,4,7,10-Tetraazacyclododecane (CAS RN 294-90-6)	31 August 2024
2934 10 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hexythiazox (ISO) (CAS RN 78587-05-0)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2934 10 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Nitrophenyl thiazol-5-ylmethyl carbonate (CAS RN 144163-97-3)	31 August 2024
2934 10 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(4-Methylthiazol-5-yl)ethanol (CAS RN 137-00-8)	31 August 2024
2934 10 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(S)-Ethyl-2-(3-((2-isopropylthiazol-4-yl)methyl)-3-methylureido)-4-morpholinobutanoate oxalate (CAS RN 1247119-36-3)	31 August 2024
2934 10 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(2-Isopropylthiazol-4-yl)-N-methylmethanamine dihydrochloride (CAS RN 1185167-55-8)	31 August 2024
2934 10 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Cyanimino-1,3-thiazolidine (CAS RN 26364-65-8)	31 August 2024
2934 10 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made	Fosthiazate (ISO) (CAS RN 98886-44-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.		
2934 10 00 90	0.00%	This suspension only applies to 3,4-Dichloro-5-carboxyisothiazole (CAS RN 18480-53-0) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3,4-Dichloro-5-carboxyisothiazole (CAS RN 18480-53-0)	31 August 2024
2934 20 80 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Benthiavalicarb-isopropyl (ISO) (CAS RN 177406-68-7)	31 August 2024
2934 20 80 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,2-Benzisothiazol-3(2H)-one (CAS RN 2634-33-5) in the form of a powder with a purity by weight of 95% or more, or in an aqueous mixture containing by weight 20% or more of 1,2-benzisothiazol-3(2H)-one	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2934 20 80 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Benzothiazol-2-yl-(Z)-2-trityloxyimino-2-(2-aminothiazole-4-yl)-thioacetate (CAS RN 143183-03-3)	31 August 2024
2934 20 80 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N,N-Bis(1,3-benzothiazol-2-ylsulphanyl)-2-methylpropan-2-amine (CAS RN 3741-80-8)	31 August 2024
2934 20 80 90	0.00%	This suspension only applies 2-[[(Z)-[1-(2-Amino-4-thiazolyl)-2-(2-benzothiazol-ylthio)-2-oxoethylidene]amino]oxy]-acetic acid, methyl ester (CAS RN 246035-38-1) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-[[(Z)-[1-(2-Amino-4-thiazolyl)-2-(2-benzothiazolylthio)-2-oxoethylidene]amino]oxy]-acetic acid, methyl ester (CAS RN 246035-38-1)	31 August 2024
2934 30 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made	2-Methylthiophenothiazine (CAS RN 7643-08-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.		
2934 99 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fluralaner (INN) (CAS RN 864731-61-3)	31 August 2024
2934 99 90 12	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dimethomorph (ISO) (CAS RN 110488-70-5)	31 August 2024
2934 99 90 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Carboxin (ISO) (CAS RN 5234-68-4)	31 August 2024
2934 99 90 16	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Difenoconazole (ISO) (CAS RN 119446-68-3)	31 August 2024
2934 99 90 17	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(S)-4-(tert-butoxycarbonyl)-1,4-oxazepane-2-carboxylic acid (CAS RN 1273567-44-4) with a purity by weight of 95% or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2934 99 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Thiophene (CAS RN 110-02-1)	31 August 2024
2934 99 90 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bromuconazole (ISO) with a purity by weight of 96% or more (CAS RN 116255-48-2)	31 August 2024
2934 99 90 24	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Flufenacet (ISO) (CAS RN 142459-58-3) with a purity by weight of 95% or more	31 August 2024
2934 99 90 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,4-Diethyl-9H-thioxanthen-9-one (CAS RN 82799-44-8)	31 August 2024
2934 99 90 26	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Methylmorpholine 4-oxide in an aqueous solution (CAS RN 7529-22-8)	31 August 2024
2934 99 90 27	0.00%	This suspension does not apply to any mixtures, preparations or products made	2-(4-Hydroxyphenyl)-1-benzothiophene-6-ol (CAS RN 63676-22-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.		
2934 99 90 28	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	11-(Piperazin-1-yl)dibenzo[b,f][1,4]thiazepine dihydrochloride (CAS RN 111974-74-4)	31 August 2024
2934 99 90 29	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(2R,5S)-tert-butyl 4-benzyl-2-methyl-5-(((R)-3-methylmorpholino)methyl)piperazine-1-carboxylate (CAS RN 1403902-77-1) with a purity by weight of 98% or more	31 August 2024
2934 99 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dibenzo[b,f][1,4]thiazepin-11(10H)-one (CAS RN 3159-07-7)	31 August 2024
2934 99 90 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(2R,3R,5R)-5-(4-amino-2-oxopyrimidin-1(2H)-yl)-2-((benzoyloxy)methyl)-4,4-difluorotetrahydrofuran-3-yl benzoate (CAS RN 134790-39-9) with a purity by weight of 98% or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2934 99 90 37	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Propan-2-ylmorpholine (CAS RN 1004-14-4)	31 August 2024
2934 99 90 39	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-(Oxiran-2-ylmethoxy)-9H-carbazole (CAS RN 51997-51-4)	31 August 2024
2934 99 90 41	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	11-[4-(2-Chloro-ethyl)-1-piperazinyl]dibenzo(b,f)(1,4)thiazepine (CAS RN 352232-17-8)	31 August 2024
2934 99 90 42	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-(Morpholin-4-yl)prop-2-en-1-one (CAS RN 5117-12-4)	31 August 2024
2934 99 90 44	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Propiconazole (ISO) (CAS RN 60207-90-1) with a purity by weight of 92% or more	31 August 2024
2934 99 90 48	0.00%	This suspension does not apply to any mixtures, preparations or products made	Propan-2-ol - - 2-methyl-4-(4-methylpiperazin-1-yl)-10H-thieno[2,3-	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.	b][1,5]benzodiazepine (1:2) dihydrate, (CAS RN 864743-41-9)	
2934 99 90 49	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cytidine 5'-(disodium phosphate) (CAS RN 6757-06-8)	31 August 2024
2934 99 90 52	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Epoxiconazole (ISO) (CAS RN 133855-98-8)	31 August 2024
2934 99 90 54	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-benzyl-2-dimethylamino-4'-morpholinobutyrophenone (CAS RN 119313-12-1)	31 August 2024
2934 99 90 56	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1-[5-(2,6-Difluorophenyl)-4,5-dihydro-1,2-oxazol-3-yl]ethanone (CAS RN 1173693-36-1)	31 August 2024
2934 99 90 57	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(6R,7R)-7-Amino-8-oxo-3-(1-propenyl)-5-thia-1 -azabicyclo[4.2.0]oct-2-ene-2-carboxylic acid (CAS RN 120709-09-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2934 99 90 58	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dimethenamide-P (ISO) (CAS RN 163515-14-8)	31 August 2024
2934 99 90 59	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dolutegravir (INN) (CAS RN 1051375-16-6) or dolutegravir sodium (CAS RN 1051375-19-9)	31 August 2024
2934 99 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	DL-Homocysteine thiolactone hydrochloride (CAS RN 6038-19-3)	31 August 2024
2934 99 90 61	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5-(1,2-dithiolan-3-yl)valeric acid (CAS RN 1077-28-7)	31 August 2024
2934 99 90 62	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(2b,3a,5a,16b,17b)-2-(morpholin-4-yl)-16-(pyrrolidin-1-yl)androstane-3,17-diol 17-acetate (CAS RN 119302-24-8)	31 August 2024
2934 99 90 63	0.00%	This suspension does not apply to any mixtures, preparations or products made	(2b,3a,5a,16b,17b)-2-(morpholin-4-yl)-16-(pyrrolidin-1-yl)androstane-	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.	3,17-diol (CAS RN 119302-20-4)	
2934 99 90 64	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Bromo-5-benzoylthiophene (CAS RN 31161-46-3)	31 August 2024
2934 99 90 66	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetrahydrothiophene-1,1-dioxide (CAS RN 126-33-0)	31 August 2024
2934 99 90 67	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	5-Chlorothiophene-2-carboxylic acid (CAS RN 24065-33-6)	31 August 2024
2934 99 90 68	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Afatinib dimaleate (INNM) (CAS RN 850140-73-7)	31 August 2024
2934 99 90 69	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-methyl-5-(4,4,5,5-tetramethyl-1,3,2-dioxaborolan-2-yl)benzo[d]oxazol-2(3H)-one (CAS RN 1220696-32-1) with	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			a purity by weight of 95% or more	
2934 99 90 73	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetrahydrouridine (CAS RN 18771-50-1)	31 August 2024
2934 99 90 74	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-Isopropylthioxanthone (CAS RN 5495-84-1)	31 August 2024
2934 99 90 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(4R-cis)-1,1-Dimethylethyl-6-[2[2-(4-fluorophenyl)-5-(1-isopropyl)-3-phenyl-4-[(phenylamino)carbonyl]-1H-pyrrol-1-yl]ethyl]-2,2-dimethyl-1,3-dioxane-4-acetate (CAS RN 125971-95-1)	31 August 2024
2934 99 90 76	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,5-Thiophenediylbis(5-tert-butyl-1,3-benzoxazole) (CAS RN 7128-64-5)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2934 99 90 78	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	[(3aS,5R,6S,6aS)-6-Hydroxy-2,2-dimethyltetrahydrofuro[2,3-d][1,3]dioxol-5-yl] (morpholino)methanone (CAS RN 1103738-19-7)	31 August 2024
2934 99 90 79	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Thiophen-2-ethanol (CAS RN 5402-55-1)	31 August 2024
2934 99 90 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2-(dimethylamino)-2-[(4-methylphenyl)methyl]-1-[4-(morpholin-4-yl)phenyl]butan-1-one (CAS RN 119344-86-4)	31 August 2024
2934 99 90 83	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Flumioxazin (ISO) (CAS RN 103361-09-7) of a purity by weight of 96% or more	31 August 2024
2934 99 90 84	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Etoxazole (ISO) (CAS RN 153233-91-1) of a purity by weight of 94.8% or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2934 99 90 86	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dithianon (ISO) (CAS RN 3347-22-6)	31 August 2024
2934 99 90 87	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,2'-(1,4-Phenylene)bis(4H-3,1-benzoxazin-4-one) (CAS RN 18600-59-4)	31 August 2024
2934 99 90 88	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(7S,9aS)-7-((benzyloxy)methyl)octahydropyrazino[2,1-c][1,4]oxazine dioxalate (CAS RN 1268364-46-0)	31 August 2024
2934 99 90 90	0.00%	This suspension only applies to: • Oxadiazon (ISO) (CAS RN 19666-30-9) with a purity by weight of 95% or more, • Uridine 5′-diphospho-N-acetylgalactosamine disodium salt (CAS RN 91183-98-1)	• Oxadiazon (ISO) (CAS RN 19666-30-9) with a purity by weight of 95% or more, • Uridine 5′-diphospho-N-acetylgalactosamine disodium salt (CAS RN 91183-98-1), • Uridine 5′-diphosphoglucuronic acid trisodium salt	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• Uridine 5′-diphosphoglucuronic acid trisodium salt (CAS RN 63700-19-6), • 7-[4-(Diethylamino)-2-ethoxyphenyl]-7-(1-ethyl-2-methyl-1H-indol-3-yl)furo[3,4-b]pyridin-5(7H)-one (CAS RN 69898-40-4), and • 10-[1,1'-Biphenyl]-4-yl-2-(1-methylethyl)-9-oxo-9H-thioxanthenium hexafluorophosphate (CAS RN 591773-92-1) • Rel-(3aR,12bR)-11-Chloro-2,3,3a,12b-tetrahydro-2-methyl-1H-dibenz[2,3:6,7]oxepino[4,5-c]pyrrol-1-one (CAS RN 129385-59-7) • 4-Methoxy-5-(3-morpholin-4-yl-	(CAS RN 63700-19-6), • 7-[4-(Diethylamino)-2-ethoxyphenyl]-7-(1-ethyl-2-methyl-1H-indol-3-yl)furo[3,4-b]pyridin-5(7H)-one (CAS RN 69898-40-4), and • 10-[1,1'-Biphenyl]-4-yl-2-(1-methylethyl)-9-oxo-9H-thioxanthenium hexafluorophosphate (CAS RN 591773-92-1) • Rel-(3aR,12bR)-11-Chloro-2,3,3a,12b-tetrahydro-2-methyl-1H-dibenz[2,3:6,7]oxepino[4,5-c]pyrrol-1-one (CAS RN 129385-59-7) • 4-Methoxy-5-(3-morpholin-4-yl-propoxy)-2-nitro-	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		propoxy)-2-nitro-benzonitrile (CAS RN 675126-26-8) • Thidiazuron (ISO) (CAS RN 51707-55-2) with a content by weight of 98% or more • 4-Methoxy-3-(3-morpholin-4-yl-propoxy)-benzonitrile (CAS RN 675126-28-0) falling under this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	benzonitrile (CAS RN 675126-26-8) • Thidiazuron (ISO) (CAS RN 51707-55-2) with a content by weight of 98% or more • 4-Methoxy-3-(3-morpholin-4-yl-propoxy)-benzonitrile (CAS RN 675126-28-0) •	
2935 90 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Florasulam (ISO) (CAS RN 145701-23-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2935 90 90 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Flupyrsulfuron-methyl-sodium (ISO) (CAS RN 144740-54-5)	31 August 2024
2935 90 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Toluenesulphonamides	31 August 2024
2935 90 90 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-[4-(2-Chloroacetyl)phenyl]methane sulphonamide (CAS RN 64488-52-4)	31 August 2024
2935 90 90 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Triflusulfuron-methyl (ISO) (CAS RN 126535-15-7)	31 August 2024
2935 90 90 27	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Methyl (3R,5S,6E)-7-{4-(4-fluorophenyl)-6-isopropyl-2-[methyl(methylsulfonyl)amino]pyrimidin-5-yl}-3,5-dihydroxyhept-6-enoate (CAS RN 147118-40-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2935 90 90 28	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-Fluorobenzenesulphonimide (CAS RN 133745-75-2)	31 August 2024
2935 90 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	6-Aminopyridine-2-sulfonamide (CAS RN 75903-58-1)	31 August 2024
2935 90 90 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-Chloro-3-pyridinesulphonamide (CAS RN 33263-43-3)	31 August 2024
2935 90 90 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Chlorsulfuron (ISO) (CAS RN 64902-72-3)	31 August 2024
2935 90 90 37	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,3-Dimethyl-1H-pyrazole-4-sulfonamide (CAS RN 88398-53-2)	31 August 2024
2935 90 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made	Venetoclax (INN) (CAS 1257044-40-8)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.		
2935 90 90 42	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Penoxsulam (ISO) (CAS RN 219714-96-2)	31 August 2024
2935 90 90 43	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Oryzalin (ISO) (CAS RN 19044-88-3)	31 August 2024
2935 90 90 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rimsulfuron (ISO) (CAS RN 122931-48-0)	31 August 2024
2935 90 90 47	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Halosulfuron-methyl (ISO) (CAS RN 100784-20-1) with a purity by weight of 98% or more	31 August 2024
2935 90 90 48	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(3R,5S,6E)-7-[4-(4-Fluorophenyl)-2-[methyl(methylsulfonyl)amino]-6-(propan-2-yl)pyrimidin-5-yl]-3,5-dihydroxyhept-6-enoic acid - - 1-[(R)-(4-	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			chlorophenyl)(phenyl)methyl] piperazine (1:1), (CAS RN 1235588-99-4)	
2935 90 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4,4'-Oxydi(benzenesulphonohydrazide) (CAS RN 80-51-3)	31 August 2024
2935 90 90 53	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,4-Dichloro-5-sulphamoylbenzoic acid (CAS RN 2736-23-4)	31 August 2024
2935 90 90 54	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Propoxycarbazone-sodium (ISO) (CAS RN 181274-15-7) with a purity by weight of 95% or more	31 August 2024
2935 90 90 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Thifensulfuron-methyl (ISO) (CAS RN 79277-27-3)	31 August 2024
2935 90 90 56	0.00%	This suspension does not apply to any mixtures, preparations or products made	N-(p-Toluenesulphonyl)-N'-(3-(p-	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.	toluenesulphonyloxy)phenyl) urea (CAS RN 232938-43-1)	
2935 90 90 57	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-{2-[(phenylcarbamoyl)amino]phenyl}benzenesulphonamide (CAS RN 215917-77-4)	31 August 2024
2935 90 90 59	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Flazasulfuron (ISO) (CAS RN 104040-78-0) with a purity of 94% by weight or more	31 August 2024
2935 90 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-[(3-Methylphenyl)amino]pyridine-3-sulfonamide (CAS RN72811-73-5)	31 August 2024
2935 90 90 63	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Nicosulphuron (ISO), (CAS RN 111991-09-4) of a purity by weight of 91% or more	31 August 2024
2935 90 90 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tribenuron-methyl (ISO) (CAS RN 101200-48-0)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2935 90 90 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(4S)-4-hydroxy-2-(3-methoxypropyl)-3,4-dihydro-2H-thieno[3,2-e]thiazine-6-sulfonamide-1,1-dioxide (CAS RN 154127-42-1) with a purity by weight of 97% or more	31 August 2024
2935 90 90 73	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	(2S)-2-Benzyl-N,N-dimethylaziridine-1-sulfonamide (CAS RN 902146-43-4)	31 August 2024
2935 90 90 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Metsulfuron-methyl (ISO) (CAS RN 74223-64-6)	31 August 2024
2935 90 90 79	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4-[[(2-Methoxybenzoyl)amino]sulfonyl]benzoyl chloride (CAS RN 816431-72-8)	31 August 2024
2935 90 90 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-[4-(Isopropylaminoacetyl)phenyl]methanesulphonamide hydrochloride	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2935 90 90 88	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-(2-(4-Amino-N-ethyl-m-toluidino)ethyl)methanesulphonamide sesquisulphate monohydrate (CAS RN 25646-71-3)	31 August 2024
2935 90 90 89	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3-(3-Bromo-6-fluoro-2-methylindol-1-ylsulphonyl)-N,N-dimethyl-1,2,4-triazol-1-sulphonamide (CAS RN 348635-87-0)	31 August 2024
2935 90 90 91	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,4,4-Trimethylpentan-2-aminium (3R,5S,6E)-7-{2-[(ethylsulfonyl)amino]-4-(4-fluorophenyl)-6-(propan-2-yl)pyrimidin-5-yl}-3,5-dihydroxyhept-6-enoate (CAS RN 917805-85-7)	31 August 2024
2935 90 90 99	0.00%	This suspension only applies to: • (1R,2R)-1-Amino-2-(difluoromethyl)-N-(1-methylcyclopropylsulphonyl) cyclopropanecarboxamide hydrochloride (CUS 0143290-2), and	• (1R,2R)-1-Amino-2-(difluoromethyl)-N-(1-methylcyclopropylsulphonyl) cyclopropanecarboxamide hydrochloride (CUS 0143290-2), and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• 1-Methylcyclopropane-1-sulphonamide (CAS RN 669008-26-8) • N-(2-phenoxyphenyl)methanesulphonamide (CAS RN 51765-51-6) falling under this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• 1-Methylcyclopropane-1-sulphonamide (CAS RN 669008-26-8) • N-(2-phenoxyphenyl)methanesulphonamide (CAS RN 51765-51-6) •	
2938 90 30 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ammonium glycyrrhizate (CAS RN 53956-04-0)	31 August 2024
2938 90 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hesperidin (CAS RN 520-26-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2938 90 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethylvanillin beta-D-glucopyranoside (CAS RN 122397-96-0)	31 August 2024
2938 90 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rebaudioside A (CAS RN 58543-16-1)	31 August 2024
2938 90 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Purified steviol glycoside with a rebaudioside M (CAS RN 1220616-44-3) content of 80% or more but not more than 90% by weight for use in the manufacture of non-alcoholic beverages	31 August 2024
2940 00 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	D-Xylose (CAS RN 58-86-6)	31 August 2024
2940 00 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	D(+)- Trehalose dihydrate (CAS RN 6138-23-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2940 00 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,3,4,6-Tetrakis-O-(phenylmethyl)-D-galactopyranose (CAS RN 6386-24-9)	31 August 2024
3204 11 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Disperse Blue 360 (CAS RN 70693-64-0) and preparations based thereon with a colourant C.I. Disperse Blue 360 content of 99% or more by weight	31 August 2024
3204 11 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-(2-Chloroethyl)-4-[(2,6-dichloro-4-nitrophenyl)azo]-N-ethyl-m-toluidine (CAS RN 63741-10-6)	31 August 2024
3204 11 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I Disperse Yellow 232 (CAS RN 35773-43-4) and preparations based thereon with a colourant C.I Disperse Yellow 232 of 50% or more by weight	31 August 2024
3204 11 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Disperse Red 60 (CAS RN 17418-58-5) and preparations based thereon with a colourant C.I. Disperse Red 60 content of 50% or more by weight	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3204 11 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation of dispersion dyes, containing: • C.I. Disperse Orange 61 (CAS RN 12270-45-0) or Disperse Orange 288 (CAS RN 96662-24-7), • C.I. Disperse Blue 291:1 (CAS RN 872142-01-3), • C.I. Disperse Violet 93:1 (CAS RN 122463-28-9), • whether or not containing C.I. Disperse Red 54 (CAS RN 6657-37-0)	31 August 2024
3204 11 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Disperse Blue 72 (CAS RN 81-48-1) and preparations based thereon with a colourant C.I. Disperse Blue 72 content of 95% or more by weight	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3204 11 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Disperse Blue 359 (CAS RN 62570-50-7) and preparations based thereon with a colourant C.I. Disperse Blue 359 content of 50% or more by weight	31 August 2024
3204 11 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Disperse Yellow 54 (CAS RN 7576-65-0) and preparations based thereon with a colourant C.I. Disperse Yellow 54 content of 99% or more by weight	31 August 2024
3204 11 00 90	0.00%	This suspension only applies to Colourant C.I. Disperse Yellow 241 (CAS RN 83249-52-9) and preparations based thereon with a colourant C.I. Disperse Yellow 241 content of 97% or more by weight Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Disperse Yellow 241 (CAS RN 83249-52-9) and preparations based thereon with a colourant C.I. Disperse Yellow 241 content of 97% or more by weight	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3204 12 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Acid Blue 9 (CAS RN 2650-18-2) and preparations based thereon with a colourant C.I. Acid Blue 9 content of 50% or more by weight	31 August 2024
3204 12 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Acid Brown 75 (CAS RN 8011-86-7) and preparations based thereon with a colourant C.I. Acid Brown 75 content of 75% or more by weight	31 August 2024
3204 12 00 17	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Acid Brown 355 (CAS RN 84989-26-4 or 60181-77-3) and preparations based thereon with a colourant C.I. Acid Brown 355 content of 75% or more by weight	31 August 2024
3204 12 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Acid Black 210 (CAS RN 85223-29-6 or 99576-15-5) and preparations based thereon with a colourant C.I. Acid Black 210 content of 50% or more by weight	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3204 12 00 27	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Acid Brown 425 (CAS RN 75234-41-2 or 119509-49-8) and preparations based thereon with a colourant C.I. Acid Brown 425 content of 75% or more by weight	31 August 2024
3204 12 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Acid Black 234 (CAS RN 157577-99-6) and preparations based thereon with a colourant C.I. Acid Black 234 content of 75% or more by weight	31 August 2024
3204 12 00 37	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Acid Black 210 sodium salt (CAS RN 201792-73-6) and preparations based thereon with a colourant C.I. Acid Black 210 sodium salt content of 50% or more by weight	31 August 2024
3204 12 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Liquid dye preparation containing anionic acid dye C.I. Acid Blue 182 (CAS RN 12219-26-0)	31 August 2024
3204 12 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made	Colourant C.I. Acid Blue 161/193 (CAS RN 12392-64-2) and preparations based thereon with a colourant C.I.	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.	Acid Blue 161/193 content of 75% or more by weight	
3204 12 00 47	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Acid Brown 58 (CAS RN 70210-34-3 or 12269-87-3) and preparations based thereon with a colourant C.I. Acid Brown 58 content of 75% or more by weight	31 August 2024
3204 12 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Acid Brown 165 (CAS RN 61724-14-9) and preparations based thereon with a colourant C.I. Acid Brown 165 content of 75% or more by weight	31 August 2024
3204 12 00 57	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Acid Brown 282 (CAS RN 70236-60-1 or 12219-65-7) and preparations based thereon with a colourant C.I. Acid Brown 282 content of 75% or more by weight	31 August 2024
3204 12 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Acid Red 52 (CAS RN 3520-42-1) and preparations based thereon with a colourant C.I. Acid Red 52 content of 97% or more by weight	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3204 12 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Acid Brown 432 (CAS RN 119509-50-1) and preparations based thereon with a colourant C.I. Acid Brown 432 content of 75% or more by weight	31 August 2024
3204 12 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Acid blue 25 (CAS RN 6408-78-2) and preparations based thereon with a colourant C.I. Acid blue 25 content of 80% or more by weight	31 August 2024
3204 13 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Basic Red 1 (CAS RN 989-38-8) and preparations based thereon with a colourant C.I. Basic Red 1 content of 50% or more by weight	31 August 2024
3204 13 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Basic Blue 41 (CAS RN 12270-13-2) and preparations based thereon with a colourant C.I. Basic Blue 41 content of 50% or more by weight	31 August 2024
3204 13 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made	Colourant C.I. Basic Red 46 (CAS RN 12221-69-1) and preparations based thereon with a colourant C.I.	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.	Basic Red 46 content of 20% or more by weight	
3204 13 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Basic Blue 7 (CAS RN 2390-60-5) and preparations based thereon with a colourant C.I. Basic Blue 7 content of 50% or more by weight	31 August 2024
3204 13 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Basic Yellow 28 (CAS RN 54060-92-3) and preparations based thereon with a colourant C.I. Basic Yellow 28 content of 50% or more by weight	31 August 2024
3204 13 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Basic Violet 1 (CAS RN 603-47-4 or CAS RN 8004-87-3) and preparations based thereon with a colourant C.I. Basic Violet 1 content of 90% or more by weight	31 August 2024
3204 13 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of colourant C.I. Basic Blue 3 (CAS RN 33203-82-6) and colourant C.I. Basic Blue 159 (CAS RN 105953-73-9) with a colourant Basic Blue	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			content of 40% or more by weight	
3204 13 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I Basic Violet 11 (CAS RN 2390-63-8) and preparations based thereon with a colourant C.I Basic Violet 11 content of 90% or more by weight	31 August 2024
3204 13 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Basic Violet 16 (CAS RN 6359-45-1) and preparations based thereon with a colourant C.I. Basic Violet 16 content of 60% or more by weight	31 August 2024
3204 13 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I Basic Red 1:1 (CAS RN 3068-39-1) and preparations based thereon with a colourant C.I Basic Red 1:1 content of 90% or more by weight	31 August 2024
3204 13 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Basic Blue 3 (CAS RN 33203-82-6) and preparations based thereon with a colourant C.I. Basic Blue 3 (CAS RN 33203-82-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			content of 50% or more but not more than 80% by weight	
3204 13 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of the colourants C.I. Basic Yellow 28 (CAS RN 54060-92-3), C.I. Basic Red 46 (CAS RN 12221-69-1) and C.I. Basic Blue 159 (CAS RN 105953-73-9) and preparations based thereon with a content of colourants C.I. Basic Yellow 28, C.I. Basic Red 46 and C.I. Basic Blue 159 taken together of 60% or more by weight	31 August 2024
3204 13 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Basic Red 18:1 (CAS RN 12271-12-4) and preparations based thereon with a content of 40% or more by weight	31 August 2024
3204 13 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Basic Yellow (CAS RN 83949-75-1) and preparations based thereon with a content of 40% or more by weight	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3204 14 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Direct Black 80 (CAS RN 8003-69-8) and preparations based thereon with a colourant C.I. Direct Black 80 content of 90% or more by weight	31 August 2024
3204 14 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Direct Blue 80 (CAS RN 12222-00-3) and preparations based thereon with a colourant C.I. Direct Blue 80 content of 90% or more by weight	31 August 2024
3204 14 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	C.I. Colourant Direct Red 23 (CAS RN 3441-14-3) and preparations based thereon with a colourant C.I. Direct Red 23 content of 90% or more by weight	31 August 2024
3204 14 00 90	0.00%	This suspension only applies to: • Colourant C.I Direct Black 168, in powder form for leather dyeing (CAS RN 85631-88-5) and preparations based thereon with a colourant C.I. Direct Black 168 content by weight of 75% or more,	Colourant C.I Direct Black 168, in powder form for leather dyeing (CAS RN 85631-88-5) and preparations based thereon with a colourant C.I. Direct Black 168 content by weight of 75% or more, in powder form for leather dyeing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		in powder form for leather dyeing Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
3204 15 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Vat Blue 4 (CAS RN 81-77-6) and preparations based thereon with a colourant C.I. Vat Blue 4 content of 50% or more by weight	31 August 2024
3204 15 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made	Colourant C.I. Vat Red 1 (CAS RN 2379-74-0)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.		
3204 15 00 90	0.00%	This suspension only applies to: • Colourant C.I. Vat Blue 1 (CAS RN 482-89-3) and preparations based thereon with a colourant C.I. Vat Blue 1 content of 94% or more by weight Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Vat Blue 1 (CAS RN 482-89-3) and preparations based thereon with a colourant C.I. Vat Blue 1 content of 94% or more by weight	31 August 2024
3204 16 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparations based on Colourant Reactive Black 5 (CAS RN 17095-24-8) with a content thereof of 60% or more but not more than 75% by weight, and including one or more of the following: • Colourant Reactive Yellow 201 (CAS	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			RN 27624-67-5), • 1-Naphthalenesulphonicacid,4-amino-3-[[4-[[2-(sulphooxy)ethyl]sulphonyl]phenyl]azo]-, disodium salt (CAS RN 250688-43-8), or • 3,5-diamino-4-[[4-[[2-(sulphooxy)ethyl]sulphonyl]fenyl]azo]-2-[[2-sulfo-4-[[2-(sulphooxy)ethyl]sulfonyl]phenyl]azobenzoic acid sodium salt (CAS RN 906532-68-1)	
3204 16 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aqueous solution of Colourant C.I. Reactive Red 141 (CAS RN 61931-52-0): • with a colourant C.I. Reactive Red 141 content of 13% or more by weight,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			and • containing a preservative	
3204 17 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Yellow 81 (CAS RN 22094-93-5) and preparations based thereon with a colourant C.I. Pigment Yellow 81 content of 50% or more by weight	31 August 2024
3204 17 00 14	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparations based on colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) with a content thereof of 60% or more, but less than 85% by weight	31 August 2024
3204 17 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Green 7 (CAS RN 1328-53-6) and preparations based thereon with a colourant C.I. Pigment Green 7 content of 40% or more by weight	31 August 2024
3204 17 00 18	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Orange 16 (CAS RN 6505-28-8) and preparations based thereon with a colourant C.I. Pigment Orange 16 content of 90% or more by weight	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3204 17 00 19	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Red 48:2 (CAS RN 7023-61-2) and preparations based thereon with a colourant C.I. Pigment Red 48:2 content of 85% or more by weight	31 August 2024
3204 17 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Blue 15:3 (CAS RN 147-14-8) and preparations based thereon with a colourant C.I. Pigment Blue 15:3 content of 35% or more by weight	31 August 2024
3204 17 00 21	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Blue 15:4 (CAS RN 147-14-8) and preparations based thereon with a colourant C.I. Pigment Blue 15:4 content of 35% or more by weight	31 August 2024
3204 17 00 22	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Red 169 (CAS RN 12237-63-7) and preparations based thereon with a colourant C.I. Pigment Red 169 content of 50% or more by weight	31 August 2024
3204 17 00 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Brown 41 (CAS RN 211502-16-8 or CAS RN 68516-75-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3204 17 00 24	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Red 57:1 (CAS RN 5281-04-9) and preparations based thereon with a Colourant C.I. Pigment Red 57:1 content of 20% or more by weight	31 August 2024
3204 17 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Yellow 14 (CAS RN 5468-75-7) and preparations based thereon with a colourant C.I. Pigment Yellow 14 content of 25% or more by weight	31 August 2024
3204 17 00 26	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Orange 13 (CAS RN 3520-72-7) and preparations based thereon with a colourant C.I. Pigment Orange 13 content of 80% or more by weight	31 August 2024
3204 17 00 29	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Red 268 (CAS RN 16403-84-2) and preparations based thereon with a Colourant C.I. Pigment Red 268 content of 80% or more by weight	31 August 2024
3204 17 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Red 4 (CAS RN 2814-77-9) and preparations based thereon with a colourant C.I. Pigment	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			Red 4 content of 60% or more by weight	
3204 17 00 31	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Red 63:1 (CAS RN 6417-83-0) and preparations based thereon with a colourant C.I. Pigment Red 63:1 content of 70% or more by weight	31 August 2024
3204 17 00 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Blue 15:1 (CAS RN 147-14-8) and preparations based thereon with a colourant C.I. Pigment Blue 15:1 content of 35% or more by weight	31 August 2024
3204 17 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Red 202 (CAS RN 3089-17-6) and preparations based thereon with a colourant C.I. Pigment Red 202 content of 70% or more by weight	31 August 2024
3204 17 00 37	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Red 81:2 (CAS RN 75627-12-2) and preparations based thereon with a colourant C.I. Pigment Red 81:2 content of 30% or more by weight	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3204 17 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Yellow 120 (CAS RN 29920-31-8) and preparations based thereon with a colourant C.I. Pigment Yellow 120 content of 50% or more by weight	31 August 2024
3204 17 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Yellow 174 (CAS RN 78952-72-4), highly resinated pigment (approx. 35% disproportionate resin), with a purity of 98% by weight or more, in the form of extruded beads with a moisture content of not more than 1% by weight	31 August 2024
3204 17 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Orange 5 (CAS RN 3468-63-1) and preparations based thereon with a colourant C.I. Pigment Orange 5 content of 80% or more by weight	31 August 2024
3204 17 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Red 207 (CAS RN 71819-77-7) and preparations based thereon with a colourant C.I. Pigment Red 207 content of 50% or more by weight	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3204 17 00 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Blue 61 (CAS RN 1324-76-1) and preparations based thereon with a colourant C.I. Pigment Blue 61 content of 35% or more by weight	31 August 2024
3204 17 00 88	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Violet 3 (CAS RN 1325-82-2 or CAS RN 101357-19-1) and preparations based thereon with a colourant C.I. Pigment Violet 3 content of 90% or more by weight	31 August 2024
3204 17 00 90	0.00%	This suspension only applies to: • Colourant C.I. Pigment Red 49:2 (CAS RN 1103-39-5) and preparations based thereon with a Colourant C.I. Pigment Red 49:2 content of 60% or more by weight • • Colourant C.I. Pigment Red 53 (CAS RN 2092-56-0) and preparations based thereon with a colourant C.I. Pigment	• Colourant C.I. Pigment Red 49:2 (CAS RN 1103-39-5) and preparations based thereon with a Colourant C.I. Pigment Red 49:2 content of 60% or more by weight • • Colourant C.I. Pigment Red 53 (CAS RN 2092-56-0) and preparations based thereon with a colourant C.I. Pigment Red 53 content of 50% or more by weight	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Red 53 content of 50% or more by weight Falling under this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
3204 19 00 13	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Sulphur Black 1 (CAS RN 1326-82-5) and preparations based thereon with a colourant C.I. Sulphur Black 1 content of 75% or more by weight	31 August 2024
3204 19 00 14	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Red colourant preparation, in a form of wet paste, containing by weight: • 35% or more but not more than 40% of 1-[[4-(phenylazo)phenyl]azo]naphthalen-2-ol methyl derivatives (CAS RN 70879-65-1),	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• not more than 3% of 1-(phenylazo)naphthalen-2-ol (CAS RN 842-07-9), • not more than 3% of 1-[(2-methylphenyl)azo]naphthalen-2-ol (CAS RN 2646-17-5), • 55% or more but not more than 65% of water	
3204 19 00 16	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I Solvent Yellow 133 (CAS RN 51202-86-9) and preparations based thereon with a colourant C.I. Solvent Yellow 133 content of 97% or more by weight	31 August 2024
3204 19 00 73	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Solvent Blue 104 (CAS RN 116-75-6) and preparations based thereon with a colourant C.I. Solvent Blue 104 content of 97% or more by weight	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3204 19 00 77	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Solvent Yellow 98 (CAS RN 27870-92-4 or CAS RN 12671-74-8) and preparations based thereon with a colourant C.I. Solvent Yellow 98 content of 95% or more by weight	31 August 2024
3204 19 00 84	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Solvent Blue 67 (CAS RN 12226-78-7) and preparations based thereon with a colourant C.I. Solvent Blue 67 content of 98% or more by weight	31 August 2024
3204 19 00 90	0.00%	This suspension only applies to Colourant C.I. Solvent Brown 53 (CAS RN 64696-98-6) and preparations based thereon with a colourant C.I. Solvent Brown 53 content of 95% or more by weight falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Solvent Brown 53 (CAS RN 64696-98-6) and preparations based thereon with a colourant C.I. Solvent Brown 53 content of 95% or more by weight	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3204 20 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,5-Thiophenediylbis(5-tert-butyl-1,3-benzoxazole) (CAS RN 7128-64-5)	31 August 2024
3204 20 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Fluorescent Brightener 351 (CAS RN 27344-41-8) and preparations based thereon with a colourant C.I. Fluorescent Brightener 351 content of 90% or more by weight	31 August 2024
3204 90 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I Solvent Yellow 172 (also known as C.I. Solvent Yellow 135) (CAS RN 68427-35-0) and preparations based thereon with a colourant C.I Solvent Yellow 172 (also known as C.I. Solvent Yellow 135) content of 90% or more by weight	31 August 2024
3204 90 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparations of colourant C.I. Solvent Red 175 (CAS RN 68411-78-6) in petroleum distillates, hydrotreated light naphthenic (CAS RN 64742-53-6), containing by weight 40% or more but not more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			than 60% of a colourant C.I. Solvent Red 175	
3206 11 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Titanium dioxide coated with isopropoxytitanium triisostearate, containing by weight 1.5% or more but not more than 2.5% of isopropoxytitanium triisostearate	31 August 2024
3206 19 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing by weight: • 72% (± 2%) of mica (CAS RN 12001-26-2), and • 28% (± 2%) of titanium dioxide (CAS RN 13463-67-7)	31 August 2024
3206 42 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lithopone (CAS RN 1345-05-7)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3206 49 70 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Blue 27 (CAS RN 14038-43-8)	31 August 2024
3206 49 70 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Black 12 (CAS RN 68187-02-0) and preparations based thereon with a C.I. Pigment Black 12 content of 50% or more by weight	31 August 2024
3206 49 70 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Colourant C.I. Pigment Blue 27 (CAS RN 25869-00-5) and preparations thereon with a colourant C.I. Pigment Blue 27 content of 85% or more by weight	31 August 2024
3206 50 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Inorganic products of a kind used as luminophores	31 August 2024
3208 10 10 00	0.00%	This suspension only applies to Thermoplastic polyester copolymer resin with a solid content of 30% or more but not more than 50%, in organic solvents falling under this CN10 code.	Thermoplastic polyester copolymer resin with a solid content of 30% or more but not more than 50%, in organic solvents	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
3208 90 19 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Chlorinated polyolefins, in a solution	31 August 2024
3208 90 19 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetrafluoroethylene copolymer in butylacetate solution with a content of solvent of 50% (± 2%) by weight	31 August 2024
3208 90 19 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polymer of methylsiloxane, in the form of a solution in a mixture of acetone, butanol, ethanol and isopropanol, containing by weight 5% or more but not more than 11% of polymer of methylsiloxane	31 August 2024
3208 90 19 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polymer consisting of a polycondensate of formaldehyde and naphthalenediol, chemically modified by reaction with an alkyne halide, dissolved in	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			propylene glycol methyl ether acetate	
3208 90 19 47	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Solution containing by weight: • 0.1% or more but not more than 20% of alkoxygroups containing siloxane polymer with alkyl or aryl substituents, • 75% or more of an organic solvent containing one or more of propyleneglycolethyl ether (CAS RN 1569-02-4), propylene glycol mono methylether acetate (CAS RN 108-65-6) or propyleneglycol propylether (CAS RN 1569-01-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3208 90 19 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Solution containing by weight: • (65 ± 10) % of γ-butyrolactone, • (30 ± 10) % of polyamide resin, • (3.5 ± 1.5) % of naphthoquinone ester derivative, and • (1.5 ± 0.5) % of arylsilicic acid	31 August 2024
3208 90 19 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation of 5% or more but not more than 20% by weight of a copolymer of propylene and maleic anhydride, or a blend of polypropylene and a copolymer of propylene and maleic anhydride, or a blend of polypropylene and a copolymer of propylene, isobutene and maleic anhydride in an organic solvent	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3208 90 19 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of hydroxystyrene with one or more of the following: • styrene, • alkoxystyrene, • alkylacrylates dissolved in ethyl lactate	31 August 2024
3208 90 19 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Silicones containing 50% by weight or more of xylene and not more than 25% by weight of silica, of a kind used for the manufacture of long term surgical implants	31 August 2024
3208 90 19 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acenaphthalene copolymer in ethyl lactate solution	31 August 2024
3215 11 00 00	0.00%	This suspension only applies to Printing ink, black, liquid, consisting of a dispersion of a vinyl acrylate copolymer and colour pigments in isoparaffins, containing by	Printing ink, black, liquid, consisting of a dispersion of a vinyl acrylate copolymer and colour pigments in isoparaffins, containing by weight not more than 13% of	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		weight not more than 13% of vinyl acrylate copolymer and colour pigments falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	vinyl acrylate copolymer and colour pigments	
3215 19 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Ink: • consisting of a polyester polymer and a dispersion of silver (CAS RN 7440-22-4) and silver chloride (CAS RN 7783-90-6) in methyl propyl ketone (CAS RN 107-87-9), • with a total solid content by weight of 55% or more, but not more than 57%, and • with a specific density of	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			1.40 g / cm 3 or more, but not more than 1.60 g / cm 3 for use in the manufacture of electrodes	
3215 19 00 90	0.00%	This suspension only applies to Printing ink, other, liquid, consisting of a dispersion of a vinyl acrylate copolymer and colour pigments in isoparaffins, containing by weight not more than 13% of vinyl acrylate copolymer and colour pigments falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Printing ink, other, liquid, consisting of a dispersion of a vinyl acrylate copolymer and colour pigments in isoparaffins, containing by weight not more than 13% of vinyl acrylate copolymer and colour pigments	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3215 90 70 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Ink formulation, for use in the manufacture of ink-jet cartridges	31 August 2024
3215 90 70 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Heat sensitive ink fixed on a plastic film	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3215 90 70 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Disposable cartridge ink, containing by weight: • 1% or more, but not more than 10% of amorphous silicon dioxide, or • 3.8% or more of dye C.I. Solvent Black 7 in organic solvents for use in the marking of integrated circuits	31 August 2024
3215 90 70 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dry ink powder with a base of hybrid resin (made from polystyrene acrylic resin and polyester resin) mixed with: • wax, • a vinyl-based polymer, and • a colouring agent for use in the manufacture of	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			toner bottles for photocopiers, fax machines, printers and multifunction devices	
3402 39 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sodium lauroyl methyl isethionate	31 August 2024
3402 42 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Vinyl copolymer surface active agent based on polypropylene glycol	31 August 2024
3402 42 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Surfactant containing 1,4-dimethyl-1,4-bis(2-methylpropyl)-2-butyne-1,4-diyl ether, polymerised with oxirane, methyl terminated	31 August 2024
3402 90 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Surface-active mixture of methyltri-C8-C10-alkylammonium chlorides	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3402 90 10 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of docusate sodium (INN) and sodium benzoate	31 August 2024
3402 90 10 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Surface-active preparation, containing ethoxylated 2,4,7,9-tetramethyl-5-decyne-4,7-diol (CAS RN 9014-85-1)	31 August 2024
3402 90 10 90	0.00%	This suspension only applies to: • Surface-active preparation, containing 2-ethylhexyloxymethyl oxirane, • Surface-active preparation, consisting of a mixture of sodium docusate and ethoxylated 2,4,7,9-tetramethyldec-5-yne-4,7-diol (CAS RN 577-11-7 and 9014-85-1)	• Surface-active preparation, containing 2-ethylhexyloxymethyl oxirane, • Surface-active preparation, consisting of a mixture of sodium docusate and ethoxylated 2,4,7,9-tetramethyldec-5-yne-4,7-diol (CAS RN 577-11-7 and 9014-85-1) • Surface-active preparation, consisting of a mixture of	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• Surface-active preparation, consisting of a mixture of polysiloxane and poly(ethylene glycol) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	polysiloxane and poly(ethylene glycol) •	
3506 91 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Adhesive based on an aqueous dispersion of a mixture of dimerised rosin and a copolymer of ethylene and vinyl acetate (EVA)	31 August 2024
3506 91 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Two component microencapsulated epoxy adhesive dispersed in a solvent	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3506 91 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acrylic pressure sensitive adhesive with a thickness of 0.076 mm or more but not more than 0.127 mm, put up in rolls of a width of 45.7 cm or more but not more than 132 cm supplied on a release liner with an initial peel adhesion release value of not less than 15 N/25 mm (measured according to ASTM D3330)	31 August 2024
3506 91 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing by weight: • 15% or more but not more than 60% of styrene butadiene copolymers or styrene isoprene copolymers, and • 10% or more but not more than 30% of pinene polymers or pentadiene copolymers Dissolved in:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• Methyl ethyl ketone (CAS RN 78-93-3) - Heptane (CAS RN 142-82-5), and • Toluene (CAS RN 108-88-3) or light aliphatic solvent naphta (CAS RN 64742-89-8)	
3506 91 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Temporary wafer-bonding adhesive material in the form of a suspension of a solid polymer in D-limonene (CAS RN 5989-27-5) with a polymeric content by weight of 25% or more but not more than 35%	31 August 2024
3506 91 90 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Temporary wafer-bonding release in the form of a suspension of a solid polymer in cyclopentanone (CAS RN 120-92-3) with a polymeric content of not more than 10% by weight	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3802 90 00 19	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Soda flux calcinated diatomaceous earth, not acid washed, for use as a filter aid in the manufacture of pharmaceutical and/or biochemical products	31 August 2024
3804 00 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sodium lignosulphonate (CAS RN 8061-51-6)	31 August 2024
3805 10 90 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sulphate turpentine	31 August 2024
3806 10 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rosin and resin acids obtained from fresh oleoresins	31 August 2024
3808 91 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Indoxacarb (ISO) and its (R) isomer, fixed on a support of silicon dioxide	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3808 91 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing endospores or spores and protein crystals derived from either: • Bacillus thuringiensis Berliner subsp. aizawai and kurstaki or, • Bacillus thuringiensis subsp. kurstaki or, • Bacillus thuringiensis subsp. israelensis or, • Bacillus thuringiensis subsp. aizawai or, • Bacillus thuringiensis subsp. tenebrionis	31 August 2024
3808 91 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Spinosad (ISO)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3808 91 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Spinetoram (ISO) (CAS RN 935545-74-7), preparation of two spinosyn components (3'-ethoxy-5,6-dihydro spinosyn J) and (3'-ethoxy- spinosyn L)	31 August 2024
3808 92 30 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. The measure is not allowed where processing is carried out by retail or catering undertakings.	Mancozeb (ISO) (CAS RN 8018-01-7) imported in immediate packings of a content of 500 kg or more	31 August 2024
3808 92 90 10	0.00%	The measure is not allowed where processing is carried out by retail or catering undertakings.	Fungicide in the form of a powder, containing by weight 65% or more but not more than 75% of hymexazole (ISO), not put up for retail sale	31 August 2024
3808 92 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation consisting of a suspension of pyrithione zinc (INN) in water, containing by weight: • 24% or more but not more than 26% of pyrithione zinc	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			(INN), or • 39% or more but not more than 41% of pyrithione zinc (INN)	
3808 92 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing a 38% or more but not more than 50% by weight of pyrithione zinc (INN) (CAS RN 13463-41-7) in an aqueous dispersion	31 August 2024
3808 92 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparations based on copper pyrithione (CAS RN 14915-37-8)	31 August 2024
3808 93 27 00	0.00%	This suspension only applies to: Preparation, consisting of a suspension of tepraloxydim (ISO), containing by weight: • 30% or more of tepraloxydim (ISO), and • not more than 70% of a petroleum fraction	Preparation, consisting of a suspension of tepraloxydim (ISO), containing by weight: • 30% or more of tepraloxydim (ISO), and • not more than 70% of a petroleum fraction consisting of	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		consisting of aromatic hydrocarbons Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	aromatic hydrocarbons	
3808 93 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation, in the form of granules, containing by weight: • 38.8 % or more but not more than 41.2% of Gibberellin A3, or • 9.5% or more but not more than 10.5% of Gibberellin A4 and A7	31 August 2024
3808 93 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation consisting of benzyl(purin-6-yl)amine in a glycol solution, containing by weight, 1.88 % or more but not more than 2.00 % of benzyl(purin-6-yl)amine, of a kind used in plant growth regulators	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3808 93 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aqueous solution containing by weight: • 1.8% of sodium para-nitrophenolate, • 1.2% of sodium ortho-nitrophenolate, • 0.6% of sodium 5-nitroguaiacolate for use in the manufacture of a plant growth regulator	31 August 2024
3808 93 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK	Preparation in the form of tablets containing by weight: • 0.55% or more but not more than 2.50% of 1-methylcyclopropene (1-MCP) (CAS RN 3100-04-7) with a minimum purity of 96% or more, and • less than 0.05% of each of the two	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Statutory Instruments 2018 No. 1249).	impurities, 1-chloro-2-methylpropene (CAS RN 513-37-1) and 3-chloro-2-methylpropene (CAS RN 563-47-3) for coating	
3808 93 90 90	0.00%	This suspension only applies to Mixed white powder containing by weight: • 3% or more but not more than 3.6 % of 1-methylcyclopropene with a purity more than 96%, and • containing less than 0.05% of each impurity of 1-chloro-2-methylpropene and 3-chloro-2-methylpropene for use in the manufacture of a growth regulator of post-harvest fruits, vegetables and	Mixed white powder containing by weight: • 3% or more but not more than 3.6 % of 1-methylcyclopropene with a purity more than 96%, and • containing less than 0.05% of each impurity of 1-chloro-2-methylpropene and 3-chloro-2-methylpropene for use in the manufacture of a growth regulator of post-harvest fruits, vegetables and ornamentals with a specific generator or	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		ornamentals with a specific generator falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Preparation in the form of powder, containing by weight: • 55% or more of Gibberellin A4, • 1% or more but not more than 35% of Gibberellin A7, • 90% or more of Gibberellin A4 and Gibberellin A7 combined, • not more than 10% of a combination of water and other naturally occurring Gibberellins of a kind used in plant growth regulators	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3808 94 20 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bromochloro-5,5-dimethylimidazolidine-2,4-dione (CAS RN 32718-18-6) containing: • 1,3-Dichloro-5,5-dimethylimidazolidine-2,4-dione (CAS RN 118-52-5), • 1,3-Dibromo-5,5-dimethylimidazolidine-2,4-dione (CAS RN 77-48-5), • 1-Bromo,3-chloro-5,5-dimethylimidazolidine-2,4-dione (CAS RN 16079-88-2), and • 1-Chloro,3-bromo-5,5-dimethylimidazolidine-2,4-dione (CAS RN 126-06-7)	31 August 2024
3808 99 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made	Abamectin (ISO) (CAS RN 71751-41-2)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.		
3808 99 90 90	0.00%	This suspension only applies to Oxamyl (ISO) (CAS RN 23135-22-0) in a solution of cyclohexanone and water falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Oxamyl (ISO) (CAS RN 23135-22-0) in a solution of cyclohexanone and water	31 August 2024
3809 91 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of 5-ethyl-2-methyl-2-oxo-1,3,2λ 5-dioxaphosphoran-5-ylmethyl methylphosphonate and bis(5-ethyl-2-methyl-2-oxo-1,3,2λ 5-dioxaphosphoran-5-ylmethyl) methylphosphonate	31 August 2024
3811 19 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Solution of more than 61% but not more than 63% by weight of methylcyclopentadienyl manganese tricarbonyl in an aromatic hydrocarbon solvent,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			containing by weight not more than: • 4.9 % of 1,2,4-trimethyl-benzene, • 4.9 % of naphthalene, and • 0.5 % of 1,3,5-trimethyl-benzene	
3811 21 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Salts of dinonylnaphthalenesulphonic acid, in the form of a solution in mineral oils	31 August 2024
3811 21 00 11	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dispersing agent and oxidation inhibitor containing: • o-amino polyisobutylenephenol (CAS RN 78330-13-9), • more than 30% by weight but not more than 50% by weight of mineral oils	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			used in the manufacture of blends of additives for lubricating oils	
3811 21 00 12	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Dispersing agent containing: • esters of polyisobutenyl succinic acid and pentaerythritol (CAS RN 103650-95-9), • 35% or more but not more than 55% by weight of mineral oils, and • with a chlorine content of not more than 0.05% by weight used in the manufacture of blends of additives for lubricating oils	31 August 2024
3811 21 00 13	0.00%	This suspension does not apply to any mixtures, preparations or products made	Additives containing: • borated magnesium (C16-C24)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.	alkylbenzene sulphonates, and • mineral oils having a total base number (TBN) of more than 250, but not more than 350, for use in the manufacture of lubricating oils	
3811 21 00 14	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dispersing agent: • containing polyisobutene succinimide derived from reaction products of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 147880-09-9), • containing 35% or more but not more than 55% by weight	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			of mineral oils, • with a chlorine content by weight of not more than 0.05%, • having a total base number of less than 15 used in the manufacture of blends of additives for lubricating oils	
3811 21 00 16	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Detergent containing: • Calcium salt of beta-aminocarbonyl alkylphenol (reaction product Mannich base of alkylphenol), • 40% or more but not more than 60% by weight of mineral oils, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• having a total base number more than 120 used in the manufacture of blends of additives for lubricating oils	
3811 21 00 18	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Detergent containing: • long chain alkyltoluene calcium sulphonates, • more than 30% but not more than 50% by weight of mineral oils, and • having a total base number of more than 310 but not more than 340 used in the manufacture of blends of additives for lubricating oils	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3811 21 00 19	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Additives containing: • a polyisobutylene succinimide based mixture, and • more than 30% but not more than 50% by weight of mineral oils having a total base number of more than 40, for use in the manufacture of lubricating oils	31 August 2024
3811 21 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives for lubricating oils, based on complex organic molybdenum compounds, in the form of a solution in mineral oil	31 August 2024
3811 21 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in	Additives containing: • a (C8-18) alkyl polymethacrylate copolymer with N-[3-(dimethylamino)propyl]methacrylamide, of an average molecular weight (Mw) of more than	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	10 000 but not more than 20 000, and • more than 15%, but not more than 30% by weight of mineral oils for use in the manufacture of lubricating oils	
3811 21 00 27	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Additives containing: • 10% or more by weight of an ethylene-propylene copolymer chemically modified by succinic anhydride groups reacted with 3-nitroaniline, and • mineral oils for use in the manufacture of lubricating oils	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3811 21 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives for lubricating oils, containing mineral oils, consisting of calcium salts of reaction products of polyisobutylene substituted phenol with salicylic acid and formaldehyde, used as a concentrated additive for the manufacture of engine oils through a blending process	31 August 2024
3811 21 00 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives containing: • calcium salts of heptylphenol reaction products with formaldehyde (CAS RN 84605-23-2), and • mineral oils having a total base number (TBN) of more than 40 but not more than 100, for use in the manufacture of lubricating oils or overbased detergents for use in lubricating oils	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3811 21 00 37	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Additives containing: • a styrene-maleic anhydride copolymer esterified with C4-C20 alcohols, modified by aminopropylmorpholine, and • more than 50% but not more than 75% by weight of mineral oils for use in the manufacture of lubricating oils	31 August 2024
3811 21 00 48	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives containing: • overbased magnesium (C20-C24) alkylbenzenesulphonates (CAS RN 231297-75-9), and • by weight more than 25% but not more than 50% of mineral	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			oils, having a total base number of more than 350, but not more than 450, for use in the manufacture of lubricating oils	
3811 21 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives for lubricating oils: • based on calcium C16-24 alkylbenzenesulphonates (CAS RN 70024-69-0), • containing mineral oils used as a concentrated additive for the manufacture of engine oils through a blending process	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3811 21 00 53	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives containing: • overbased calcium petroleum sulphonates (CAS 68783-96-0) with a sulphonate content by weight of 15% or more, but not more than 30% and • by weight more than 40% but not more than 60% of mineral oil having a total base number of 280 or more but not more than 420, for use in the manufacture of lubricating oils	31 August 2024
3811 21 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives containing: • low base number calcium polypropylbenzenesulphonate (CAS RN 75975-85-8), and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• by weight more than 40% but not more than 60% mineral oils having a total base number of more than 10 but not more than 25, for use in the manufacture of lubricating oils	
3811 21 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives for lubricating oils, containing mineral oils: • based on calcium polypropylenyl substituted benzenesulphonate (CAS RN 75975-85-8) with a content by weight of 25% or more but not more than 35%, • with a total base number (TBN) of 280 or more but not more than 320 used as a concentrated	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			additive for the manufacture of engine oils through a blending process	
3811 21 00 63	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Additives containing: • an overbased mixture of calcium petroleum sulphonates (CAS RN 61789-86-4) and synthetic calcium alkylbenzenesulphonates (CAS RN 68584-23-6 and CAS RN 70024-69-0) with a total sulphonate content by weight of 15% or more, but not more than 25%, and • by weight more than 40% but not more than 60% of mineral oils	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			having a total base number of 280 or more but not more than 320, for use in the manufacture of lubricating oils	
3811 21 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Additives containing: • a polyisobutylene succinimide based mixture (CAS RN 160610-76-4), and • more than 35% but not more than 50% by weight of mineral oils, having a sulphur content of more than 0.7% but not more than 1.3% by weight having a total base number of more than 8, for use in the manufacture of lubricating oils	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3811 21 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives for lubricating oils: • containing polyisobutylene succinimide derived from reaction products of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 84605-20-9), • containing mineral oils, • with a chlorine content by weight of 0.05% or more but not more than 0.25%, • with a total base number (TBN) of more than 20 used as a concentrated additive for the manufacture	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			of engine oils through a blending process	
3811 21 00 73	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Additives containing: • borated succinimide compounds (CAS RN 134758-95-5), • mineral oils, and • having a total base number (TBN) greater than 40 for use in the manufacture of additive mixtures for lubricating oils	31 August 2024
3811 21 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of	Additives containing: • Calcium (C10-C14) dialkylbenzenesulfonates, • more than 40%, but not more than 60%	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	by weight of mineral oils with a total base number of not more than 10, for use in the manufacture of blends of additives for lubricating oils	
3811 21 00 77	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Antifoam additives consisting of: • a copolymer of 2-ethylhexyl acrylate and ethyl acrylate, and • more than 50% but not more than 80% by weight of mineral oils for use in the manufacture of additive blends for lubricating oils	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3811 21 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Additives containing: • polyisobutylene aromatic polyamine succinimide, • more than 40% but not more than 60% by weight of mineral oils, with a nitrogen content of more than 0.6% but not more than 0.9% by weight, for use in the manufacture of additive blends for lubricating oils	31 August 2024
3811 21 00 83	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK	Additives containing: • polyisobutene succinimide derived from reaction of polyethylenepolyamines with polyisobutenyl succinic anhydride (CAS RN 84605-20-9), • containing more than 31.9% but not more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Statutory Instruments 2018 No. 1249).	than 43.3% by weight of mineral oils, • not more than 0.05% by weight chlorine, and • having a total base number (TBN) greater than 20 for use in the manufacture of additives blends for lubricating oils	
3811 21 00 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives: • containing more than 20% but not more than 45% by weight of mineral oils, • based on a mixture of branched dodecylphenol sulfide calcium salts, whether or not carbonated, for use in	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			the manufacture of blends of additives	
3811 29 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Additive containing: • products from the reaction of branched heptyl phenol with formaldehyde, carbon disulphide and hydrazine (CAS RN 93925-00-9), and • by weight more than 15% but not more than 28% of light aromatic petroleum naphtha solvent for use in the manufacture of lubricating oils	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3811 29 00 18	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Additive consisting of dihydroxy butanedioic acid - (mixed C12-16-alkyl and C13-rich C11-14-isoalkyl) diester, of a kind used in the manufacture of automotive engine oils	31 August 2024
3811 29 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives for lubricating oils, consisting of reaction products of bis(2-methylpentan-2-yl)dithiophosphoric acid with propylene oxide, phosphorus oxide, and amines with C12-14 alkyl chains, used as a concentrated additive for the manufacture of lubricating oils	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3811 29 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Additives containing at least salts of primary amines and mono- and di-alkylphosphoric acids, for use in the manufacture of lubricating oils or greases	31 August 2024
3811 29 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives for lubricating oils, consisting of reaction products of butyl-cyclohex-3-enecarboxylate, sulphur and triphenyl phosphite (CAS RN 93925-37-2), used as a concentrated additive for the manufacture of engine oils through a blending process	31 August 2024
3811 29 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives consisting of an imidazoline based mixture (CAS RN 68784-17-8), for use in the manufacture of lubricating oils	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3811 29 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives for lubricating oils, consisting of reaction products of 2-methyl-prop-1-ene with sulphur monochloride and sodium sulphide (CAS RN 68511-50-2), with a chlorine content by weight of 0.01% or more but not more than 0.5%, used as a concentrated additive for the manufacture of lubricating oils	31 August 2024
3811 29 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Additives consisting of a mixture of (C7-C9) dialkyl adipates, in which diisooctyl adipate (CAS RN 1330-86-5) is more than 85% by weight of the mixture, for use in the manufacture of lubricating oils	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3811 29 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives for lubricating oils, consisting of a mixture of N,N-dialkyl -2-hydroxyacetamides with alkyl chain lengths between 12 and 18 carbon atoms (CAS RN 866259-61-2), used as a concentrated additive for the manufacture of engine oils through a blending process	31 August 2024
3811 29 00 55	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives consisting of reaction products of diphenylamine and branched nonenes containing by weight: • 28% or more but not more than 55% of 4-monononyldiphenylamine, • 45% or more but not more than 65% of 4,4'-dinonyldiphenylamine, and • not more than 5% of 2,4-dinonyldiphenylamine and 2,4'-	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			dinonyldiphenylamine used for the manufacture of lubricating oils	
3811 29 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Additives consisting of a sulphurised mixture of vegetable oil, long chain α-olefins and tall oil fatty acids, with a sulphur content of 8% or more but not more than 12% by weight, for use in the manufacture of blends of additives for lubricating oils	31 August 2024
3811 29 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives consisting of dialkylphosphites (in which the alkyl groups contain more than 80% by weight of oleyl, palmityl and stearyl groups), for use in the manufacture of lubricating oils	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3811 29 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Oxidation inhibitor mainly containing a mixture of isomers of 1-(tert-dodecylthio)propan-2-ol (CAS RN 67124-09-8), used in the manufacture of blends of additives for lubricating oils	31 August 2024
3811 29 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives containing: • more than 70% by weight of 2,5-bis(tert-nonyldithio)-[1,3,4]-thiadiazole (CAS RN 89347-09-1), and • more than 15% by weight of 5-(tert-nonyldithio)- 1,3,4-thiadiazole-2(3H)-thione (CAS RN 97503-12-3) for use in the manufacture of lubricating oils	31 August 2024
3811 29 00 85	0.00%	This suspension does not apply to any mixtures, preparations or products made	Additives consisting of a mixture of 3-((C9-11)-isoalkyloxy)tetrahydrothiophene 1,1-dioxide, C10-rich	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.	(CAS RN 398141-87-2), for use in the manufacture of lubricating oils	
3811 90 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dinonylnaphthylsulphonic acid salt, in a mineral oil solution	31 August 2024
3811 90 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Solution of a quaternary ammonium salt based on polyisobutenyl succinimide, containing by weight 10% or more but not more than 29.9% of 2-ethylhexanol	31 August 2024
3811 90 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Corrosion inhibitor containing: • polyisobutenyl succinic acid, and • more than 5% and not more than 20% by weight of mineral oils for use in the manufacture of blends of additives for fuels	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3815 12 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst, in the form of granules or rings of a diameter of 3 mm or more but not more than 10 mm, consisting of silver on an aluminium oxide support and containing by weight 8% or more but not more than 40% of silver	31 August 2024
3815 12 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Spherical catalyst consisting of a support of aluminium oxide coated with platinum, with: • a diameter of 1.4 mm or more but not more than 2.0 mm, and • a platinum content by weight of 0.2% or more but not more than 0.5%	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3815 12 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Catalyst: • containing 0.3 gram per litre or more, but not more than 7 gram per litre of precious metals, • deposited on a ceramic honeycomb structure coated with aluminium oxide or cerium/zirconium oxide, the honeycomb structure having: o a nickel content of 1.26% by weight or more, but not more than 1.29% by weight, o 62 cells per cm^2 or more, but not more than 140 cells per cm^2, o a diameter of 100 mm or more, but	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			not more than 120 mm, and o a length of 60 mm or more, but not more than 150 mm for use in the production of motor vehicles	
3815 19 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalysts consisting of chromium trioxide, dichromium trioxide or organometallic compounds of chromium, fixed on a silicon dioxide support with a pore volume of 2cm³/g or more (as determined by the nitrogen absorption method)	31 August 2024
3815 19 90 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst, in the form of a powder, consisting of a mixture of metal oxides fixed on a support of silicon dioxide, containing by weight 20% or more but not more than 40% of molybdenum, bismuth and iron evaluated	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			together, for use in the manufacture of acrylonitrile	
3815 19 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst: • in the form of solid spheres, • of a diameter of 4 mm or more but not more than 12 mm, and • consisting of a mixture of molybdenum oxide and other metal oxides, supported on silicon dioxide and/or aluminium oxide for use in the manufacture of acrylic acid	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3815 19 90 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst in the form of spheres of a diameter of 4.2 mm or more but not more than 9 mm, consisting of a mixture of metal oxides containing predominantly oxides of molybdenum, nickel, cobalt and iron, on a support of aluminium oxide, for use in the manufacture of acrylic aldehyde	31 August 2024
3815 19 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Catalyst containing titanium tetrachloride supported on magnesium dichloride, for use in the manufacture of polypropylene	31 August 2024
3815 19 90 35	0.00%	This suspension does not apply to any mixtures, preparations or products made	Catalyst consisting of tungstosilicic acid hydrate (CAS RN 12027-43-9) impregnated on a support of	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.	silicon dioxide in the form of a powder	
3815 19 90 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst consisting of phosphoric acid chemically bonded to a support of silicon dioxide	31 August 2024
3815 19 90 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst consisting of organo-metallic compounds of aluminium and zirconium, fixed on a support of silicon dioxide	31 August 2024
3815 19 90 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst consisting of organo-metallic compounds of aluminium and chromium, fixed on a support of silicon dioxide	31 August 2024
3815 19 90 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst consisting of organo-metallic compounds of magnesium and titanium, fixed on a support of silicon dioxide, in the form of a suspension in mineral oil	31 August 2024
3815 19 90 85	0.00%	This suspension does not apply to any mixtures, preparations or products made	Catalyst consisting of organo-metallic compounds of aluminium, magnesium and titanium, fixed on a support of	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.	silicon dioxide, in the form of powder	
3815 19 90 86	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Catalyst containing titanium tetrachloride supported on magnesium dichloride, for use in the manufacture of polyolefins	31 August 2024
3815 19 90 90	0.00%	This suspension only applies to: Catalyst consisting of: • chromium trioxide (CAS RN 1333-82-0), • dichromium trioxide (CAS RN 1308-38-9)	Catalyst consisting of: • chromium trioxide (CAS RN 1333-82-0), • dichromium trioxide (CAS RN 1308-38-9)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		on a support of aluminium oxide (CAS RN 1344-28-1) Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	on a support of aluminium oxide (CAS RN 1344-28-1)	
3815 90 90 16	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Initiator based on dimethylaminopropyl urea	31 August 2024
3815 90 90 18	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Oxidation catalyst with an active ingredient of di[manganese (1+)], 1,2-bis(octahydro-4,7-dimethyl-1H-1,4,7-triazonine-1-yl-kN 1, kN 4, kN 7)ethane-di-µ-oxo-µ-(ethanoato-kO, kO')-, di[chloride(1-)], used to accelerate chemical oxidation or bleaching (CAS RN 1217890-37-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3815 90 90 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst consisting by weight of: • 30% or more but not more than 33% of bis(4-(diphenylsulphonio)phenyl)sulphide bis(hexafluorophosphate) (CAS RN 74227-35-3), and • 24% or more but not more than 27% of diphenyl(4-phenylthio)phenylsulphonium hexafluorophosphate (CAS RN 68156-13-8) in propylene carbonate (CAS RN 108-32-7)	31 August 2024
3815 90 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst, consisting of a suspension in mineral oil of: • tetrahydrofuran complexes of magnesium chloride and titanium(III)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			chloride; and • silicon dioxide, ○ containing 6.6% (± 0.6%) by weight of magnesium, and ○ containing 2.3% (± 0.2%) by weight of titanium	
3815 90 90 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst containing by weight: • 25% or more but not more than 27.5% of bis[4-(diphenylsuphonio)phenyl]sulphide bis(hexafluoroantimonate) (CAS RN 89452-37-9), and • 20% or more but not more than 22.5% of diphenyl(4-phenylthio)phenylsulfonium hexafluoroantimonate	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			(CAS RN 71449-78-0) in propylene carbonate (CAS RN 108-32-7)	
3815 90 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst: • containing molybdenum oxide and other metal oxides in a silicon dioxide matrix, • in the form of hollow cylindrical solids of a length of 4 mm or more but not more than 12 mm for use in the manufacture of acrylic acid	31 August 2024
3815 90 90 43	0.00%	This suspension does not apply to any mixtures, preparations or products made	Catalyst in powder form consisting by weight of: • 92.50% (± 2%) % titanium dioxide	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.	(CAS RN 13463-67-7), • 5 % (± 1) % silicon dioxide (CAS RN 112926-00-8), and • 2.5% (± 1.5)% sulphur trioxide (CAS RN 7446-11-9)	
3815 90 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst containing titanium trichloride, in the form of a suspension in hexane or heptane containing by weight, in the hexane- or heptane-free material, 9% or more but not more than 30% of titanium	31 August 2024
3815 90 90 76	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst consisting of titanium dioxide and tungsten trioxide	31 August 2024
3815 90 90 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst consisting predominantly of dinonylnaphthalenedisulphonic acid in the form of a solution in isobutanol	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3815 90 90 81	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst, containing by weight 69% or more but not more than 79% of (2-hydroxy-1-methylethyl)trimethylammonium 2-ethylhexanoate	31 August 2024
3815 90 90 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst based on aluminosilicate (zeolite), for the alkylation of aromatic hydrocarbons, for the transalkylation of alkylaromatic hydrocarbons or for the oligomerization of olefins	31 August 2024
3815 90 90 86	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst, in the form of rodlets, consisting of an aluminosilicate (zeolite), containing by weight 2% or more but not more than 3% of rare-earth metal oxides and less than 1% of disodium oxide	31 August 2024
3815 90 90 88	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalyst, consisting of titanium tetrachloride and magnesium chloride, containing by weight on an oil- and hexane-free basis: • 4% or more but not more than 10% of	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			titanium, and • 10% or more but not more than 20% magnesium	
3815 90 90 89	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Rhodococcus rhodocrous J1 bacteria, containing enzymes, suspended in a polyacrylamide gel or in water, for use as a catalyst in the production of acrylamide by the hydration of acrylonitrile	31 August 2024
3817 00 50 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of alkylbenzenes (C14-26) containing by weight: • 35% or more but not more than 60% of eicosylbenzene,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 25% or more but not more than 50% of docosylbenzene, • 5% or more but not more than 25% of tetracosylbenzene	
3817 00 80 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of alkylnaphthalenes, containing by weight: • 88% or more but not more than 98% of hexadecylnaphthalene, • 2% or more but not more than 12% of dihexadecylnaphthalene	31 August 2024
3817 00 80 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of branched alkyl benzenes mainly containing dodecyl benzenes	31 August 2024
3817 00 80 30	0.00%	This suspension does not apply to any mixtures, preparations or products made	Mixed alkylnaphthalenes, modified with aliphatic chains, of a chain-length	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		up of different components containing these products.	varying from 12 to 56 carbon atoms	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 15 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acid aluminosilicate (artificial zeolite of the Y type) in the sodium form, containing by weight not more than 11% of sodium evaluated as sodium oxide, in the form of rodlets	31 August 2024
3824 99 92 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Butylphosphato complexes of titanium (IV) (CAS RN 109037-78-7), dissolved in ethanol and propan-2-ol	31 August 2024
3824 99 92 26	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing by weight: • 60% or more but not more than 75% of Solvent naphtha (petroleum), heavy aromatic (CAS RN 64742-94-5), • 15% or more but not more than 25% of 4-(4-nitrophenylazo)-2,6-di-sec-butyl-phenol (CAS RN 111850-24-9), and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 10% or more but not more than 15% of 2-sec-butylphenol (CAS RN 89-72-5)	
3824 99 92 29	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing by weight: • 85% or more but not more than 99% of polyethylene glycol ether of butyl 2-cyano 3-(4-hydroxy-3-methoxyphenyl) acrylate, and • 1% or more but not more than 15% of polyoxyethylene (20) sorbitan trioleate	31 August 2024
3824 99 92 31	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Liquid crystal mixtures for use in the manufacture of LCD (liquid crystal display) modules	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 92 32	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of divinylbenzene-isomers and ethylvinylbenzene-isomers, containing by weight 56% or more but not more than 85% of divinylbenzene (CAS RN 1321-74-0)	31 August 2024
3824 99 92 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Anti-corrosion preparations consisting of salts of dinonylnaphthalenesulphonic acid, either: • on a support of mineral wax, whether or not modified chemically, or • in the form of a solution in an organic solvent	31 August 2024
3824 99 92 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparations containing not less than 92% but not more than 96.5% by weight of 1,3:2,4-bis-O-(4-methylbenzylidene)-D-glucitol and also containing carboxylic acid derivatives and an alkyl sulphate	31 August 2024
3824 99 92 37	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of acetates of 3-butene-1,2-diol with a content by weight of 65% or more of 3-butene-1,2-diol diacetate (CAS RN 18085-02-4)	31 August 2024
3824 99 92 38	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reaction products of phosphoryl trichloride and 2-methyloxirane (CAS RN 1244733-77-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 92 39	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparations containing not less than 47% by weight of 1,3:2,4-bis-O-benzylidene-D-glucitol	31 August 2024
3824 99 92 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Solution of 2-chloro-5-(chloromethyl)-pyridine (CAS RN 70258-18-3) in organic diluent	31 August 2024
3824 99 92 42	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation of tetrahydro-α-(1-naphthylmethyl)furan-2-propionic acid (CAS RN 25379-26-4) in toluene	31 August 2024
3824 99 92 43	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing by weight: • 65% or more, but not more than 95% of isopropylated triaryl phosphate (CAS RN 68937-41-7), and • 5% or more, but not more than 35% of triphenyl phosphate (CAS RN 115-86-6)	31 August 2024
3824 99 92 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation consisting predominantly of γ-butyrolactone and quaternary ammonium salts, for the manufacture of electrolytic capacitors	31 August 2024
3824 99 92 47	0.00%	This suspension does not apply to any mixtures, preparations or products	Preparation, containing:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		made up of different components containing these products.	• trioctylphosphine oxide (CAS RN 78-50-2), • dioctylhexylphosphine oxide (CAS RN 31160-66-4), • octyldihexylphosphine oxide (CAS RN 31160-64-2), and • trihexylphosphine oxide (CAS RN 3084-48-8)	
3824 99 92 49	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation based on 2,5,8,11-tetramethyl-6-dodecyn-5,8-diol ethoxylate (CAS RN 169117-72-0)	31 August 2024
3824 99 92 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Alkyl carbonate-based preparation, also containing a UV absorber, for use in the manufacture of spectacle lenses	31 August 2024
3824 99 92 51	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture containing by weight 40% or more but not more than 50% of 2-hydroxyethyl methacrylate and 40% or more but not more than 50% of glycerol ester of boric acid	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 92 52	2.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electrolyte containing: • 5% or more but not more than 20% lithium hexafluorophosphate (CAS RN 21324-40-3) or lithium tetrafluoroborate (CAS RN 14283-07-9), • 60% or more but not more than 90% of a mixture of ethylene carbonate (CAS RN 96-49-1), dimethyl carbonate (CAS RN 616-38-6) and/or ethyl methyl carbonate (CAS RN 623-53-0), • 0.5% or more but not more than 20% 1,3,2-dioxathiolane 2,2-dioxide (CAS RN 1072-53-3) for use in the manufacture of motor vehicle batteries	31 August 2024
3824 99 92 53	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparations consisting predominantly of ethylene glycol and either: • diethylene glycol, dodecandioic acid and ammonia water, • or N,N-dimethylformamide,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• or γ-butyrolactone, • or silicon oxide, • or ammonium hydrogen azelate, • or ammonium hydrogen azelate and silicon oxide, or • dodecandioic acid, ammonia water and silicon oxide for the manufacture of electrolytic capacitors	
3824 99 92 54	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(tetramethylene glycol) bis[(9-oxo-9H-thioxanthen-1-yloxy)acetate] with an average polymer chain length of less than 5 monomer units (CAS RN 813452-37-8)	31 August 2024
3824 99 92 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Additives for paints and coatings, containing: • a mixture of esters of phosphoric acid obtained from the reaction of phosphoric anhydride with 4-(1,1-dimethylpropyl) phenol and copolymers of styrene-allyl	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			alcohol (CAS RN 84605-27-6), and • 30% or more but not more than 35% by weight of isobutyl alcohol	
3824 99 92 56	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(tetramethylene glycol) bis[(2-benzoyl-phenoxy)acetate] with an average polymer chain length of less than 5 monomer units	31 August 2024
3824 99 92 57	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(ethylene glycol) bis(p-dimethyl)aminobenzoate with an average polymer chain length of less than 5 monomer units	31 August 2024
3824 99 92 59	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Potassium tert-butanolate (CAS RN 865-47-4) in the form of a solution in tetrahydrofuran	31 August 2024
3824 99 92 61	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	3',4',5'-Trifluorobiphenyl-2-amine, in the form of a solution in toluene containing by weight 80% or more but not more than 90% of 3',4',5'-trifluorobiphenyl-2-amine	31 August 2024
3824 99 92 62	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Solution of 9-borabicyclo[3.3.1]nonane (CAS RN 280-64-8) in tetrahydrofurane (CAS RN 109-99-9), containing by weight 6% or more 9-borabicyclo[3.3.1]nonane	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 92 63	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polymer consisting of a polycondensate of formaldehyde and naphthalenediol, chemically modified by reaction with an alkyne halide, dissolved in propylene glycol methyl ether acetate.	31 August 2024
3824 99 92 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of primary tert-alkylamines	31 August 2024
3824 99 92 68	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing by weight • 20% (± 1%) ((3-(sec-butyl)-4-(decyloxy)phenyl)methanetriyl) Tribenzene (CAS RN 1404190-37-9) Dissolved in: • 10% (± 5%) 2-sec-Butylphenol (CAS RN 89-72-5), • 64% (± 7%) Solvent naphtha (petroleum), heavy aromatic (CAS RN 64742-94-5), and • 6% (± 1%) Naphthalene (CAS RN 91-20-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 92 69	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing by weight: • 80% or more but not more than 92% of Bisphenol-A bis(diphenyl phosphate) (CAS RN 5945-33-5), • 7% or more but not more than 20% oligomers of Bisphenol-A bis(diphenyl phosphate), and • not more than 1% triphenyl phosphate (CAS RN 115-86-6)	31 August 2024
3824 99 92 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of 80% (± 10%) of 1-[2-(2-aminobutoxy)ethoxy]but-2-ylamine and 20% (± 10%) of 1-({[2-(2-aminobutoxy)ethoxy]methyl} propoxy)but-2-ylamine	31 August 2024
3824 99 92 72	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-(2-phenylethyl)-1,3-benzenedimethanamine derivatives (CAS RN 404362-22-7)	31 August 2024
3824 99 92 76	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing: • 74% or more but not more than 90% by weight of (S)-α-hydroxy-3-phenoxy-benzeneacetonitrile (CAS RN 61826-76-4), and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 10% or more but not more than 26% by weight of toluene (CAS RN 108-88-3)	
3824 99 92 77	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing by weight: • 55% or more but not more than 78% of dimethyl glutarate (CAS RN 1119-40-0), • 10% or more but not more than 30% of dimethyl adipate (CAS RN 627-93-0), and not more than 35% of dimethyl succinate (CAS RN 106-65-0)	31 August 2024
3824 99 92 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diethylene glycol propylene glycol triethanolamine titanate complexes (CAS RN 68784-48-5) dissolved in diethylene glycol (CAS RN 111-46-6)	31 August 2024
3824 99 92 82	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	T-butylchloride dimethylsilane (CAS RN 18162-48-6) solution in toluene	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 92 84	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation consisting by weight of 83% or more of 3a,4,7,7a-tetrahydro-4,7-methanoindene (dicyclopentadiene), a synthetic rubber, whether or not containing by weight 7% or more of tricyclopentadiene, and: • either an aluminium-alkyl compound, • or an organic complex of tungsten, • or an organic complex of molybdenum	31 August 2024
3824 99 92 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of bis[3-(triethoxysilyl)propyl]sulphides (CAS RN 211519-85-6)	31 August 2024
3824 99 92 87	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acetophenone (CAS RN 98-86-2) with a purity by weight of 60% or more but not more than 90%	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 92 88	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,4,7,9-Tetramethyldec-5-yne-4,7-diol, hydroxyethylated (CAS RN 9014-85-1)	31 August 2024
3824 99 92 89	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of tertiary alkyldimethyl amines containing by weight: • 60% or more but not more than 80% of dodecyldimethylamine (CAS RN 112-18-5), and 20% or more but not more than 30% of dimethyl(tetradecyl)amine (CAS RN 112-75-4)	31 August 2024
3824 99 92 99	0.00%	This suspension only applies to: • Aqueous solution containing by weight: • 10% or more but not more than 42% of 2-(3-chloro-5-(trifluoromethyl)pyridin-2-yl)ethanamine (CAS RN 658066-44-5), • 10% or more but not more than 25% of sulphuric acid (CAS RN 7664-93-9), and	• Aqueous solution containing by weight: • 10% or more but not more than 42% of 2-(3-chloro-5-(trifluoromethyl)pyridin-2-yl)ethanamine (CAS RN 658066-44-5), • 10% or more but not more than 25% of sulphuric acid (CAS RN 7664-93-9), and • 0.5% or more but not more than 2,9% of methanol (CAS RN 67-56-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• 0.5% or more but not more than 2,9% of methanol (CAS RN 67-56-1) and • Diethylmethoxyborane (CAS RN 7397-46-8) in the form of a solution in tetrahydrofuran and • N2-[1-(S)-Ethoxycarbonyl-3-phenylpropyl]-N6-trifluoroacetyl-L-lysyl-N2-carboxy anhydride in a solution of dichloromethane at 37% and • 4-Methoxy-3-(3-morpholin-4-yl-propoxy)-benzonitrile (CAS RN 675126-28-0) in an organic solvent and • Aqueous solution of caesium formate and potassium formate containing by weight: • 1% or more but not more than 84% of caesium formate	and • Diethylmethoxyborane (CAS RN 7397-46-8) in the form of a solution in tetrahydrofuran and • N2-[1-(S)-Ethoxycarbonyl-3-phenylpropyl]-N6-trifluoroacetyl-L-lysyl-N2-carboxy anhydride in a solution of dichloromethane at 37% and • 4-Methoxy-3-(3-morpholin-4-yl-propoxy)-benzonitrile (CAS RN 675126-28-0) in an organic solvent and • Aqueous solution of caesium formate and potassium formate containing by weight: • 1% or more but not more than 84% of caesium formate (CAS RN 3495-36-1), • 1% or more but not more than 76% of potassium formate (CAS RN 590-24-1)	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		(CAS RN 3495-36-1), • 1% or more but not more than 76% of potassium formate (CAS RN 590-24-1) whether or not containing not more than 9% of additives and • Calcium phosphonate phenate, dissolved in mineral oil and • Preparation containing by weight: • 89% or more but not more than 98.9% of 1,2,3-trideoxy-4,6:5,7-bis-O-[(4-propylphenyl)methylene]-nonitol, • 0.1% or more but not more than 1% of colourants, • 1% or more but not more than 10% of fluoropolymers falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products	whether or not containing not more than 9% of additives and • Calcium phosphonate phenate, dissolved in mineral oil and • Preparation containing by weight: • 89% or more but not more than 98.9% of 1,2,3-trideoxy-4,6:5,7-bis-O-[(4-propylphenyl)methylene]-nonitol, • 0.1% or more but not more than 1% of colourants, • 1% or more but not more than 10% of fluoropolymers	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		made up of different components containing these products.		
3824 99 92 99	2.00%	This suspension only applies to: Preparation containing by weight: • 25% or more but not more than 50% of diethyl carbonate (CAS RN 105-58-8), • 25% or more but not more than 50% of ethylene carbonate (CAS RN 96-49-1), • 10% or more but not more than 20% of lithium hexafluorophosphate (CAS RN 21324-40-3), • 5% or more but not more than 10 % of ethyl methyl carbonate (CAS RN 623-53-0), • 1% or more but not more than 2% of vinylene carbonate	Preparation containing by weight: • 25% or more but not more than 50% of diethyl carbonate (CAS RN 105-58-8), • 25% or more but not more than 50% of ethylene carbonate (CAS RN 96-49-1), • 10% or more but not more than 20% of lithium hexafluorophosphate (CAS RN 21324-40-3), • 5% or more but not more than 10 % of ethyl methyl carbonate (CAS RN 623-53-0), • 1% or more but not more than 2% of vinylene carbonate (CAS RN 872-36-6),	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		(CAS RN 872-36-6), and • 1% or more but not more than 2% of 4-fluoro-1,3-dioxolane-2-one (CAS RN 114435-02-8) not more than 1% of 1,5,2,4-Dioxadithiane 2,2,4,4-tetraoxide (CAS RN 99591-74-9) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• 1% or more but not more than 2% of 4-fluoro-1,3-dioxolane-2-one (CAS RN 114435-02-8) not more than 1% of 1,5,2,4-Dioxadithiane 2,2,4,4-tetraoxide (CAS RN 99591-74-9)	
3824 99 93 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Powder Mixture containing by weight: • 85% or more of zinc diacrylate (CAS RN 14643-87-9), • not more than 5% of 2,6-di-tert-butyl-alpha-dimethylamino-p-cresol (CAS RN 88-27-7), and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• not more than 10% of zinc stearate (CAS RN 557-05-1)	
3824 99 93 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Paraffin with a level of chlorination of 70% or more (CAS RN 63449-39-8)	31 August 2024
3824 99 93 38	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of 4,4’ -(perfluoroisopropylidene)diphenol (CAS RN 1478-61-1) and 4,4' -perfluoroisopropylidene)diphenol benzyl triphenyl phosphonium salt (CAS RN 75768-65-9)	31 August 2024
3824 99 93 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Anti-corrosion preparations consisting of salts of dinonylnaphthalenesulphonic acid, either: • on a support of mineral wax, whether or not modified chemically, or • in the form of a solution in an organic solvent	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 93 42	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of bis{4-(3-(3-phenoxycarbonylamino)tolyl)ureido}phenyl sulphone, diphenyltoluene-2,4-dicarbamate and 1-[4-(4-aminobenzenesulphonyl)-phenyl]-3-(3-phenoxycarbonylamino-tolyl)-urea	31 August 2024
3824 99 93 43	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Solid extract of the residual, insoluble in aliphatic solvents, obtained during the extraction of rosin from wood, with the following characteristics: • a resin acid content not exceeding 30% by weight, • an acid number not exceeding 110, and a melting point of at least 100 °C	31 August 2024
3824 99 93 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sodium hydrogen 3-aminonaphthalene-1,5-disulphonate (CAS RN 4681-22-5) containing by weight: • not more than 20% of disodium sulphate, and • not more than 10% of sodium chloride	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 93 48	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Nonhalogenated flame retardant containing by weight: • 50% or more, but not more than 65% of piperazine pyrophosphate (CAS RN 66034-17-1), • 35% or more, but not more than 45% of a phosphoric acid derivative, and • not more than 6% of zinc oxide (CAS RN 1314-13-2)	31 August 2024
3824 99 93 53	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Zinc dimethacrylate (CAS RN 13189-00-9), containing not more than 2.5% by weight of 2,6-di-tert-butyl-alpha-dimethyl amino-p-cresol (CAS RN 88-27-7), in the form of powder	31 August 2024
3824 99 93 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of phytosterols (CAS RN 949109-75-5) in powder form containing by weight: • 40% or more but not more than 88% of sitosterols, • 20% or more but not more than 63% of campesterols,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 14% or more but not more than 38% of stigmasterols, • not more than 13% brassicasterols, and • not more than 5% sitostanols	
3824 99 93 63	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Mixture of phytosterols, not in the form of powder, containing by weight: • 75% or more of sterols, • not more than 25% of stanols for use in the manufacture of stanols/sterols or stanol/sterol esters	31 August 2024
3824 99 93 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reaction mass of 1,1'-(isopropylidene)bis[3,5-dibromo-4-(2,3-dibromo-2-methylpropoxy)benzene] (CAS RN 97416-84-7) and 1,3-dibromo-2-(2,3-dibromo-2-methylpropoxy)-5-{2-[3,5-dibromo-4-(2,3,3-tribromo-2-methylpropoxy)phenyl]propan-2-yl}benzene	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 93 67	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of phytosterols, in the form of powder, containing by weight: • at least 75% of sterols, • not more than 25% of stanols, for use in the manufacture of stanols/sterols or stanol/sterol esters	31 August 2024
3824 99 93 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Oligomeric reaction product, consisting of bis(4-hydroxyphenyl) sulfone and 1,1'-oxybis(2-chloroethane)	31 August 2024
3824 99 93 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of phytosterols, in the form of flakes and balls, containing by weight 80% or more of sterols and not more than 4% of stanols	31 August 2024
3824 99 93 83	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing: • C,C'-azodi(formamide) (CAS RN 123-77-3), • magnesium oxide (CAS RN 1309-48-4), and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• zinc bis(p-toluene sulphinate) (CAS RN 24345-02-6) in which the gas formation from C,C'-azodi(formamide) occurs at 135 °C	
3824 99 93 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Particles of silicon dioxide on which are covalently bonded organic compounds, for use in the manufacture of high performance liquid chromatography columns (HPLC) and sample preparation cartridges	31 August 2024
3824 99 93 88	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of phytosterols containing by weight: • 60% or more, but not more than 80% of sitosterols, • not more than 15% of campesterols, • not more than 5% of stigmasterols, and • not more than 15% of betasitostanols	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date

3824 99 93 90	0.00%	This suspension only applies to:
		• Preparation, consisting of acesulfame potassium (CAS RN 55589-62-3) and potassium hydroxide (CAS RN 1310-58-3)
		• Mixture containing by weight:
		  • 70% or more, but not more than 90% of (S)-indoline-2-carboxylic acid (CAS RN 79815-20-6), and
		  • 10% or more, but not more than 30% of o-chlorocinnamic acid (CAS RN 3752-25-8)
		Falling under this CN10 code.
		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.
			• Preparation, consisting of acesulfame potassium (CAS RN 55589-62-3) and potassium hydroxide (CAS RN 1310-58-3) and
			• Mixture containing by weight:
			  • 70% or more, but not more than 90% of (S)-indoline-2-carboxylic acid (CAS RN 79815-20-6), and
			  • 10% or more, but not more than 30% of o-chlorocinnamic acid (CAS RN 3752-25-8)	

3824 99 96 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rare-earth concentrate containing by weight: • 20% or more but not more than 30% of cerium oxide (CAS RN 1306-38-3),	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 2% or more but not more than 10% of lanthanum oxide (CAS RN 1312-81-8), • 10% or more but not more than 15% of yttrium oxide (CAS RN 1314-36-9), and • not more than 65% of zirconium oxide (CAS RN 1314-23-4) including natural occurring hafnium oxide	
3824 99 96 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Buffer cartridge not exceeding 8 000 ml containing: • 0.05% or more but not more than 0.1% by weight of 5-Chloro-2-methyl-2,3-dihydroisothiazol-3-one (CAS RN 55965-84-9) and • 0.05% or more but not more that 0.1% by weight of 2-Methyl-2,3-dihydroisothiazol-3-one (CAS RN 2682-20-4) as a biostatic	31 August 2024
3824 99 96 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Calcined bauxite (refractory grade)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 96 37	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Structured silica alumina phosphate	31 August 2024
3824 99 96 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Anti-corrosion preparations consisting of salts of dinonylnaphthalenesulphonic acid, either: • on a support of mineral wax, whether or not modified chemically, or • in the form of a solution in an organic solvent	31 August 2024
3824 99 96 45	2.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lithium nickel cobalt aluminium oxide powder (CAS RN 177997-13-6) with: • a particle size of less than 10 μm, • a purity by weight of more than 98%	31 August 2024
3824 99 96 46	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Manganese zinc ferrite granulate, containing by weight: • 52% or more but not more than 76% of iron(III)oxide,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 13% or more but not more than 42% of manganese oxide, and • 2% or more but not more than 22% of zinc oxide	
3824 99 96 47	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Mixed metals oxides, in the form of powder, containing by weight: • either 5% or more of barium, neodymium or magnesium and 15% or more of titanium, • or 30% or more of lead and 5% or more of niobium for use in the manufacture of dielectric films or for use as dielectric materials in the manufacture of multilayer ceramic capacitors	31 August 2024
3824 99 96 48	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Zirconium oxide (ZrO₂), calcium oxide stabilised (CAS RN 68937-53-1) with a zirconium oxide content by weight of 92% or more but not more than 97%	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 96 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Nickel hydroxide, doped with 12% or more but not more than 18% by weight of zinc hydroxide and cobalt hydroxide, of a kind used to produce positive electrodes for accumulators	31 August 2024
3824 99 96 53	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rare-earth concentrate containing by weight 60% or more but not more than 95% of rare-earth oxides and not more than 1% each of zirconium oxide, aluminium oxide or iron oxide, and having a loss on ignition of 5% or more by weight	31 August 2024
3824 99 96 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Carrier in powder form, consisting of: • ferrite (Iron oxide) (CAS RN 1309-37-1), • manganese oxide (CAS RN 1344-43-0), • magnesium oxide (CAS RN 1309-48-4), • styrene acrylate copolymer to be mixed with the toner powder, in the manufacturing of ink/toner filled bottles or cartridges for facsimile machines, computer printers and copiers	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 96 57	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Particles of silicon dioxide on which are covalently bonded organic compounds, for use in the manufacture of high performance liquid chromatography columns (HPLC) and sample preparation cartridges	31 August 2024
3824 99 96 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fused magnesia containing by weight 15% or more of dichromium trioxide	31 August 2024
3824 99 96 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium sodium silicate, in the form of spheres of a diameter of: • either 1.6 mm or more but not more than 3.4 mm, • or 4mm or more but not more than 6 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 96 73	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reaction product, containing by weight: • 1% or more but not more than 40% of molybdenum oxide, • 10% or more but not more than 50% of nickel oxide, • 30% or more but not more than 70% of tungsten oxide	31 August 2024
3824 99 96 74	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture with a non-stoichiometric composition: • with a crystalline structure, • with a content of fused magnesia-alumina spinel and with admixtures of silicate phases and aluminates, at least 75% by weight of which consists of fractions with a grain size of 1-3 mm and at most 25% consists of fractions with a grain size of 0-1 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3824 99 96 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture consisting of: • 64% or more, but not more than 74% by weight of amorphous silica (CAS RN 7631-86-9), • 25% or more, but not more than 35% by weight of butanone (CAS RN 78-93-3), and • not more than 1% by weight of 3-(2,3-epoxypropoxy)propyltrimethoxysilane (CAS RN 2530-83-8)	31 August 2024
3824 99 96 83	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cubic Boron nitride (CAS RN 10043-11-5) coated with nickel and/or nickelphosphide (CAS RN 12035-64-2)	31 August 2024
3824 99 96 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing: • C,C'-azodi(formamide) (CAS RN 123-77-3), • magnesium oxide (CAS RN 1309-48-4), and • zinc bis(p-toluene sulphinate) (CAS RN 24345-02-6)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			in which the gas formation from C,C'-azodi(formamide) occurs at 135 °C	
3824 99 96 87	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Platinum oxide (CAS RN 12035-82-4) fixed on a porous support of aluminium oxide (CAS RN 1344-28-1), containing by weight: • 0.1% or more but not more than 1% of platinum, and • 0.5% or more but not more than 5% of ethylaluminium dichloride (CAS RN 563-43-9)	31 August 2024
3824 99 96 99	0.00%	This suspension only applies to: Powder containing by weight: • 28% or more but not more than 51% of talc (CAS RN 14807-96-6), • 30.5% or more but not more than 48% of silicon dioxide (quartz) (CAS RN 14808-60-7)	Powder containing by weight: • 28% or more but not more than 51% of talc (CAS RN 14807-96-6), • 30.5% or more but not more than 48% of silicon dioxide (quartz) (CAS RN 14808-60-7) • 17% or more but not more than 26% of aluminium oxide (CAS RN 1344-28-1)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• 17% or more but not more than 26% of aluminium oxide (CAS RN 1344-28-1) Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
3827 68 00 05	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of halogenated derivatives containing by weight: • 30% or more but not more than 60% of difluoromethane (CAS RN 75-10-5), • 30% or more but not more than 60% of trifluoroiodomethane (CAS RN 2314-97-8), 10 % or more but not more than 30% of pentafluoroethane (CAS RN 354-33-6)	31 August 2024
3827 90 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixtures containing by weight: • 60% or more but not more than 90% of 2-chloropropene (CAS RN 557-98-2),	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 8% or more but not more than 14% of (Z)-1-chloropropene (CAS RN 16136-84-8), • 5% or more but not more than 23% of 2-chloropropane (CAS RN 75-29-6), • not more than 6% of 3-chloropropene (CAS RN 107-05-1), and not more than 1% of ethyl chloride (CAS RN 75-00-3)	
3901 10 10 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	High flow linear low density polyethylene-1-butene / LLDPE (CAS RN 25087-34-7) in form of powder, with: • a melt flow rate (MFR 190 °C / 2.16 kg) of 16g / 10 min or more, but not more than 24 g / 10 min, and • a density (ASTM D 1505) of 0.922 g/cm³ or more, but not more than 0.926 g/cm³, and • a vicat softening temperature of min. 94 °C	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3901 10 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polyethylene granules, containing by weight 10% or more but not more than 25% of copper	31 August 2024
3901 90 80 53	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of ethylene and acrylic acid (CAS RN 9010-77-9) with: • an acrylic acid content of 18.5% or more but not more than 49.5% by weight (ASTM D4094), and • a melt flow rate of 14 g / 10 min (MFR 125 °C / 2.16 kg, ASTM D1238) or more	31 August 2024
3901 90 80 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Zinc or sodium salt of an ethylene and acrylic acid copolymer, with: • an acrylic acid content of 6% or more but not more than 50% by weight, and • a melt flow rate of 1 g / 10 min or more at 190 °C / 2.16 kg (measured using ASTM D1238)	31 August 2024
3901 90 80 67	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer made exclusively from ethylene and methacrylic acid monomers in which the methacrylic acid content is 11% by weight or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3901 90 80 73	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture containing by weight: • 80% or more, but not more than 94% of chlorinated polyethylene (CAS RN 64754-90-1), and • 6% or more, but not more than 20% of styrene-acrylic copolymer (CAS RN 27136-15-8)	31 August 2024
3901 90 80 91	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ionomer resin consisting of a salt of a copolymer of ethylene with methacrylic acid	31 August 2024
3901 90 80 92	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Chlorosulphonated polyethylene	31 August 2024
3901 90 80 93	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Copolymer of ethylene, vinyl acetate and carbon monoxide, for use as a plasticiser in the manufacture of roof sheets	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3901 90 80 94	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixtures of A-B block copolymer of polystyrene and ethylene-butylene copolymer and A-B-A block copolymer of polystyrene, ethylene-butylene copolymer and polystyrene, containing by weight not more than 35% of styrene	31 August 2024
3901 90 80 97	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Chlorinated polyethylene, in the form of powder	31 August 2024
3901 90 80 99	0.00%	This suspension only applies to: • Ethylene maleic anhydride copolymer, whether or not containing another olefin comonomer, with a melt flow rate of 1.3 g / 10 min or more at 190 °C / 2.16 kg (measured using ASTM D1238) falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethylene maleic anhydride copolymer, whether or not containing another olefin comonomer, with a melt flow rate of 1.3 g / 10 min or more at 190 °C / 2.16 kg (measured using ASTM D1238)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3902 10 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polypropylene, containing no plasticiser: • of a melting point of more than 150 °C (as determined by the ASTM D 3417 method), • of a heat of fusion of 15 J / g or more but not more than 70 J / g, • of an elongation at break of 1 000 % or more (as determined by the ASTM D 638 method), • of a tensile modulus of 69 MPa or more but not more than 379 MPa (as determined by the ASTM D 638 method)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3902 10 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polypropylene, containing no plasticiser: • of a tensile strength of 32-77 MPa (as determined by the ASTM D638 method), • of a flexural strength of 50-105 MPa (as determined by the ASTM D790 method), • of a Melt Flow Rate (MFR) at 230 °C / 2.16 kg of 5-15 g / 10 min (as determined by the ASTM D1238 method), • with 40% or more but not more than 80% by weight of polypropylene, • with 10% or more but not more than 30% by weight of glass fibre, • with 10% or more but not more than 30% by weight of mica	31 August 2024
3902 20 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products	Polyisobutylene, of a number average molecular weight (Mn) of 700 or more but not more than 800	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		made up of different components containing these products.		
3902 20 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hydrogenated polyisobutene, in liquid form	31 August 2024
3902 30 00 91	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	A-B Block copolymer of polystyrene and an ethylene-propylene copolymer, containing by weight 40% or less of styrene, in one of the forms mentioned in note 6 (b) to Chapter 39	31 August 2024
3902 30 00 95	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	A-B-A block copolymer, consisting of: • a copolymer of propylene and ethylene, and • 21% (± 3%) by weight of polystyrene	31 August 2024
3902 30 00 97	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Liquid ethylene-propylene-copolymer with: • a flashpoint of 250 °C or more, • a viscosity index of 150 or more, • of a number average molecular weight (Mn) of 650 or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3902 90 90 52	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Amorphous poly-alpha-olefin copolymer blend of poly(propylene-co-1-butene) and petroleum hydrocarbon resin	31 August 2024
3902 90 90 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Thermoplastic elastomer, with an A-B-A block copolymer structure of polystyrene, polyisobutylene and polystyrene containing by weight 10% or more but not more than 35% of polystyrene	31 August 2024
3902 90 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-hydrogenated 100% aliphatic resin (polymer), with the following characteristics: • liquid at room temperature, • obtained by cationic polymerisation of C-5 alkenes monomers, • with a number average molecular weight (Mn) of 370 (± 50), • with a weight average molecular weight (Mw) of 500 (± 100)	31 August 2024
3902 90 90 92	0.00%	This suspension does not apply to any mixtures, preparations or products	Polymers of 4-methylpent-1-ene	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		made up of different components containing these products.		
3902 90 90 94	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Chlorinated polyolefins, whether or not in a solution or dispersion	31 August 2024
3902 90 90 99	0.00%	This suspension only applies to: • Synthetic poly-alpha-olefin with a viscosity at 100 °C (measured according to method ASTM D 445) ranging from 3 centistokes to 9 centistokes and obtained by polymerisation of a mixture of dodecene and tetradecene, containing a maximum of 40% of tetradecane Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Synthetic poly-alpha-olefin with a viscosity at 100 °C (measured according to method ASTM D 445) ranging from 3 centistokes to 9 centistokes and obtained by polymerisation of a mixture of dodecene and tetradecene, containing a maximum of 40% of tetradecane	31 August 2024
3903 19 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Crystalline polystyrene with: • a melting point of 268 °C or more but not more than 272 °C,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a setting point of 232 °C or more but not more than 247 °C, • whether or not containing additives and filling material	
3903 90 90 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer in the form of granules containing by weight: • 78 ± 4% styrene, • 9 ± 2% n-butyl acrylate, • 11 ± 3% n-butyl methacrylate, • 1.5 ± 0.7% methacrylic acid, and • 0.01% or more but not more than 2.5% of polyolefinic wax	31 August 2024
3903 90 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer in the form of granules containing by weight: • 83 ± 3% styrene, • 7 ± 2% n-butyl acrylate,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 9 ± 2% n-butyl methacrylate, and • 0.01% or more but not more than 1% of polyolefinic wax	
3903 90 90 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of styrene, divinylbenzene and chloromethylstyrene (CAS RN 55844-94-5) with a purity by weight of 99% or more	31 August 2024
3903 90 90 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of _α_-methylstyrene and styrene, having a softening point exceeding 113 °C	31 August 2024
3903 90 90 38	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polytetrafluoroethylene (CAS RN 9002-84-0) encapsulated with an acrylonitrile-styrene copolymer (CAS RN 9003-54-7), with a content by weight of each polymer of 50% (± 1%)	31 August 2024
3903 90 90 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation, in form of powder, containing by weight: • 86% or more but not more than 90% of styrene-acrylic-copolymer, and • 9% or more but not more than 11% of fatty acid ethoxylate (CAS RN 9004-81-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3903 90 90 60	0.00%	This suspension only applies to: Copolymer of styrene with maleic anhydride, either partially esterified or completely chemically modified, of an average molecular weight (Mn) of not more than 4 500, in flake or powder form, falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of styrene with maleic anhydride, either partially esterified or completely chemically modified, of an average molecular weight (Mn) of not more than 4 500, in flake or powder form	31 August 2024
3903 90 90 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of Styrene with 2, 5-Furandione and (1-methylethyl)benzene in the form of flakes or powder (CAS RN 26762-29-8)	31 August 2024
3903 90 90 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer in the form of granules containing by weight: • 75% (± 7%) styrene, and • 25% (± 7%) methylmethacrylate	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3903 90 90 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Granules of copolymer of styrene and divinylbenzene of a minimum diameter of 150 µm and a maximum diameter of 800 µm and containing by weight: • minimum 65% styrene, • maximum 25% divinylbenzene for use in the manufacture of ion exchange resins	31 August 2024
3903 90 90 86	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture containing by weight: • 45% or more but not more than 65% of polymers of styrene, • 35% or more but not more than 45% of poly(phenylene ether), • not more than 10% of other additives and with one or more of the following special colour effects: • metallic or pearlescent with a visual angular metamerism caused by at least 0.3 % flake-based	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			pigment, • fluorescent, as characterised by emitting light during absorption of ultraviolet radiation, • bright white, as characterised by L* not less than 92 and b* not more than 2 and a* between -5 and 7 on the CIELab colour scale	
3903 90 90 90	0.00%	This suspension only applies to: • Copolymer in the form of granules containing by weight: • 74% (± 4%) styrene, • 24% (± 2%) n-butylacrylate, and • 0.01% or more but not more than 2% methacrylic acid Copolymer in the form of granules containing by weight: • 82 ± 6% styrene,	• Copolymer in the form of granules containing by weight: • 74% (± 4%) styrene, • 24% (± 2%) n-butylacrylate, and • 0.01% or more but not more than 2% methacrylic acid Copolymer in the form of granules containing by weight: • 82 ± 6% styrene, • 13.5 ± 3% n-butyl acrylate,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• 13.5 ± 3% n-butyl acrylate, • 1 ± 0.5% methacrylic acid, and • 0.01% or more but not more than 8.5% of polyolefinic wax Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• 1 ± 0.5% methacrylic acid, and • 0.01% or more but not more than 8.5% of polyolefinic wax	
3904 30 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Vinyl chloride-vinyl acetate copolymers, copolymer of vinyl chloride with vinyl acetate and vinyl alcohol, containing by weight: • 87% or more but not more than 92% of vinyl chloride, • 2% or more but not more than 9% of vinyl acetate, and • 1% or more but not more than 8% of vinyl alcohol in one of the forms mentioned in note 6 (a)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			or (b) to Chapter 39, for the manufacture of goods of headings 3215 or 8523 or for use in the manufacture of coatings for containers and closures of a kind used for preserving food and drink	
3904 40 00 91	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Other vinyl chloride copolymers, copolymer of vinyl chloride with vinyl acetate and vinyl alcohol, containing by weight: • 87% or more but not more than 92 % of vinyl chloride, • 2% or more but not more than 9% of vinyl acetate, and • 1% or more but not more than 8% of vinyl alcohol in one of the forms mentioned in note 6 (a) or (b) to Chapter 39, for the manufacture of goods of headings 3215 or 8523 or for use in the manufacture of coatings for containers and closures of a kind used for preserving food and drink	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3904 61 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of tetrafluoroethylene and trifluoro(heptafluoropropoxy)ethylene, containing 3.2% or more but not more than 4.6% by weight of trifluoro(heptafluoropropoxy)ethylene and less than 1 mg / kg of extractable fluoride ions	31 August 2024
3904 69 80 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of tetrafluoroethylene, heptafluoro-1-pentene and ethene (CAS RN 94228-79-2)	31 August 2024
3904 69 80 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of tetrafluoroethylene, hexafluoropropene and ethene	31 August 2024
3904 69 80 81	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(vinylidene fluoride) (CAS RN 24937-79-9)	31 August 2024
3904 69 80 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of ethylene with chlorotrifluoroethylene, whether or not modified with hexafluoroisobutylene, in powder, whether or not with fillers	31 August 2024
3904 69 80 88	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polytetrafluoroethylene (CAS RN 9002-84-0) encapsulated with an acrylonitrile-styrene copolymer (CAS RN 9003-54-7), with a content by weight of each polymer of 50% (± 1%)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3904 69 80 89	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tetrafluoroethylene copolymer in butylacetate solution with a content of solvent of 50% (± 2%) by weight	31 August 2024
3904 69 80 94	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of ethylene and tetrafluoroethylene	31 August 2024
3904 69 80 96	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polychlorotrifluoroethylene, in one of the forms mentioned in note 6 (a) and (b) to Chapter 39	31 August 2024
3904 69 80 97	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of chlorotrifluoroethylene and vinylidene difluoride	31 August 2024
3905 30 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(vinyl alcohol), whether or not containing unhydrolysed acetate groups	31 August 2024
3905 91 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Water soluble copolymer of ethylene and vinyl alcohol (CAS RN 26221-27-2), containing by weight not more than 38% of the monomer unit ethylene	31 August 2024
3905 99 90 81	0.00%	This suspension does not apply to any mixtures, preparations or products	Poly(vinyl butyral)(CAS RN 63148-65-2):	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		made up of different components containing these products.	• containing by weight 17.5% or more, but not more than 20%, of hydroxyl groups, and with a median particle size (D50) of more than 0.6 mm	
3906 90 60 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of methyl acrylate with ethylene and a monomer containing a non-terminal carboxy group as a substituent, containing by weight 50% or more of methyl acrylate, whether or not compounded with silica	31 August 2024
3906 90 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polymerisation product of acrylic acid with small quantities of a polyunsaturated monomer, for the manufacture of medicaments of heading 3003 or 3004	31 August 2024
3906 90 90 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of methylmethacrylate, butylacrylate, glycidylmethacrylate and styrene (CAS RN 37953-21-2), with an epoxy equivalent weight of not more than 500, in form of ground flakes with a particle size of not more than 1 cm	31 August 2024
3906 90 90 27	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of stearyl methacrylate, isooctyl acrylate and acrylic acid, dissolved in isopropyl palmitate	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3906 90 90 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Core shell copolymer of butyl acrylate and alkyl methacrylate, with a particle size of 5 µm or more but not more than 10 µm	31 August 2024
3906 90 90 37	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of trimethylolpropane trimethacrylate and methyl methacrylate (CAS RN 28931-67-1), in microsphere form with an average diameter of 3 µm	31 August 2024
3906 90 90 41	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(alkyl acrylate) with an ester alkyl chain of C10 to C30	31 August 2024
3906 90 90 43	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of methacrylic esters, butylacrylate and cyclic dimethylsiloxanes (CAS RN 143106-82-5)	31 August 2024
3906 90 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polymers of esters of acrylic acid with one or more of the following monomers in the chain: • chloromethyl vinyl ether, • chloroethyl vinyl ether, • chloromethylstyrene,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• vinyl chloroacetate, • methacrylic acid, • butenedioic acid monobutyl ester, • butenedioic acid monocyclohexyl ester containing by weight not more than 5% of each monomer unit	
3906 90 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aqueous dispersion containing by weight: • more than 10% but not more than 15% of ethanol, and • more than 7% but not more than 11% of a reaction product of poly(epoxyalkylmethacrylate-co-divinylbenzene) with a glycerol derivative	31 August 2024
3906 90 90 73	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing by weight: • 33% or more but not more than 37% of butyl methacrylate - methacrylic acid copolymer,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 24% or more but not more than 28% of propylene glycol, and • 37% or more but not more than 41% of water	
3906 90 90 90	0.00%	This suspension only applies to: Polyacrylamide powder having an average particle size of less than 2 microns and a melting point of more than 260 °C, containing by weight: • 75% or more but not more than 85% of polyacrylamide, and • 15% or more but not more than 25% of polyethylene glycol and Transparent acrylic polymer in packages of not more than 1 kg, and not for retail sale with: • a viscosity of not more than 50 000 Pa.s at 120 °C as determined by the test method ASTM D 3835, • a weight average molecular weight (Mw) of more than	Polyacrylamide powder having an average particle size of less than 2 microns and a melting point of more than 260 °C, containing by weight: • 75% or more but not more than 85% of polyacrylamide, and • 15% or more but not more than 25% of polyethylene glycol and Transparent acrylic polymer in packages of not more than 1 kg, and not for retail sale with: • a viscosity of not more than 50 000 Pa.s at 120 °C as determined by the test method ASTM D 3835, • a weight average molecular weight (Mw) of more than 500 000 but not more than 1 200 000 according to the Gel Permeation	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		500 000 but not more than 1 200 000 according to the Gel Permeation Chromatography (GPC) test, a residual monomer content of less than 1% Falling under this CN10 code This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Chromatography (GPC) test, a residual monomer content of less than 1%	
3907 10 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Polyoxymethylene with acetyl endcaps, containing polydimethylsiloxane and fibers of a copolymer of terephthalic acid and 1,4-phenyldiamine	31 August 2024
3907 10 00 90	0.00%	This suspension only applies to: • Mixture of a trioxan-oxirane-copolymer and polytetrafluoroethylene falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture of a trioxan-oxirane-copolymer and polytetrafluoroethylene •	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3907 29 20 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polytetramethylene ether glycol with a weight average molecular weight (Mw) of 2 700 or more but not more than 3 100 (CAS RN 25190-06-1)	31 August 2024
3907 29 20 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of propylene oxide and butylene oxide, monododecylether, containing by weight: • 48% or more but not more than 52% of propylene oxide, and • 48% or more but not more than 52% of butylene oxide	31 August 2024
3907 29 20 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture, containing by weight 70% or more but not more than 80% of a polymer of glycerol and 1,2-epoxypropane and 20% or more but not more than 30% of a copolymer of dibutyl maleate and N-vinyl-2-pyrrolidone	31 August 2024
3907 29 20 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mixture containing by weight: • 5% or more but not more than 15% of a copolymer of glycerol, propylene oxide and ethylene oxide (CAS RN 9082-00-2), and • 85% or more but not more than 95% of a copolymer of sucrose,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			propylene oxide and ethylene oxide (CAS RN 26301-10-0)	
3907 29 20 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of tetrahydrofuran and tetrahydro-3-methylfuran with a number average molecular weight (Mn) of 900 or more but not more than 3 600	31 August 2024
3907 29 20 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polyether alcohols, poly(p-phenylene oxide) in the form of powder: • with a glass transition temperature of 210 °C, • with a weight average molecular weight (Mw) of 35 000 or more but not more than 80 000, • with an inherent viscosity of 0.2 or more but not more than 0.6 dl / g	31 August 2024
3907 29 20 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polypropylene glycol monobutyl ether (CAS RN 9003-13-8) of an alkalinity of not more than 1 ppm of sodium	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3907 29 99 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(oxypropylene) having alkoxysilyl end-groups	31 August 2024
3907 29 99 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	2,3-Bis(methylpolyoxyethylene-oxy)-1-[(3-maleimido-1-oxopropyl)amino]propyloxy propane (CAS RN 697278-30-1) with a number average molecular weight (Mn) of at least 20 kDa whether or not modified with a chemical entity enabling a linkage between the PEG and a protein or a peptide	31 August 2024
3907 29 99 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Homopolymer of 1-chloro-2,3-epoxypropane (epichlorohydrin)	31 August 2024
3907 29 99 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	N-(methoxypoly (ethylene glycol) -N-(1-acetyl- (2-methoxypoly (ethylene glycol)) -glycine (CAS RN 600169-00-4) with a number average molecular weight (Mn) for polyethylene glycol of 40 kDa	31 August 2024
3907 29 99 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of ethylene oxide and propylene oxide, having aminopropyl and methoxy end-groups	31 August 2024
3907 29 99 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Vinyl-silyl terminated perfluoropolyether polymer or an assortment of two components consisting of the same type of	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			vinyl-silyl terminated perfluoropolyether polymer as the main ingredient	
3907 29 99 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Succinimidyl ester of methoxy poly(ethylene glycol)propionic acid, of a number average molecular weight (Mn) of 5 000	31 August 2024
3907 29 99 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polytetramethylene oxide di-p-aminobenzoate	31 August 2024
3907 29 99 90	0.00%	This suspension only applies to Poly(p-phenylene oxide) in the form of powder: • with a glass transition temperature of 210 °C • with a weight average molecular weight (Mw) of 35 000 or ore but not more than 80 000 • with an inherent viscosity of 0,2 or more but not more than 0,6 dl/gram falling under this CN10 code.	Poly(p-phenylene oxide) in the form of powder: • with a glass transition temperature of 210 °C • with a weight average molecular weight (Mw) of 35 000 or ore but not more than 80 000 • with an inherent viscosity of 0,2 or more but not more than 0,6 dl/gram	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
3907 30 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Epoxide resin, halogen-free: • containing by weight more than 2% phosphorus calculated on the solid content, chemically bound in the epoxide resin, • not containing any hydrolysable chloride or containing less than 300 ppm hydrolysable chloride, and • containing solvents for use in the manufacture of prepreg sheets or rolls of a kind used for the production of printed circuits	31 August 2024
3907 30 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Epoxide resin: • containing by weight 21% or more of brome, • not containing any hydrolysable chloride or containing less than 500 ppm hydrolysable chloride,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			and • containing solvents	
3907 30 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Epoxide resin, containing by weight 70% or more of silicon dioxide, for the encapsulation of goods of headings 8533, 8535, 8536, 8541, 8542 or 8548	31 August 2024
3907 30 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polyglycerol polyglycidyl ether resin (CAS RN 118549-88-5)	31 August 2024
3907 30 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation of epoxy resin (CAS RN 29690-82-2) and phenolic resin (CAS RN 9003-35-4) containing by weight: • 65% or more but not more than 75% of silicon dioxide (CAS RN 60676-86-0), and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• none or not more than 0.5% of carbon black (CAS RN 1333-86-4)	
3907 40 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polymer blend of polycarbonate and poly(methyl methacrylate) with a polycarbonate content of 98.5% or more, in the form of pellets or granules, with a luminous transmittance of 88.5% or more, measured using a test sample with a thickness of 4 mm at a wavelength of λ = 400 nm (according to ISO 13468-2)	31 August 2024
3907 40 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	α-Phenoxycarbonyl-ω-phenoxypoly[oxy(2,6-dibromo-1,4-phenylene) isopropylidene(3,5-dibromo-1,4-phenylene)oxycarbonyl] (CAS RN 94334-64-2)	31 August 2024
3907 40 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	α-(2,4,6-Tribromophenyl)-ω-(2,4,6-tribromophenoxy)poly[oxy(2,6-dibromo-1,4-phenylene)isopropylidene(3,5-dibromo-1,4-phenylene)oxycarbonyl] (CAS RN 71342-77-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3907 40 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polycarbonate of phosgene and bisphenol A: • containing by weight 12% or more but not more than 26% of a copolymer of isophthaloyl chloride, terephthaloyl chloride and resorcinol, • with p-cumylphenol endcaps, and • with a weight average molecular weight (Mw) of 29 900 or more but not more than 31 900	31 August 2024
3907 40 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polycarbonate of carbonic dichloride, 4,4'-(1-methylethylidene)bis[2,6-dibromophenol] and 4,4'-(1-methylethylidene)bis[phenol] with 4-(1-methyl-1-phenylethyl)phenol endcaps	31 August 2024
3907 69 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of terephthalic acid and isophthalic acid with ethylene glycol, butane-1,4-diol and hexane-1,6-diol	31 August 2024
3907 69 00 90	0.00%	This suspension only applies to: Poly(ethylene terephthalate) pellets or granules:	Poly(ethylene terephthalate) pellets or granules: • with a specific gravity of 1.23 or more but not more than 1.27 at 23	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• with a specific gravity of 1.23 or more but not more than 1.27 at 23 °C, and • containing not more than 10% by weight of other modifiers or additives Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	°C, and • containing not more than 10% by weight of other modifiers or additives	
3907 99 80 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(oxy-1,4-phenylenecarbonyl) (CAS RN 26099-71-8), in the form of powder	31 August 2024
3907 99 80 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer, containing 72% by weight or more of terephthalic acid and/or isomers thereof and cyclohexanedimethanol	31 August 2024
3907 99 80 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(hydroxyalkanoate), predominantly consisting of poly(3-hydroxybutyrate)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3907 99 80 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer in form of a clear, pale yellow liquid, consisting of: • phthalic acid isomers and/or aliphatic dicarboxylic acids, • aliphatic diols, and • fatty acid end-caps with: • a hydroxyl number of 120 mg KOH or more but not more than 350 mg KOH, • a viscosity at 25 °C of 2 000 cPs or more but not more than 8 000 cPs, and • an acid value less than 10 mg KOH / g	31 August 2024
3907 99 80 70	2.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer of poly(ethylene terephthalate) and cyclohexane dimethanol, containing more than 10% by weight of cyclohexane dimethanol	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3907 99 80 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Copolymer, consisting of 72% by weight or more of terephthalic acid and / or derivatives thereof and cyclohexanedimethanol, completed with linear and / or cyclic dioles	31 August 2024
3908 90 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(iminomethylene-1,3-phenylenemethyleneiminoadipoyl), in one of the forms mentioned in note 6 (b) to Chapter 39	31 August 2024
3908 90 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reaction product of mixtures of octadecanecarboxylic acids polymerised with an aliphatic polyetherdiamine	31 August 2024
3908 90 00 90	0.00%	This suspension only applies to: 1,4-Benzenedicarboxylic acid polymer with 2-methyl-1,8-octanediamine and 1,9-nonanediamine (CAS RN 169284-22-4), falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1,4-Benzenedicarboxylic acid polymer with 2-methyl-1,8-octanediamine and 1,9-nonanediamine (CAS RN 169284-22-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3909 20 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polymer mixture, containing by weight: • 60% or more but not more than 75% of melamine resin (CAS RN 9003-08-1), • 15% or more but not more than 25% of silicon dioxide (CAS RN 14808-60-7 or 60676-86-0), • 5% or more but not more than 15% of cellulose (CAS RN 9004-34-6), and • 1% or more but not more than 15% of phenolic resin (CAS RN 25917-04-8)	31 August 2024
3909 50 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	UV curable water soluble liquid photopolymer consisting of a mixture by weight of: • 60% or more of two-functional acrylated polyurethane oligomers, and • 30% (± 8%) of mono-functional and tri-functional	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			(metha) acrylates, and • 10% (± 3%) of hydroxyl functionalised mono-functional (metha) acrylates	
3909 50 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing by weight: • 14% or more but not more than 18% of ethoxylated polyurethane modified with hydrophobic groups, • 3% or more but not more than 5% of enzymatically modified starch, and • 77% or more but not more than 83% of water	31 August 2024
3909 50 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing by weight: • 16% or more but not more than 20% of ethoxylated polyurethane modified with hydrophobic groups, • 19% or more but not more than 23% of diethylene glycol butyl	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			ether, and • 60% or more but not more than 64% of water	
3909 50 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing by weight: • 34% or more but not more than 36% of ethoxylated polyurethane modified with hydrophobic groups, • 37% or more but not more than 39% of propylene glycol, and • 26% or more but not more than 28% of water	31 August 2024
3910 00 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dimethyl, methyl(propyl(polypropylene oxide)) siloxane (CAS RN 68957-00-6), trimethylsiloxy-terminated	31 August 2024
3910 00 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Block copolymer of poly(methyl-3,3,3-trifluoropropylsiloxane) and poly[methyl(vinyl)siloxane]	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3910 00 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparations containing by weight: • 10% or more, 2-hydroxy-3-[3-[1,3,3,3-tetramethyl-1-[(trimethylsilyl)oxy] disiloxanyl] propoxy] propyl-2-methyl-2-propenoate (CAS RN 69861-02-5), and • 10% or more, α-Butyldimethylsilyl- ω -3-[(2-methyl-1-oxo-2-propen-1-yl)oxy] propyl-terminated silicone polymer (CAS RN 146632-07-7)	31 August 2024
3910 00 00 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparations containing by weight: • 30% or more, α -Butyldimethylsilyl- ω -(3-methacryloxy-2-hydroxypropyloxy)propyldimethyl silyl-polydimethylsiloxane (CAS RN 662148-59-6), and • 10% or more, N,N -Dimethylacrylamide (CAS RN 2680-03-7)	31 August 2024
3910 00 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products	Silicones of a kind used in the manufacture of long term surgical implants	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		made up of different components containing these products.		
3910 00 00 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dimethyl Siloxane, hydroxy-terminated polymer with a viscosity of 38-45 mPa·s (CAS RN 70131-67-8)	31 August 2024
3910 00 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Silicone based pressure sensitive adhesive in solvent containing copoly(dimethylsiloxane/diphenylsiloxane) gum	31 August 2024
3910 00 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Preparation containing by weight: • 55% or more but not more than 65% of vinyl terminated polydimethylsiloxane (CAS RN 68083-19-2), • 30% or more but not more than 40% of dimethylvinylated and trimethylated silica (CAS RN 68988-89-6), and • 1 % or more but not more than 5 % of silicic acid, sodium salt, reaction products with chlorotrimethylsilane and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			isopropyl alcohol (CAS RN 68988-56-7)	
3910 00 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polydimethylsiloxane, whether or not polyethylene glycol and trifluoropropyl substituted, with methacrylate end groups	31 August 2024
3910 00 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Passivating silicon coating in primary form, to protect edges and prevent short circuits in semiconductor devices	31 August 2024
3910 00 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Monomethacryloxypropylterminated poly(dimethylsiloxane)	31 August 2024
3911 90 19 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(oxy-1,4-phenylenesulphonyl-1,4-phenyleneoxy-4,4'-biphenylene)	31 August 2024
3912 11 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cellulose acetate flakes	31 August 2024
3912 11 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products	Cellulose triacetate (CAS RN 9012-09-3)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		made up of different components containing these products.		
3912 11 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cellulose diacetate powder	31 August 2024
3912 39 85 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethylcellulose, not plasticised	31 August 2024
3912 39 85 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethylcellulose, in the form of an aqueous dispersion containing hexadecan-1-ol and sodium dodecyl sulphate, containing by weight 27 (± 3) % of ethylcellulose	31 August 2024
3912 39 85 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cellulose, both hydroxyethylated and alkylated with alkyl chain-lengths of 3 or more carbon atoms	31 August 2024
3912 39 85 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hypromellose (INN) (CAS RN 9004-65-3)	31 August 2024
3912 39 85 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polyquaternium 10 (CAS RN 68610-92-4)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3912 90 10 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hydroxypropyl methylcellulose phthalate	31 August 2024
3913 10 00 90	0.00%	This suspension only applies to: Sodium alginate, extracted from brown seaweed (CAS RN 9005-38-3) Falling under this CN10 code.	Sodium alginate, extracted from brown seaweed (CAS RN 9005-38-3)	31 August 2024
3913 90 00 87	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sodium hyaluronate, non-sterile, with: • a weight average molecular weight (Mw) of not more than 900 000, • an endotoxin level of not more than 0.008 Endotoxin units (EU) / mg, • an ethanol content of not more than 1% by weight, an isopropanol content of not more than 0.5% by weight	31 August 2024
3916 20 00 91	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Profiles of poly(vinyl chloride) of a kind used in the manufacture of sheet pilings and facings, containing the following additives: • titanium dioxide,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• poly(methyl methacrylate), • calcium carbonate, • binding agents	
3916 90 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rods with cellular structure, containing by weight: • polyamide-6 or poly(epoxy anhydride), • 7% or more but not more than 9% of polytetrafluorethylene if present, • 10% or more but not more than 25% of inorganic fillers	31 August 2024
3917 40 00 91	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Plastic connectors containing O-rings, a retainer clip and a release system for insertion into car fuel hoses	31 August 2024
3919 10 19 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	In rolls of a width not exceeding 20 cm, strips, the coating of which consists of unvulcanised natural or synthetic rubber, reflecting film, consisting of a layer of polyurethane, with, on one side, security imprints against counterfeiting, alteration or	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			substitution of data or duplication, or an official mark for an intended use, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film	
3919 10 80 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	In rolls of a width not exceeding 20 cm, reflecting film, consisting of a layer of polyurethane, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film	31 August 2024
3919 10 80 27	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polyester film: • coated on one side with an acrylic thermal release adhesive that debonds at temperatures of 90 °C or more but not more than 200 °C, and a polyester liner, and • on the other side not coated or coated with an acrylic pressure sensitive adhesive or with an acrylic thermal release adhesive that debonds at temperatures of 90 °C or more but not more than 200 °C, and a polyester liner	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3919 10 80 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reflecting film, consisting of a layer of poly(vinyl chloride), a layer of alkyd polyester, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, only visible by means of a retroreflecting lighting, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film	31 August 2024
3919 10 80 37	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polytetrafluoroethylene film: • with a thickness of 100 µm or more, • an elongation at break of not more than 100%, • coated on one side with a pressure sensitive silicon adhesive	31 August 2024
3919 10 80 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Black poly(vinyl chloride) film: • with a gloss of more than 30 degrees according to ASTM D2457, • whether or not covered on one side with a protective poly(ethylene terephthalate) film, and on the	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			other side with a pressure sensitive adhesive with channels and a release liner	
3919 10 80 43	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethylene vinyl acetate film: • of a thickness of 100 µm or more, • coated on one side with an acrylic pressure sensitive or UV-sensitive adhesive and a polyester or polypropylene liner	31 August 2024
3919 10 80 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reinforced polyethylene foam tape, coated on both sides with an acrylic micro channelled pressure sensitive adhesive and on one side a liner, with an application thickness of 0.38 mm or more but not more than 1.53 mm	31 August 2024
3919 10 80 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Adhesive film consisting of a base of a copolymer of ethylene and vinyl acetate (EVA) of a thickness of 70 µm or more and an adhesive part of acrylic type of a thickness of 5 µm or more, for use in the grinding and / or dicing process of silicon discs	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3919 10 80 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acrylic foam tape, covered on one side with a heat activatable adhesive or an acrylic pressure sensitive adhesive and on the other side with an acrylic pressure sensitive adhesive and a release sheet, of a peel adhesion at an angle of 90 ° of more than 25 N / cm (as determined by the ASTM D 3330 method)	31 August 2024
3919 10 80 57	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reflecting sheet: • of a polycarbonate or acrylic polymer film embossed on one side in a regular shaped pattern, • covered on one or both sides with one or more layers of plastic or metallisation, and • whether or not covered on one side with a self-adhesive layer and a release sheet	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3919 10 80 63	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reflecting film consisting of: • a layer of an acrylic resin with imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, • a layer of an acrylic resin having embedded glass beads, • a layer of an acrylic resin hardened by a melamine cross-linking agent, • a metal layer, • an acrylic adhesive, and • a release film	31 August 2024
3919 10 80 73	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Self-adhesive reflecting sheet whether or not in segmented pieces: • whether or not containing a watermark,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• with or without an application tape coated on one side with an adhesive the reflective sheet consists of: • a layer of acrylic or vinyl polymer, • a layer of poly(methyl methacrylate) or polycarbonate containing microprisms, • a layer of metallisation, • an adhesive layer, and • a release sheet • whether or not containing an additional layer of polyester	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3919 10 80 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Self-adhesive reflecting film, consisting of several layers including: • a copolymer of acrylic resin, • polyurethane, • a metalised layer with, on one side, laser imprints against counterfeiting, alteration or substitution of data or duplications, or an official mark for an intended use, • glass microspheres, and • an adhesive layer, with a release liner on one or both sides	31 August 2024
3919 10 80 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(vinyl chloride) or polyethylene or any other polyolefine film: • of a thickness of 65 µm or more, • coated on one side with an acrylic UV-sensitive adhesive and a polyester liner	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3919 10 80 90	0.00%	This suspension only applies to: Rolls of polyethylene foil: • self-adhesive on one side, • of a total thickness of 0.025 mm or more, but not more than 0.09 mm, • of a total width of 60 mm or more, but not more than 1 110 mm for use in the manufacture of products of Headings 8521 or 8528 for protection purposes Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rolls of polyethylene foil: • self-adhesive on one side, • of a total thickness of 0.025 mm or more, but not more than 0.09 mm, • of a total width of 60 mm or more, but not more than 1 110 mm for use in the manufacture of products of Headings 8521 or 8528 for protection purposes	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3919 90 80 19	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Transparent poly(ethylene terephthalate) self-adhesive film: • free from impurities or faults, • coated on one side with an acrylic pressure sensitive adhesive and a protective liner, and on the other side with an antistatic layer of ionic organic choline compound, • whether or not with a printable dust-proof layer of modified long chain alkyl organic compound, • with a total thickness without the liner of 54 µm or more but not more than 64 µm, and • a width of more than 1 295 mm but not more than 1 305 mm	31 August 2024
3919 90 80 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polyester film: • coated on one side with an acrylic thermal release adhesive that debonds at temperatures of 90 °C or more but not more than 200 °C,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			and a polyester liner, and • on the other side not coated or coated with an acrylic pressure sensitive adhesive or with an acrylic thermal release adhesive that debonds at temperatures of 90 °C or more but not more than 200 °C, and a polyester liner	
3919 90 80 21	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polytetrafluoroethylene film: • with a thickness of 50 µm or more but not more than 155 µm, • with a width of 6.30 mm or more but not more than 585 mm, • an elongation at break of not more than 200%, and • coated on one side with a pressure sensitive silicone adhesive with a thickness of not more than 40 µm	31 August 2024
3919 90 80 22	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polyester, polyethylene or polypropylene film coated on one or both sides with an acrylic and/or rubber pressure sensitive adhesive, whether or not supplied with a	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			release liner, put up in rolls of a width of 45.7 cm or more but not more than 160 cm	
3919 90 80 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Film consisting of 1 to 3 laminated layers of poly(ethylene terephthalate) and a copolymer of terephthalic acid, sebacic acid and ethylene glycol, coated on one side with an acrylic abrasion resistant coating and on the other side with an acrylic pressure sensitive adhesive, a water soluble methylcellulose coating and a poly(ethylene terephthalate) protective liner	31 August 2024
3919 90 80 24	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reflecting laminated sheet: • consisting of an epoxy acrylate layer embossed on one side in a regular shaped pattern, • covered on both sides with one or more layers of plastic material, and • covered on one side with an adhesive layer and a release sheet	31 August 2024
3919 90 80 26	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethylene vinyl acetate film: • of a thickness of 100 µm or more,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• coated on one side with an acrylic pressure sensitive or UV-sensitive adhesive and a polyester or polypropylene liner	
3919 90 80 28	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(vinyl chloride), poly(ethyleneterephthalate), polyethylene or any other polyolefin film: • coated on one side with an acrylic UV-sensitive adhesive and a liner, • of a total thickness of 65 µm or more without release liner	31 August 2024
3919 90 80 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reflecting sheet: • of a polycarbonate or acrylic polymer film embossed on one side in a regular shaped pattern, • covered on one or both sides with one or more layers of plastic or metallisation, and • whether or not covered on one side with a self-adhesive layer and a release sheet	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3919 90 80 31	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reflecting film, consisting of a layer of polyurethane, with, on one side, security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use, and embedded glass beads and, on the other side, an adhesive layer, covered on one side or on both sides with a release film	31 August 2024
3919 90 80 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Transparent poly(ethylene) self-adhesive film, free from impurities or faults, coated on one side with an acrylic pressure sensitive adhesive, with a thickness of 60 μm or more, but not more than 70 μm, and with a width of more than 1 245 mm but not more than 1 255 mm	31 August 2024
3919 90 80 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reflecting layered sheet on rolls, with a width of more than 20 cm, showing an embossed regular pattern, consisting of poly(vinyl chloride) film coated on one side with: • a layer of polyurethane containing glass micro beads, • a layer of poly(ethylene vinyl acetate), • an adhesive layer, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a release sheet	
3919 90 80 37	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polyethylene or polycarbonate film, cut into ready to use forms: • one side partly printed whereby part of the printing either gives information about the meaning of LED's visible at the unprinted areas, or marks those points which must be touched to operate the system, • the other side partly covered with an adhesive layer, • both sides covered with a release liner, and • with dimensions of not more than 14 cm x 2.5 cm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			for use in the manufacture of push-button switches for mechatronic system adjustable furniture	
3919 90 80 41	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Adhesive film consisting of a base of a copolymer of ethylene and vinyl acetate (EVA) of a thickness of 70 µm or more and an adhesive part of acrylic type of a thickness of 5 µm or more, for use in the grinding and / or dicing process of silicon discs	31 August 2024
3919 90 80 43	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Black poly(vinyl chloride) film: • with a gloss of more than 30 degrees according to ASTM D2457, • whether or not covered on one side with a protective poly(ethylene terephthalate) film, and on the other side with a pressure sensitive adhesive with channels and a release liner	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3919 90 80 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reinforced polyethylene foam tape, coated on both sides with an acrylic micro channelled pressure sensitive adhesive and on one side a liner, with an application thickness of 0.38 mm or more but not more than 1.53 mm	31 August 2024
3919 90 80 49	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reflecting laminated sheet consisting of a film of poly(methyl methacrylate) embossed on one side in a regular shaped pattern, a film of a polymer containing glass microspheres, an adhesive layer and a release sheet	31 August 2024
3919 90 80 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Self-adhesive reflecting sheet whether or not in segmented pieces: • whether or not containing a watermark, • with or without an application tape coated on one side with an adhesive the reflective sheet consists of: • a layer of acrylic or vinyl polymer, • a layer of poly(methyl methacrylate) or polycarbonate	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			containing microprisms, • a layer of metallisation, • an adhesive layer, and • a release sheet • whether or not containing an additional layer of polyester	
3919 90 80 51	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Biaxially-oriented film of poly(methyl methacrylate), of a thickness of 50 µm or more but not exceeding 90 µm, covered on one side with an adhesive layer and a release sheet	31 August 2024
3919 90 80 53	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acrylic foam tape, covered on one side with a heat activatable adhesive or an acrylic pressure sensitive adhesive and on the other side with an acrylic pressure sensitive adhesive and a release sheet, of a peel adhesion at an angle of 90 ° of more than 25 N / cm (as determined by the ASTM D 3330 method)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3919 90 80 54	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(vinyl chloride) film, on one side covered with: • a polymer layer, • an adhesive layer, • a release liner, on one side embossed, containing oblate spheres, • whether or not on the other side covered with an adhesive layer and a metallised polymer layer	31 August 2024
3919 90 80 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Self-adhesive film with a thickness of 40 µm or more, but not more than 475 µm, consisting of one or more layers of transparent, metallised or dyed poly(ethylene terephthalate), covered on one side with a scratch resistant coating and on the other side with a pressure sensitive adhesive and a release liner	31 August 2024
3919 90 80 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Self-adhesive polishing discs of microporous polyurethane, whether or not coated with a pad	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3919 90 80 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Self-adhesive reflecting film, consisting of several layers including: • a copolymer of acrylic resin, • polyurethane, • a metalised layer with, on one side, laser imprints against counterfeiting, alteration or substitution of data or duplications, or an official mark for an intended use, • glass microspheres, and • an adhesive layer, with a release liner on one or both sides	31 August 2024
3919 90 80 82	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reflecting film consisting of: • a polyurethane layer, • a glass microspheres layer, • a metallised aluminium layer, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• an adhesive, covered on one or both sides with a release liner, • whether or not a poly(vinyl chloride) layer, • a layer whether or not incorporating security imprints against counterfeiting, alteration or substitution of data or duplication, or an official mark for an intended use	
3919 90 80 83	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reflector or diffuser sheets, in rolls: • for protection against ultraviolet or infra-red heat radiation, to be affixed to windows, or • for equal transmission and distribution of light, intended for LCD modules	31 August 2024
3919 90 80 99	0.00%	This suspension only applies to: White polyolefin tape consisting of: • an adhesive layer based on synthetic rubber with a thickness of 8 µm or more	White polyolefin tape consisting of: • an adhesive layer based on synthetic rubber with a thickness of 8 µm or more but not more than 17 µm,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		but not more than 17 µm, • a polyolefin layer with a thickness of 28 µm or more but not more than 40 µm, and • a non-silicone release layer with a thickness below 1 µm and Co-extruded trilayer film: • each layer containing a mixture of polypropylene and polyethylene, • containing not more than 3% by weight of other polymers, • whether or not containing titanium dioxide in the core layer,	• a polyolefin layer with a thickness of 28 µm or more but not more than 40 µm, and • a non-silicone release layer with a thickness below 1 µm and Co-extruded trilayer film: • each layer containing a mixture of polypropylene and polyethylene, • containing not more than 3% by weight of other polymers, • whether or not containing titanium dioxide in the core layer, • coated with an acrylic pressure sensitive adhesive, and • with a release liner	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• coated with an acrylic pressure sensitive adhesive, and • with a release liner • of an overall thickness of not more than 110 µm and Rolls of polyethylene foil: • self-adhesive on one side, • of a total thickness of 0.025 mm or more, but not more than 0.09 mm, • of a total width of 60 mm or more, but not more than 1 110 mm for use in the manufacture of products of Headings 8521 or 8528 for protection purposes	• of an overall thickness of not more than 110 µm and Rolls of polyethylene foil: • self-adhesive on one side, • of a total thickness of 0.025 mm or more, but not more than 0.09 mm, • of a total width of 60 mm or more, but not more than 1 110 mm for use in the manufacture of products of Headings 8521 or 8528 for protection purposes	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		falling under this CN10 codes. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
3920 10 25 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mono-layered High-Density Polyethylene film: • containing by weight 99% or more of polyethylene, • with a thickness of 12 μm or more but not more than 20 μm, • with a length of 4 000 m or more but not more than 7 000 m, • with a width of 600 mm or more but not more than 900 mm	31 August 2024
3920 10 28 91	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(ethylene) film printed with a graphic design, which is achieved by using four base colours in ink plus specialist colours, to achieve multiple colours in ink on one side of the film, and one colour on the opposite side, the graphic design also has the following characteristics: • is repetitive and equally spaced along the length of the film,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• is equally and visibly aligned when viewed from the back or front of the film	
3920 10 40 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tubular layered film predominately of polyethylene: • consisting of a tri-layer barrier with a core layer of ethylene vinyl alcohol covered on either side with a layer of polyamide, covered on either side with at least one layer of polyethylene, • having a total thickness of 55 µm or more, • having a diameter of 500 mm or more but not more than 600 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 10 89 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Adhesive film consisting of a base of a copolymer of ethylene and vinyl acetate (EVA) of a thickness of 70 µm or more and an adhesive part of acrylic type of a thickness of 5 µm or more, for use in the grinding and/or dicing process of silicon discs	31 August 2024
3920 10 89 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Composite sheet containing an acrylic coating and laminated to a high-density polyethylene layer, of a total thickness of 0.8 mm or more but not exceeding 1.2 mm	31 August 2024
3920 10 89 90	0.00%	This suspension only applies to Ethylene vinyl acetate (EVA) film with: • -a raised relief surface with embossed undulations, and • -a thickness of more than 0,125 mm Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethylene vinyl acetate (EVA) film with: • a raised relief surface with embossed undulations, and a thickness of more than 0.125 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 20 21 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sheets of biaxially - oriented polypropylene film: - with the thickness of not more than 0,1 mm, - printed on both sides with specialised coatings to allow banknote security printing	31 August 2024
3920 20 29 60	0.00	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mono-axial oriented film, of a total thickness of not more than 75 µm, consisting of three or four layers, each layer containing a mixture of polypropylene and polyethylene, with a core layer whether or not containing titanium dioxide, having: • a tensile strength in the machine direction of 120 MPa or more but not more than 270 MPa, and • a tensile strength in the transverse direction of 10 MPa or more but not more than 40 MPa as determined by test method ASTM D882/ISO 527-3	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 20 29 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mono-axial oriented film, consisting of three layers, each layer consisting of a mixture of polypropylene and a copolymer of ethylene and vinyl acetate, with a core layer whether or not containing titanium dioxide, having: • a thickness of 55 µm or more but not more than 97 µm, • a tensile modulus in the machine direction of 0.30 GPa or more but not more than 1.45 GPa, and • a tensile modulus in the transverse direction of 0.20 GPa or more but not more than 0.70 GPa	31 August 2024
3920 20 29 94	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Co-extruded trilayer film: • each layer containing a mixture of polypropylene and polyethylene, • Containing not more than 3% by weight of other polymers,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• whether or not containing titanium dioxide in the core layer, • of an overall thickness of not more than 70 µm	
3920 43 10 92	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sheeting of poly(vinyl chloride), stabilised against ultraviolet rays, without any holes, even microscopic, of a thickness of 60 µm or more but not more than 80 µm, containing 30 or more but not more than 40 parts of plasticiser to 100 parts of poly(vinyl chloride)	31 August 2024
3920 43 10 94	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Containing by weight not less than 6% of plasticisers, of a thickness not exceeding 1 mm, film of a specular gloss of 70 or more, measured at an angle of 60 ° using a glossmeter (as determined by the ISO 2813:2000 method), consisting of one or two layers of poly(vinyl chloride) coated on both sides with a layer of plastic, of a thickness of 0.26 mm or more but not more than 1 mm, covered on the gloss surface with a protective film of polyethylene, in rolls of a width of 1 000 mm or more but not more than 1 450 mm, for use in the manufacture of goods of heading 9403	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 43 10 95	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reflecting laminated sheet, consisting of a film of poly(vinyl chloride) and a film of another plastic totally embossed in a regular pyramidal pattern, covered on one side with a release sheet	31 August 2024
3920 49 10 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Film of a (polyvinyl)chloride-copolymer: • containing by weight 45 % or more of fillers, • on a support	31 August 2024
3920 49 10 93	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Other, of a thickness not exceeding 1 mm, film of a specular gloss of 70 or more, measured at an angle of 60 ° using a glossmeter (as determined by the ISO 2813:2000 method), consisting of one or two layers of poly(vinyl chloride) coated on both sides with a layer of plastic, of a thickness of 0.26 mm or more but not more than 1 mm, covered on the gloss surface with a protective film of polyethylene, in rolls of a width of 1 000 mm or more but not more than 1 450 mm, for use in the manufacture of goods of heading 9403	31 August 2024
3920 51 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Plate of poly(methyl methacrylate) containing aluminium trihydroxide, of a thickness of 3.5 mm or more but not more than 19 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 51 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Biaxially-oriented film of poly(methyl methacrylate), of a thickness of 50 µm or more but not exceeding 90 µm	31 August 2024
3920 51 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sheets of polymethylmethacrylate conforming to standard EN 4366 (MIL-PRF-25690)	31 August 2024
3920 51 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sheets of polymethylmethacrylate conforming to standards: • EN 4364 (MIL-P-5425E) and DTD5592A, or EN 4365 (MIL-P-8184) and DTD5592A	31 August 2024
3920 61 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reflecting sheet: • of a polycarbonate or acrylic polymer film embossed on one side in a regular shaped pattern, • covered on one or both sides with one or more layers of plastic or metallisation, and • whether or not covered on one side with a self-adhesive layer and a release sheet	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 62 19 05	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(ethylene terephthalate) film in rolls: • with a thickness of 0.335 mm or more but not more than 0.365 mm, and • coated with a gold layer with a thickness of 0.03 µm or more but not more than 0.06 µm	31 August 2024
3920 62 19 08	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(ethylene terephthalate) film, not coated with an adhesive, of a thickness of not more than 25 µm, either: • only dyed in the mass, or • dyed in the mass and metallised on one side.	31 August 2024
3920 62 19 12	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Film of poly(ethylene terephthalate) only, of a total thickness of not more than 120 µm, consisting of one or two layers each containing a colouring and/or UV-absorbing material throughout the mass, uncoated with an adhesive or any other material	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 62 19 18	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Laminated film of poly(ethylene terephthalate) only, of a total thickness of not more than 120 µm, consisting of one layer which is metallised only and one or two layers each containing a colouring and/or UV-absorbing material throughout the mass, uncoated with an adhesive or any other material	31 August 2024
3920 62 19 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reflecting polyester sheeting embossed in a pyramidal pattern, for the manufacture of safety stickers and badges, safety clothing and accessories thereof, or of school satchels, bags or similar containers	31 August 2024
3920 62 19 38	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(ethylene terephthalate) film, of a thickness of not more than 12 µm, coated on one side with a layer of aluminium oxide of a thickness of not more than 35 nm	31 August 2024
3920 62 19 48	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sheets or rolls of poly(ethylene terephthalate): • coated on both sides with a layer of epoxy acrylic resin, • of a total thickness of 37 µm (± 3 µm)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 62 19 52	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Film of poly(ethylene terephthalate), poly(ethylene naphthalate) or similar polyester, coated on one side with metal and/or metal oxides, containing by weight less than 0.1% of aluminium, of a thickness of not more than 300 µm and having a surface resistivity of not more than 10 000 ohms (per square) (as determined by the ASTM D 257-99 method)	31 August 2024
3920 62 19 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly (ethylene terephtalate) film: • of a thickness of not more than 20 µm, • coated on at least one side with a gas barrier layer consisting of a polymeric matrix in which silica or aluminium oxide has been dispersed and of a thickness of not more than 2 µm	31 August 2024
3920 62 19 76	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Transparent poly(ethylene terephthalate) film: • coated on both sides with layers of organic substances on the basis of acryl of a thickness of 7 nm or more but not more than 80 nm,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• with a surface tension of 36 Dyne / cm or more but not more than 39 Dyne / cm, • with a light transmission of more than 93 %, • with a haze value of not more than 1.3 %, • with a total thickness of 10 µm or more but not more than 350 µm, • with a width of 800 mm or more but not more than 1 600 mm	
3920 62 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(ethylene terephthalate) film in rolls: • with a thickness of 0.335 mm or more but not more than 0.365 mm, and • coated with a gold layer with a thickness of 0.03 µm or more but not more than 0.06 µm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 69 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Film of poly(ethylene naphthalene-2,6-dicarboxylate)	31 August 2024
3920 69 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mono- or multilayer, transverse oriented, shrink film: • composed of more than 85% by weight of polylactic acid, not more than 5% by weight of inorganic or organic additives and not more than 10% by weight of additives based on biodegradable polyesters, • with a thickness of 20 µm or more but not more than 100 µm, • with a length of 2 385 m or more but not more than 9 075 m, • biodegradable and compostable (as determined by the method EN 13432)	31 August 2024
3920 69 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Monolayer, biaxially oriented film: • composed of more than 85% by weight of poly(lactic acid), not more than 10.5% by weight of modified poly(lactic acid) based polymer, poly-glycol ester and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			talc, • having a thickness of 20 µm or more but not more than 120 µm, • biodegradable and compostable (as determined by the method EN 13432)	
3920 69 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Monolayer, transverse oriented, shrink film: • composed of more than 80% by weight of poly(lactic acid) and not more than 15.75% by weight of additives of modified poly(lactic acid), • having a thickness of 45 µm or more but not more than 50 µm, • biodegradable and compostable (as determined by the method EN 13432)	31 August 2024
3920 69 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mono- or multilayer, biaxially oriented film: • composed of more than 85% by weight of polylactic acid, not more than 5% by weight of inorganic or	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			organic additives, and not more than 10% by weight of additives based on biodegradable polyesters, • with a thickness of 9 µm or more but not more than 120 µm, • with a length of 1 395 m or more but not more than 21 560 m, • biodegradable and compostable (as determined by the method EN 13432)	
3920 79 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sheets of painted vulcanised fibre-board with a thickness of not more than 1.5 mm	31 August 2024
3920 91 00 52	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(vinyl butyral) film: • containing by weight 26% or more but not more than 30% of triethyleneglycol bis(2-ethyl hexanoate) as a plasticiser • with a thickness of 0.73 mm or more but not more than 1.50 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 91 00 91	2.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(vinyl butyral) film having a graduated coloured band	31 August 2024
3920 91 00 93	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Film of poly(ethylene terephthalate), whether or not metallised on one or both sides, or laminated film of poly(ethylene terephthalate) films, metallised on the external sides only, and having the following characteristics: • a visible light transmission of 50% or more, • coated on one or both sides with a layer of poly(vinyl butyral) but not coated with an adhesive or any other material except poly(vinyl butyral), • a total thickness of not more than 0.2 mm without taking the presence of poly(vinyl butyral) into account and a thickness of poly(vinyl butyral) of more than 0.2 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 91 00 95	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Co-extruded trilayer poly(vinyl butyral) film with a graduated colour band containing by weight 29% or more but not more than 31% of 2,2'-ethylenedioxydiethyl bis(2-ethylhexanoate) as a plasticiser	31 August 2024
3920 99 28 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polymer film containing the following monomers: • poly (tetramethylene ether glycol), • bis (4-isocyanotocyclohexyl) methane, • 1,4-butanediol or 1,3-butanediol, • with a thickness of 0.25 mm or more but not more than 5 mm, • embossed with a regular pattern on one surface, and • covered with a release sheet	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 99 28 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Transparent polyurethane film metallised on one side: • with a gloss of more than 90 degrees according to ASTM D2457, • covered on the metallised side with a heat bonding adhesive layer consisting of polyethylene / polypropylene copolymer, • covered on the other side with a protective poly(ethylene terephthalate) film, • with a total thickness of more than 204 µm but not more than 244 µm	31 August 2024
3920 99 28 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Thermoplastic polyurethane film, of a thickness of 250 µm or more but not more than 350 µm, covered on one side with a removable protective film	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 99 28 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Matt, thermoplastic polyurethane foil in rolls with: • a width of 1 640 mm (± 10 mm), • a gloss of 3.3 degrees or more but not more than 3.8 (as determined by the method ASTM D2457), • a surface roughness of 1.9 Ra or more but not more than 2.8 Ra (as determined by the method ISO 4287), • a thickness of more than 365 µm but not more than 760 µm, • a hardness of 90 (± 4) (as determined by the method: Shore A (ASTM D2240)), • an elongation to break of 470% (as determined by the method: EN ISO 527)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 99 28 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sheets on rolls, consisting of epoxy resin, with conducting properties, containing: • microspheres with a coating of metal, whether or not alloyed with gold, • an adhesive layer, • with a protective layer of silicone or poly(ethylene terephthalate) on one side, • with a protective layer of poly(ethylene terephthalate) on the other side, and • with a width of 5 cm or more but not more than 100 cm, • with a length of not more than 2 000 m	31 August 2024
3920 99 59 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(1-chlorotrifluoroethylene) film	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3920 99 59 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(tetrafluoroethylene) film containing by weight 10% or more of graphite	31 August 2024
3920 99 59 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ion-exchange membranes of fluorinated plastic material	31 August 2024
3920 99 59 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Film of a vinyl alcohol copolymer, soluble in cold water, of a thickness of 34 µm or more but not more than 90 µm, a tensile strength at break of 20 MPa or more but not more than 55 MPa and an elongation at break of 250% or more but not more than 900%	31 August 2024
3920 99 59 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Film of fluorinated ethylene propylene resin (CAS RN 25067-11-2) with: • a thickness of 0.010 mm or more but not more than 0.80 mm, • a width of 1 219 mm or more but not more than 1 575 mm, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a melting point of 252 °C (measured according ASTM D-3418)	
3920 99 59 90	0.00%	This suspension only applies to: Tetrafluoroethylene film, put up in rolls, with: • a thickness of 50 µm, • a melting point of 260 °C, and • a specific gravity of 1.75 (ASTM D792) for use in the manufacture of semiconductor devices Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The	Tetrafluoroethylene film, put up in rolls, with: • a thickness of 50 µm, • a melting point of 260 °C, and • a specific gravity of 1.75 (ASTM D792) for use in the manufacture of semiconductor devices	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
3920 99 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Anisotropic conductive film, in rolls, of a width of 1.2 mm or more but not more than 3.15 mm and a maximum length of 300 m, used for joining electronic components in the production of LCD or plasma displays	31 August 2024
3921 13 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sheet of polyurethane foam, of a thickness of 3 mm (± 15%) and of a specific gravity of 0.09435 or more but not more than 0.10092	31 August 2024
3921 13 10 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rolls of open-cell polyurethane foam: • with a thickness of 2.29 mm (± 0.25 mm), • surface-treated with a foraminous adhesion promoter, and • laminated to a polyester film and a layer of textile material	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3921 14 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cellular block of regenerated cellulose, impregnated with water containing magnesium chloride and quaternary ammonium compounds, measuring 100 cm (± 10 cm) x 100 cm (± 10 cm) x 40 cm (± 5 cm)	31 August 2024
3921 19 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Blocks with cellular structure, containing by weight: • polyamide-6 or poly(epoxy anhydride), • 7% or more but not more than 9% of polytetrafluorethylene if present, • 10% or more but not more than 25% of inorganic fillers	31 August 2024
3921 19 00 40	2.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Transparent, microporous, acrylic acid grafted polyethylene film, in the form of rolls, with: • a width of 98 mm or more but not more than 170 mm, • a thickness of 15 µm or more but not more than 36 µm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			of a kind used for the manufacture of alkaline battery separators	
3921 19 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Porous membrane of polytetrafluorethylene (PTFE) laminated to a polyester spunbonded non-woven cloth with: • a total thickness of more than 0.05 mm but not more than 0.20 mm, • a water entry pressure between 5 and 200 kPa according to ISO 811, and • an air permeability of 0.08 cm^3 / cm^2 / s or more according to ISO 5636-5	31 August 2024
3921 19 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Multi-porous multilayer separator foil with: • one microporous polyethylene layer between two microporous polypropylene layers and whether or not containing a coating of aluminium oxide on both sides,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a width of 65 mm or more but not more than 170 mm, • a total thickness of 0.01 mm or more but not more than 0.03 mm, • a porosity of 0.25 or more but not more than 0.65	
3921 19 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Microporous membranes of expanded Polytetrafluoroethylene (ePTFE) in rolls, having: • a width of 1 600 mm or more but not more than 1 730 mm, and • a membrane thickness of 15 μm or more, but not more than 50 μm for use in the manufacture of a bi-component ePTFE membrane	31 August 2024
3921 19 00 93	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision	Strip of microporous polytetrafluoroethylene on a support of a non-woven, for use in the manufacture of filters for kidney dialysis equipment	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
3921 19 00 95	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Film of polyethersulfone, of a thickness of not more than 200 µm	31 August 2024
3921 19 00 99	0.00%	This suspension only applies to: Microporous monolayer film of polypropylene or a microporous trilayer film of polypropylene, polyethylene and polypropylene, each film with: • zero transversal production direction (TD) shrinkage, • a total thickness of 10 µm or more but not more than 50 µm, • a width of 15 mm or more but not more than 900 mm, • a length of more than 200 m but not more than 3 000 m, and	Microporous monolayer film of polypropylene or a microporous trilayer film of polypropylene, polyethylene and polypropylene, each film with: • zero transversal production direction (TD) shrinkage, • a total thickness of 10 µm or more but not more than 50 µm, • a width of 15 mm or more but not more than 900 mm, • a length of more than 200 m but not more than 3 000 m, and • an average pore size between 0.02 µm and 0.1 µm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		an average pore size between 0.02 µm and 0.1 µm Falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
3921 90 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Composite plate of poly(ethylene terephthalate) or of poly(butylene terephthalate), reinforced with glass fibres	31 August 2024
3921 90 10 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(ethylene terephthalate) film, laminated on one side or on both sides with a layer of unidirectional nonwoven poly(ethylene terephthalate) and impregnated with polyurethane or epoxide resin	31 August 2024
3921 90 10 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Multilayer film consisting of: • a poly(ethylene terephthalate) film with a thickness of more than 100 µm but not more than 150 µm, • a primer of phenolic material with a thickness of more than 8 µm but not more than 15 µm,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• an adhesive layer of a synthetic rubber with a thickness of more than 20 µm but not more than 30 µm, and • a transparent poly(ethylene terephthalate) liner with a thickness of more than 35 µm but not more than 40 µm	
3921 90 55 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Prepreg sheets or rolls containing polyimide resin	31 August 2024
3921 90 55 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Glass fibre impregnated with epoxy resin for use in the manufacture of smart cards	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3921 90 55 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Three layered fabric sheet, in rolls: • comprising a core layer of 100% Nylon Taffeta or Nylon/Polyester blended Taffeta, • coated on both sides with polyamide, • of a total thickness not more than 135 μm, • of a total weight not more than 80 g/m²	31 August 2024
3921 90 55 90	0.00%	This suspension only applies to: Glass fiber-reinforced sheets of reactive, halogen-free epoxid resin with hardener, additives and inorganic fillers for use in encapsulating semiconductor systems Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Glass fiber-reinforced sheets of reactive, halogen-free epoxid resin with hardener, additives and inorganic fillers for use in encapsulating semiconductor systems	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
3921 90 60 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ion-exchange membranes based on a fabric coated on both sides with fluorinated plastic material, for use in chlor-alkali electrolytic cells	31 August 2024
3923 10 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Photomask or wafer compacts: • consisting of antistatic materials or blended thermoplastics proving special electrostatic discharge (ESD) and outgassing properties, • having non porous, abrasion resistant or impact resistant surface properties, • fitted with a specially designed retainer system that protects the photomask or wafers from surface or cosmetic damage, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• with or without a gasket seal of a kind used in the photolithography or other semiconductor production to house photomasks or wafers	
3926 30 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Plastic internal door handle used in the manufacture of motor vehicles	31 August 2024
3926 30 00 90	0.00%	This suspension only applies to: Plastic logo of the automobile manufacturer with mounting brackets on the back side, whether or not chromed, for use in the manufacture of goods of Chapter 87 AND Electroplated interior or exterior decorative parts consisting of:	Plastic logo of the automobile manufacturer with mounting brackets on the back side, whether or not chromed, for use in the manufacture of goods of Chapter 87 AND Electroplated interior or exterior decorative parts consisting of: • a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate • layers of copper, nickel and chromium falling under this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	• layers of copper, nickel and chromium	
3926 90 97 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Microspheres of a polymer of divinylbenzene, of a diameter of 4.5 µm or more but not more than 80 µm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3926 90 97 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Glass fibre reinforced plastic traverse leaf spring for use in the manufacture of motor vehicle suspension systems	31 August 2024
3926 90 97 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Reflecting sheeting or tape, consisting of a facing-strip of poly(vinyl chloride) embossed in a regular pyramidal pattern, heat-sealed in parallel lines or in a grid-pattern to a backing-strip of plastic material, or of knitted or woven fabric covered on one side with plastic material	31 August 2024
3926 90 97 23	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Plastic cover with clips for the exterior rear-view mirror of motor vehicles	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3926 90 97 27	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Gasket of polyethylene foam, intended to fill-up the space between the body of a motor vehicle and the base of a rear-view mirror	31 August 2024
3926 90 97 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Parts of car radio and car air-conditioner front panels: • of acrylonitrile-butadiene-styrene with or without polycarbonate, • coated with a copper, a nickel and a chrome layers, • with a total thickness of coating of 5.54 μm or more but not more than 49.6 μm	31 August 2024
3926 90 97 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different. components containing these products.	Housings, housing parts, drums, setting wheels, frames, covers and other parts of acrylonitrile-butadiene-styrene or polycarbonate, of a kind used for the manufacture of remote controls	31 August 2024
3926 90 97 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Silicone shell for breast implant	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
3926 90 97 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Knob of car radio front panel, made of Bisphenol A-based polycarbonate, in immediate packings of not less than 300 pieces	31 August 2024
3926 90 97 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Epoxide resin, containing by weight 70% or more of silicon dioxide, for the encapsulation of goods of headings 8533, 8535, 8536, 8541, 8542 or 8548	31 August 2024
3926 90 97 77	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Silicone decoupling ring with an inner diameter of 14.7 mm or more but no more than 16 mm, in immediate packings of 2 500 pieces or more, of a kind used in car parking aid sensor systems	31 August 2024
3926 90 97 90	0.00%	This suspension only applies to: Unexpansible microspheres of a copolymer of acrylonitrile, methacrylonitrile and isobornyl methacrylate, of a diameter of 3 µm or more but not more than 4.6 µm	Unexpansible microspheres of a copolymer of acrylonitrile, methacrylonitrile and isobornyl methacrylate, of a diameter of 3 µm or more but not more than 4.6 µm And	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		And Electroplated interior or exterior decorative parts consisting of: • a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate, • layers of copper, nickel and chromium for use in the manufacturing of parts for motor vehicles of heading 8701 to 8705 falling under this CN10 code falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electroplated interior or exterior decorative parts consisting of: • a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate, • layers of copper, nickel and chromium for use in the manufacturing of parts for motor vehicles of heading 8701 to 8705 falling under this CN10 code	
4009 42 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rubber brake hose with: • textile strings, • a wall thickness of 3.2 mm,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a metal hollow terminal pressed on both ends, and • one or more mounting brackets for us in the manufacture of goods of Chapter 87	
4010 31 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Endless transmission belts of trapezoidal cross-section (V-belts), V-ribbed, of an outside circumference exceeding 60 cm but not exceeding 180 cm, vulcanised rubber endless transmission belt of trapezoidal cross-section (V-belts) with longitudinal V-ribbed pattern on the inner side for use in the manufacture of goods of Chapter 87	31 August 2024
4010 33 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Endless transmission belts of trapezoidal cross-section (V-belts), V-ribbed, of an outside circumference exceeding 180 cm but not exceeding 240 cm, vulcanised rubber endless transmission belt of trapezoidal cross-section (V-belts) with longitudinal V-ribbed pattern on the inner side for use in the manufacture of goods of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
4010 39 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Vulcanised rubber endless transmission belt of trapezoidal cross-section (V-belts) with longitudinal V-ribbed pattern on the inner side for use in the manufacture of goods of Chapter 87	31 August 2024
4016 93 00 90	0.00%	This suspension only applies to gasket made of vulcanised rubber (ethylene-propylene-diene monomers), with permissible outflow of the material in the place of mold split of not more than 0.25 mm, in the shape of a rectangle: • a length of 72 mm or more but not more than 825 mm, with a width of 18 mm or more but not more than 155 mm falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Gasket made of vulcanised rubber (ethylene-propylene-diene monomers), with permissible outflow of the material in the place of mold split of not more than 0.25 mm, in the shape of a rectangle: • a length of 72 mm or more but not more than 825 mm, with a width of 18 mm or more but not more than 155 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
4016 99 57 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Air intake hose for air supply to the combustion part of the engine comprising at least: • one flexible rubber hose, • one plastic hose, and • metal clips, • whether or not a resonator • for use in the manufacture of goods of Chapter 87	31 August 2024
4016 99 57 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Pin boot of a brake calliper made of vulcanised rubber with: • an inner diameter of not less than 5 mm and an outer diameter of not more than 35 mm, • a height of 15 mm or more, but not more than 40 mm, and • a ribbed design	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			for use in the manufacture of goods of Chapter 87	
4016 99 57 90	0.00%	This suspension only applies to: Rubber bumper strip with a silicone coating of a length not more than 1 200 mm and with at least five plastic clips for use in the manufacture of goods of Chapter 87 Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Rubber bumper strip with a silicone coating of a length not more than 1 200 mm and with at least five plastic clips for use in the manufacture of goods of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
4016 99 97 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tyre moulding bladder	31 August 2024
4105 10 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	In the wet state (including wet-blue)	31 August 2024
4105 30 90 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Other	31 August 2024
4106 40 90 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Other	31 August 2024
4106 92 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	In the dry state (crust)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
4412 41 99 90	0.00%	This suspension only applies to laminated wood consisting of two layers of sheets for veneering: • a width of 210 mm or more but not more than 320 mm, • a length of 297 mm or more but not more than 450 mm, • a thickness or 0.45 mm or more but not more than 0.8 mm for use in the manufacture of products falling within heading 4420, 4421, 4820, 4909 or 4911 falling under this CN10 This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Other	31 August 2024
4412 49 00 90	0.00%	This suspension only applies to laminated wood consisting of two layers of sheets for veneering: • a width of 210 mm or more but not more than 320 mm,	Other	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• a length of 297 mm or more but not more than 450 mm, • a thickness or 0.45 mm or more but not more than 0.8 mm for use in the manufacture of products falling within heading 4420, 4421, 4820, 4909 or 4911 falling under this CN8 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
4412 91 91 00	0.00%	This suspension only applies to laminated wood consisting of two layers of sheets for veneering: • a width of 210 mm or more but not more than 320 mm, • a length of 297 mm or more but not more than 450 mm,	With at least one outer layer of non-coniferous wood	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• a thickness or 0.45 mm or more but not more than 0.8 mm for use in the manufacture of products falling within heading 4420, 4421, 4820, 4909 or 4911 falling under this CN8 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
4412 92 90 00	0.00%	This suspension only applies to laminated wood consisting of two layers of sheets for veneering: • a width of 210 mm or more but not more than 320 mm, • a length of 297 mm or more but not more than 450 mm,	Other	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• a thickness or 0.45 mm or more but not more than 0.8 mm for use in the manufacture of products falling within heading 4420, 4421, 4820, 4909 or 4911 falling under this CN8 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
5208 11 10 00	4.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fabrics for the manufacture of bandages, dressings and medical gauzes	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
5407 10 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Textile fabric, consisting of warp filament yarns of polyamide-6,6 and weft filament yarns of polyamide-6,6, polyurethane and a copolymer of terephthalic acid, p-phenylenediamine and 3,4'-oxybis (phenyleneamine)	31 August 2024
5505 10 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Waste of synthetic fibres (including noils, yarn waste, and garnetted stock) of nylon or other polyamides (PA6 and PA66)	31 August 2024
5601 30 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(vinyl alcohol) fibres, whether or not acetalised	31 August 2024
5601 30 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Synthetic staple fibres of a copolymer of terephthalic acid, p-phenylenediamine and 3,4'-oxybis(phenyleneamine), of a length of not more than 7 mm	31 August 2024
5603 11 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Weighing not more than 25 g/m^2, coated or covered, poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: • of a thickness of 200 µm or more but not more than 280 µm, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			of a weight of 20 g/m² or more but not more than 50 g/m²	
5603 11 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Weighing not more than 25 g/m², poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: • of a thickness of 200 µm or more but not more than 280 µm, and • of a weight of 20 g/m² or more but not more than 50 g/m²	31 August 2024
5603 12 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Weighing more than 25 g/m² but not more than 70 g/m², coated or covered, poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: • of a thickness of 200 µm or more but not more than 280 µm, and • of a weight of 20 g/m² or more but not more than 50 g/m²	31 August 2024
5603 12 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Weighing more than 25 g/m² but not more than 70 g/m², poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• of a thickness of 200 µm or more but not more than 280 µm, and • of a weight of 20 g/m² or more but not more than 50 g/m²	
5603 12 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Non-wovens, of man-made filaments, weighing more than 25 g/m² but not more than 70 g/m², of aromatic polyamide fibres obtained by polycondensation of m-phenylenediamine and isophthalic acid, in the piece or cut into rectangles	31 August 2024
5603 12 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-woven of spunbonded polyethylene, of a weight of more than 60 g/m2 but not more than 80 g/m2 and an air resistance (Gurley) of 8 seconds or more but not more than 36 seconds (as determined by the ISO 5636/5 method).	31 August 2024
5603 13 10 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-woven of spunbonded polyethylene, with a coating: • of a weight of more than 80 g/m² but not more than 105 g/m², and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			an air resistance (Gurley) of 8 seconds or more but not more than 75 seconds (as determined by the ISO 5636/5 method)	
5603 13 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-wovens, of man-made filaments, weighing more than 70 g/m^2 but not more than 150 g/m^2, of aromatic polyamide fibres obtained by polycondensation of m-phenylenediamine and isophthalic acid, in the piece or cut into rectangles	31 August 2024
5603 13 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-woven of spunbonded polyethylene, of a weight of more than 60 g/m2 but not more than 80 g/m2 and an air resistance (Gurley) of 8 seconds or more but not more than 36 seconds (as determined by the ISO 5636/5 method)	31 August 2024
5603 14 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-wovens, of man-made filaments, weighing more than 150 g/m^2, of aromatic polyamide fibres obtained by polycondensation of m-phenylenediamine and isophthalic acid, in the piece or cut into rectangles	31 August 2024
5603 14 90 90	0.00%	This suspension only applies to non-wovens, consisting of poly(ethylene terephthlate) spun bonded media: • of weight of 160 g/m² or more but not more than 300 g/m²,	Non-wovens, consisting of poly(ethylene terephthlate) spun bonded media: • of weight of 160 g/m² or more but not more than 300 g/m², • whether or not laminated on one side with a membrane or a	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• whether or not laminated on one side with a membrane or a membrane and aluminium of a kind used for the manufacture of industrial filters falling under this CN10 code This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	membrane and aluminium of a kind used for the manufacture of industrial filters	
5603 91 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Weighing not more than 25 g/m^2, coated or covered, poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: • of a thickness of 200 µm or more but not more than 280 µm, and of a weight of 20 g/m² or more but not more than 50 g/m²	31 August 2024
5603 91 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Weighing not more than 25 g/m^2, poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: • of a thickness of 200 µm or more but not more than 280 µm, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• of a weight of 20 g/m² or more but not more than 50 g/m²	
5603 92 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Weighing more than 25 g/m^2 but not more than 70 g/m^2, coated or covered, Poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: • of a thickness of 200 µm or more but not more than 280 µm, and • of a weight of 20 g/m² or more but not more than 50 g/m²	31 August 2024
5603 92 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Weighing more than 25 g/m^2 but not more than 70 g/m^2, poly(vinyl alcohol) non-wovens, in the piece or cut into rectangles: • of a thickness of 200 µm or more but not more than 280 µm, and • of a weight of 20 g/m² or more but not more than 50 g/m²	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
5603 92 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Non-wovens, weighing more than 25 g/m^2 but not more than 70 g/m^2, consisting of a meltblown central layer of a thermoplastic elastomer laminated on each side with spunbonded filaments of polypropylene	31 August 2024
5603 92 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-wovens, weighing more than 25 g/m^2 but not more than 70 g/m^2, of aromatic polyamide fibres obtained by polycondensation of m-phenylenediamine and isophthalic acid, in the piece or cut into rectangles	31 August 2024
5603 92 90 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-wovens, weighing more than 25 g/m^2 but not more than 70 g/m^2, consisting of multiple layers of a mixture of meltblown fibres and staple fibres of polypropylene and polyester, whether or not laminated on one side or on both sides with spunbonded filaments of polypropylene	31 August 2024
5603 92 90 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit)	Non-woven polyolefin fabric, consisting of an elastomeric layer, laminated on each side with polyolefin filaments: • a weight of 25 g/m² or more but not more than 70 g/m²,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	• in the piece or simply cut into squares or rectangles, • not impregnated, • with cross-directional or machine-directional stretch properties for use in the manufacture of infant/child care products	
5603 93 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-wovens, weighing more than 70 g/m^2 but not more than 150 g/m^2, consisting of a meltblown central layer of a thermoplastic elastomer laminated on each side with spunbonded filaments of polypropylene	31 August 2024
5603 93 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-wovens, weighing more than 70 g/m^2 but not more than 150 g/m^2, of aromatic polyamide fibres obtained by polycondensation of m-phenylenediamine and isophthalic acid, in the piece or cut into rectangles	31 August 2024
5603 93 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to	Non-woven polyolefin fabric, consisting of an elastomeric layer, laminated on each side with polyolefin filaments:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	• a weight of 70 g/m² or more but not more than 150 g/m², • in the piece or simply cut into squares or rectangles, • not impregnated, • with cross-directional or machine-directional stretch properties for use in the manufacture of infant/child care products	
5603 93 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Nonwovens made of polyester fibres: • with a weight of 85 g/m², • with a constant thickness of 95 µm (± 5 µm), • neither coated nor covered, • in 1 m wide rolls of 2 000m to 5 000 m length	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			suitable for the coating of membranes in the manufacture of osmosis and reverse osmosis filters	
5603 94 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Acrylic fibre rods, having a length of not more than 50 cm, for the manufacture of pen tips	31 August 2024
5603 94 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-wovens, weighing more than 150 g/m^2, of aromatic polyamide fibres obtained by polycondensation of m-phenylenediamine and isophthalic acid, in the piece or cut into rectangles	31 August 2024
5603 94 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-wovens, weighing more than 150 g/m^2, consisting of multiple layers of a mixture of meltblown fibres and staple fibres of polypropylene and polyester, whether or not laminated on one side or on both sides with spunbonded filaments of polypropylene	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
5607 50 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Unsterilised twine of poly(glycolic acid) or of poly(glycolic acid) and its copolymers with lactic acid, plaited or braided, with an inner core, for the manufacture of surgical sutures	31 August 2024
5903 20 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Two layers' plastic-laminated textile fabric with: • one layer consisting of knitted or crocheted polyester textile fabric, • other layer consisting of polyurethane foam, • a weight of 150 g/m² or more, but not more than 500 g/m²,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a thickness of 1 mm or more, but not more than 5 mm for use in the manufacture of the retractable roof of motor vehicles	
5906 99 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rubberised textile fabric, consisting of warp yarns of polyamide-6,6 and weft yarns of polyamide-6,6, polyurethane and a copolymer of terephthalic acid, p-phenylenediamine and 3,4'-oxybis(phenyleneamine)	31 August 2024
5906 99 90 20	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Woven and laminated rubberised textile fabric with the following characteristics: • with three layers, • one outer layer consists of acrylic fabric, • the other outer layer consists of polyester fabric, • the middle layer consists of chlorobutyl rubber,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• the middle layer has a weight of 452 g/m^2 or more but not more than 569 g/m^2, • the textile fabric has a total weight of 952 g/m^2 or more but not more than 1 159 g/m^2, and • the textile fabric has a total thickness of at least 0.8 mm but not more than 4 mm used for the manufacture of the retractable roof of motor vehicles	
5907 00 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Textile fabrics, coated with adhesive in which are embedded spheres of a diameter not exceeding 150 µm	31 August 2024
5911 90 99 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Parts of equipment for the purification of water by reverse osmosis, consisting essentially of plastic-based membranes, supported internally by woven or non-woven textile materials which are wound round a perforated tube, and enclosed in a cylindrical plastic casing of a wall-thickness of not more than 4 mm, whether or not housed in a cylinder of a wall-thickness of 5 mm or more	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
5911 90 99 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Multi-layered non-woven polyester polishing pads, impregnated with polyurethane	31 August 2024
5911 90 99 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Loudspeaker vibration damper, made from round, corrugated, flexible and cut-to-size tissue of textile fibres of polyester, cotton or aramid or a combination hereof, of a kind used in car loudspeakers	31 August 2024
6903 90 90 90	0.00%	This suspension only applies to Silicon carbide reactor tubes and holders having a softening point of 1 400 °C or higher falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Silicon carbide reactor tubes and holders having a softening point of 1 400 °C or higher	31 August 2024
6909 19 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Silicon nitride (Si3N4) rollers or balls	31 August 2024
6909 19 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Ceramic proppants, containing aluminium oxide, silicon oxide and iron oxide	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
6909 19 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Supports for catalysts, consisting of porous cordierite or mullite ceramic pieces, of an overall volume of not more than 65 l, having, per cm^2 of the cross-section, not less than one continuous channel which may be open at both ends or stopped at one end	31 August 2024
6909 19 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ceramic articles made of continuous filaments of ceramic oxides, containing by weight: • 2% or more of diboron trioxide, • 28% or less of silicon dioxide, and • 60% or more of dialuminium trioxide	31 August 2024
6909 19 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Supports for catalysts, consisting of porous ceramic pieces, of a blend of silicon carbide and silicon, with a hardness of less than 9 on the Mohs scale, with a total volume of not more than 65 litres, having, per cm^2 of the surface of the cross section one or more closed channels at the tail end	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
6909 19 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Supports for catalysts or filters, consisting of porous ceramics made primarily from oxides of aluminium and titanium; with a total volume of not more than 65 litres and at least one duct (open on one or both ends) per cm² of cross section	31 August 2024
6909 19 00 90	0.00%	This suspension only applies to ceramic-carbon absorption cartridge with the following characteristics: • extruded fired ceramic bound multicellular cylindrical structure, • 10% or more by weight but not more than 30% by weight of activated carbon, • 70% or more by weight but not more than 90% by weight of ceramic binder, • a diameter of 29 mm or more but not more than 41 mm, • a length of not more than 150 mm,	Ceramic-carbon absorption cartridge with the following characteristics: • extruded fired ceramic bound multicellular cylindrical structure, • 10% or more by weight but not more than 30% by weight of activated carbon, • 70% or more by weight but not more than 90% by weight of ceramic binder, • a diameter of 29 mm or more but not more than 41 mm, • a length of not more than 150 mm, • fired at a temperature of 800 °C or more, and • for vapours adsorption	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• fired at a temperature of 800 °C or more, and • for vapours adsorption • of a kind used for assembly in fuel vapours absorbers in fuel systems of motor vehicles under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	of a kind used for assembly in fuel vapours absorbers in fuel systems of motor vehicles	
7019 12 00 02	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rovings, measuring 650 tex or more but not more than 2 500 tex, coated with a layer of polyurethane whether or not mixed with other materials	31 August 2024
7019 12 00 05	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rovings ranging from 1 980 to 2 033 tex, composed of continuous glass filaments of 9 μm (± 0.5 μm)	31 August 2024
7019 12 00 06	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs	Rovings which are impregnated and coated and with a loss on ignition of 3% or more (as determined by the ISO Standard 1887), S glass stratifils (rovings):	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		(Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• composed of continuous glass filaments of 9 µm (± 0.5 µm), • measuring at least 200 tex but not more than 680 tex, • not containing any calcium oxide, and • with a breaking strength of more than 3 550 MPa determined by ASTM D2343-09 for use in the manufacture of aeronautics	
7019 13 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Yarn of 33 tex or a multiple thereof (± 7.5%), obtained from continuous spun-glass filaments of a nominal diameter of 3.5 µm or of 4.5 µm, in which filaments of a diameter of 3 µm or more but not more than 5.2 µm predominate, other than those treated so as to improve their adhesion to elastomers	31 August 2024
7019 13 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	S-glass yarn of 33 tex or a multiple of 33 tex (± 13%) made from continuous spun-glass filaments with fibres of a diameter of 9 µm (- 1 µm / + 1.5 µm)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
7019 13 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Yarn of 10.3 tex or more but not more than 11.9 tex, obtained from continuous spun-glass filaments, in which filaments of a diameter of 4.83 µm or more but not more than 5.83 µm predominate	31 August 2024
7019 13 00 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Yarn of 5.1 tex or more but not more than 6.0 tex, obtained from continuous glass-spun filaments, in which filaments of a diameter of 4.83 µm or more but not more than 5.83 µm predominate	31 August 2024
7019 13 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Yarn of E-glass of 22 tex (± 1.6 tex), obtained from continuous spun-glass filaments of a nominal diameter of 7 µm, in which filaments of a diameter of 6.35 µm or more but not more than 7.61 µm predominate	31 August 2024
7019 13 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Yarn of 11 tex or a multiple thereof (± 7.5%), obtained from continuous spun-glass filaments, containing 93% by weight or more of silicon dioxide, of a nominal diameter of 6 µm or 9 µm, other than those treated	31 August 2024
7019 13 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Glass cord impregnated with rubber or plastic, obtained from K- or U-glass filaments, made up of: • 9% or more but not more than 16% of magnesium oxide,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 19% or more but not more than 25% of aluminium oxide, • 0% or more but not more than 2% of boron oxide, • without calcium oxide coated with a latex comprising at least a resorcinol- formaldehyde resin and chlorosulphonated polyethylene	
7019 61 00 11	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Open mesh fabrics of glass fibres, of a cell size of more than 1.8 mm both in length and in width and weighting more than 35 g/m², excluding fibreglass discs	31 August 2024
7019 61 00 19	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Other	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
7019 61 00 21	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Open mesh fabrics of glass fibres, of a cell size of more than 1.8 mm both in length and in width and weighing more than 35 g/m², excluding fibreglass discs	31 August 2024
7019 61 00 29	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Other	31 August 2024
7019 61 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	E-fibre glass fabrics: • having a weight of 20 g/m² or more, but not more than 214 g/m², • impregnated with silane, • in rolls, • having a humidity content by weight of 0.13% or less, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• having not more than 3 hollow fibres out of 100 000 fibres for the exclusive use in the manufacture of prepregs and copper clad laminates	
7019 63 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	E-fibre glass fabrics: • having a weight of 20 g/m² or more, but not more than 214 g/m², • impregnated with silane, • in rolls, • having a humidity content by weight of 0.13% or less, and • having not more than 3 hollow fibres out of 100 000 fibres for the exclusive use in the manufacture of prepregs and copper clad laminates	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
7019 64 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Epoxy resin coated glass woven fabric containing by weight: • 91% or more but not more than 93% of glass fibres, • 7% or more but not more than 9% of epoxy resin	31 August 2024
7019 65 00 11	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Open mesh fabrics of glass fibres, of a cell size of more than 1.8 mm both in length and in width and weighting more than 35 g/m², excluding fibreglass discs	31 August 2024
7019 65 00 19	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Other	31 August 2024
7019 65 00 21	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Open mesh fabrics of glass fibres, of a cell size of more than 1.8 mm both in length and in width and weighing more than 35 g/m², excluding fibreglass discs	31 August 2024
7019 65 00 29	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Other	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
7019 65 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	E-fibre glass fabrics: • having a weight of 20 g/m² or more, but not more than 214 g/m², • impregnated with silane, • in rolls, • having a humidity content by weight of 0.13% or less, and • having not more than 3 hollow fibres out of 100 000 fibres for the exclusive use in the manufacture of prepregs and copper clad laminates	31 August 2024
7019 66 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Glass web woven from glass fibre coated in plastic, of a weight of 120 g/m^2 (± 10 g/m^2), of a type used in rolling insect screens with fixed frames	31 August 2024
7019 66 00 11	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Open mesh fabrics of glass fibres, of a cell size of more than 1.8 mm both in length and in width and weighing more than 35 g/m², excluding fibreglass discs	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
7019 66 00 19	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Other	31 August 2024
7019 66 00 21	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Open mesh fabrics of glass fibres, of a cell size of more than 1.8 mm both in length and in width and weighing more than 35 g/m², excluding fibreglass discs	31 August 2024
7019 66 00 29	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Other	31 August 2024
7019 66 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	E-fibre glass fabrics: • having a weight of 20 g/m² or more, but not more than 214 g/m², • impregnated with silane, • in rolls, • having a humidity content by weight of 0.13% or less, and	31 August

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• having not more than 3 hollow fibres out of 100 000 fibres for the exclusive use in the manufacture of prepregs and copper clad laminates	
7019 71 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Non-woven product of non-textile glass fibre, for the manufacture of air filters or catalysts.	31 August 2024
7019 72 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit)	Non-woven product of non-textile glass fibre, for the manufacture of air filters or catalysts	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
7019 90 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-textile glass fibres in which fibres of a diameter of less than 4.6 µm predominate	31 August 2024
7019 90 00 19	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Other	31 August 2024
7019 90 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Glass cord impregnated with rubber or plastic, obtained from twisted glass filament yarns, coated with a latex comprising at least a resorcinol-formaldehyde-vinylpyridine resin and an acrylonitrile-butadiene rubber (NBR)	31 August 2024
7019 90 00 29	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Prepeg sheets or rolls containing polyimide resin.	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
7019 90 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	High modulus glass cord (K) impregnated with rubber, obtained from twisted high modulus glass filament yarns, coated with a latex comprising a resorcinol-formaldehyde resin with or without vinylpyridine and/or hydrogenated acrylonitrile-butadiene rubber (HNBR)	31 August 2024
7202 49 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ferro-chromium containing 1.5% or more but not more than 4% by weight of carbon and not more than 70% of chromium	31 August 2024
7326 20 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Metal fleece, consisting of a mass of stainless steel wires of diameters of 0.001 mm or more but not more than 0.070 mm, compacted by sintering and rolling	31 August 2024
7326 90 92 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Steel nozzle shell with integral flange in one piece open-die forged from 4 castings, worked and machined, with: • a diameter of 5 752 mm or more but not more than 5 758 mm • a height of 3 452 mm or more but not more than 3 454 mm,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a total weight 167 875 kg or more but not more than 168 125 kg of a kind used for the fabrication of a nuclear reactor vessel	
7326 90 94 40	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Steel ball neck, drop forged, machined, also heat treated or surface treated, having an angle between the centre of the conical head and the arm of less than 90° or having an angle between the centre of the ball and the arm of less than 90°, for use in the manufacture of trailer hitches for passenger cars	31 August 2024
7326 90 98 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Iron and steel weights: • whether or not with parts of other material,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• whether or not with parts of other metals, • whether or not surface treated, • whether or not printed of a kind used for the production of remote controls	
7409 11 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Refined copper foil and strips, electrolytically manufactured, with a thickness of at least 0.015 mm	31 August 2024
7409 19 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Plates or sheets consisting of: • a layer of a silicon nitride ceramic with a thickness of at least 0.32 mm (± 0.1 mm) but not more than 1 mm (± 0.1 mm), • covered on both sides with a foil of refined copper with a thickness of 0.8 mm (± 0.1 mm), and on one side partially covered with a coating of silver	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
7410 11 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Refined copper foil and strips, electrolytically manufactured, with a thickness of at least 0.015 mm	31 August 2024
7410 21 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Plates: • consisting of at least one layer of fibreglass fabric impregnated with epoxide resin, • covered on one or both sides with copper foil with a thickness of not more than 0.15 mm, • with a dielectric constant (DK) of less than 5.4 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, • with a loss tangent of less than 0.035 at 1 MHz, as measured according to IPC-TM-650 2.5.5.2, with a comparative tracking index (CTI) of at least 600	31 August 2024
7601 20 20 00	0.00%	This suspension only applies to: Slabs and billets of aluminium alloy containing lithium	Slabs and billets of aluminium alloy containing lithium	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
7601 20 20 00	4.00%	This suspension only applies to Slabs and billets other than those of aluminium alloy containing lithium This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Slabs and billets other than those of aluminium alloy containing lithium	31 August 2024
7604 21 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hollow profile with: • one closed chamber of aluminum alloy 6063-T5 or 6060-T5, • a wall thickness of not more than 0.7 mm, and • an anodised layer of 10 µm at the surface	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			for use in the manufacture of board frames of whiteboards, cork boards, easel boards, education boards and display cases	
7604 29 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bars of aluminium-lithium alloys	31 August 2024
7604 29 10 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium alloy rods with a diameter of at least 300.1 mm but not more than 533.4 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
7604 29 10 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bars and rods of aluminium alloys containing by weight: • 0.25% or more but not more than 7% of zinc, and • 1% or more but not more than 3% of magnesium, and • 1% or more but not more than 5% of copper, and • not more than 1% of manganese consistent with the material specifications AMS QQ-A-225, of a kind used in aerospace industry (inter alia conforming NADCAP and AS9100) and obtained by rolling mill process	31 August 2024
7604 29 10 90	0.00%	This suspension only applies to Aluminium alloy rods with a diameter of at least 200 mm but not more than 300 mm under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different	Aluminium alloy rods with a diameter of at least 200 mm but not more than 300 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
7606 12 99 21	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium plates, sheets and strip, of a thickness exceeding 0.2 mm, which are: • rectangular (including square), • of a thickness of not less than 6 mm, • of aluminium-lithium alloys for use as body panels in the automotive industry or for use in the manufacture of aircraft parts	31 August 2024
7606 12 99 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium plates, sheets and strip, of a thickness exceeding 0.2 mm, which are: • rectangular (including square), • of a thickness of not less than 6 mm,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• of aluminium-lithium alloys	
7607 11 90 48	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium foil in rolls: • having a purity of 99.99% by weight, • of a thickness of not less than 0.03 mm, • with a width of 500 mm, • with a surface oxide layer by 3 to 4 nm thick, • with a cubic texture of more than 95%, and • in rolls of a weight exceeding 10 kg, whether or not annealed, when presented with at least two layers	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			for other uses than aluminium household foil	
7607 11 90 49	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium foil in rolls: • having a purity of 99.99% by weight, • of a thickness of not less than 0.021 mm and not more than 0.045 mm, • with a width of 500 mm, • with a surface oxide layer by 3 to 4 nm thick, • with a cubic texture of more than 95%, and • in rolls of a weight exceeding 10 kg, whether or not annealed, when presented with at least two layers	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			for other uses than aluminium household foil	
7607 11 90 51	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium foil in rolls: • having a purity of 99.99% by weight, • of a thickness of 0.03 mm or more but not more than 0.2 mm, • with a width of 500 mm, • with a surface oxide layer by 3 to 4 nm thick, • with a cubic texture of more than 95%	31 August 2024
7607 11 90 52	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium foil in rolls: • having a purity of 99.99% by weight,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• of a thickness of 0.2 mm, • with a width of 500 mm, • with a surface oxide layer by 3 to 4 nm thick, • with a cubic texture of more than 95% for use as body panels in the automotive industry	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
7607 11 90 53	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium foil in rolls: • having a purity of 99.99% by weight, • of a thickness of 0.2 mm, • with a width of 500 mm, • with a surface oxide layer by 3 to 4 nm thick, • with a cubic texture of more than 95%	31 August 2024
7607 11 90 56	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium foil in rolls: • having a purity of 99.99% by weight, • of a thickness of 0.021 mm or more but not more than 0.2 mm, • with a width of 500 mm,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• with a surface oxide layer by 3 to 4 nm thick, • with a cubic texture of more than 95%	
7607 11 90 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Aluminium and magnesium alloy strip or foil: • of an alloy conforming to standards 5182-H19 or 5052-H19, • in rolls with an outside diameter of at least 1 250 mm but not more than 1 350 mm, • of a thickness (tolerance –0.006 mm) of 0.15 mm, 0.16 mm, 0.18 mm or 0.20 mm, • of a width (tolerance ± 0.3 mm) of 12.5 mm, 15 mm, 16 mm, 25 mm, 35 mm, 50 mm or 356 mm, • having a camber tolerance of not more than 0.4 mm / 750 mm, • of a flatness measurement: I-unit ± 4,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• having a tensile strength of more than (5182-H19) 365 MPa or (5052-H19) 320 MPa, and • of an elongation A50 of more than (5182-H19) 3% or (5052-H19) 2.5%, • of a thickness of not less than 0.03 mm but less than 0.2 mm for use in the manufacture of slats for blinds	
7607 11 90 76	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Aluminium and magnesium alloy strip or foil: • of an alloy conforming to standards 5182-H19 or 5052-H19, • in rolls with an outside diameter of at least 1 250 mm but not more than 1 350 mm, • of a thickness (tolerance –0.006 mm) of 0.15 mm, 0.16 mm, 0.18 mm or 0.20 mm, • of a width (tolerance ± 0.3 mm) of 12.5 mm, 15 mm, 16 mm, 25 mm, 35 mm, 50 mm or 356 mm,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• having a camber tolerance of not more than 0.4 mm / 750 mm, • of a flatness measurement: I-unit ± 4, • having a tensile strength of more than (5182-H19) 365 MPa or (5052-H19) 320 MPa, and • of an elongation A50 of more than (5182-H19) 3% or (5052-H19) 2.5%, • of a thickness of 0.2 mm for use as body panels in the automotive industry	
7607 11 90 77	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Aluminium and magnesium alloy strip or foil: • of an alloy conforming to standards 5182-H19 or 5052-H19, • in rolls with an outside diameter of at least 1 250 mm but not more than 1 350 mm, • of a thickness (tolerance –0.006 mm) of 0.15 mm, 0.16 mm, 0.18 mm or 0.20 mm, • of a width (tolerance ± 0.3 mm) of 12.5 mm, 15 mm, 16 mm, 25 mm, 35	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			mm, 50 mm or 356 mm, • having a camber tolerance of not more than 0.4 mm / 750 mm, • of a flatness measurement: I-unit ± 4, • having a tensile strength of more than (5182-H19) 365 MPa or (5052-H19) 320 MPa, and • of an elongation A50 of more than (5182-H19) 3% or (5052-H19) 2.5%, • of a thickness of 0.2 mm for use in the manufacture of slats for blinds	
7607 19 90 96	0.00%	This suspension only applies to Sheet in the form of a roll consisting of a laminate of lithium and manganese bonded to aluminium, with: • -a width of 595 mm or more but not more than 605 mm, and • -a diameter of 690 mm or more but not more than 710 mm,	Sheet in the form of a roll consisting of a laminate of lithium and manganese bonded to aluminium, with: • a width of 595 mm or more but not more than 605 mm, and • a diameter of 690 mm or more but not more than 710 mm for use in the manufacture of cathodes for lithium-ion electric rechargeable batteries	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		for use in the manufacture of cathodes for lithium-ion electric rechargeable batteries Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
7607 20 99 10	2.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Aluminium foil, in rolls: • coated with polypropylene on one side and with polyamide on the other side with adhesive layers between, • with a width of 200 mm or more, but not more than 400 mm, • with a thickness of 0.138 mm or more, but not more than 0.168 mm for use in the manufacture of lithium-ion battery cell pouches	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
7608 20 81 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Seamless aluminium alloyed extruded tubes (Aluminum 6061F according to standard ASTM B241) with: • an outer diameter of 320 mm or more but not more than 400 mm, and • a wall thickness of 8 mm or more but not more than 10 mm for use in the manufacture of high pressure vessels	31 August 2024
7608 20 89 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Seamless aluminium alloyed extruded tubes with: • an outer diameter of 60 mm or more but not more than 420 mm, and • a wall thickness of 10 mm or more but not more than 80 mm	31 August 2024
7608 20 89 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to	Seamless flow forming aluminium alloyed tubes (Aluminum 6061A according to standard ISO 7866) with: • an outer diameter of 378 mm or more but not more than 385 mm, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	• a wall thickness of 4 mm or more but not more than 7 mm for use in the manufacture of high pressure vessels	
7613 00 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium container, seamless, for compressed natural gas or compressed hydrogen, wholly embedded in an overwrap of epoxy-carbon fibres composite, of a storage capacity of 172 l (± 10%) and an unfilled weight of not more than 64 kg	31 August 2024
7616 99 10 99	0.00%	This suspension only applies to Aluminium engine bracket, with dimensions of: • height of more than 10 mm but not more than 200 mm, • width of more than 10 mm but not more than 200 mm, • length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes	Aluminium engine bracket, with dimensions of: • height of more than 10 mm but not more than 200 mm, • width of more than 10 mm but not more than 200 mm, • length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes Made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: • internal porosity not more than 1 mm; • outer porosity not more than 2 mm; • Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• internal porosity not more than 1 mm; • outer porosity not more than 2 mm; • Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles	
7616 99 90 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Honeycomb aluminium blocks of the type used in the manufacture of aircraft parts	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
7616 99 90 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Metallised film: • consisting of eight or more layers of aluminium (CAS RN 7429-90-5) of a purity of 99.8% or more, • with an optical density of each aluminium layer of not more than 3, • with each aluminium layer separated by a resin layer, • on a carrier film of PET, and • on rolls of up to 50 000 metres in length	31 August 2024
7616 99 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Disc (target) with deposition material, consisting of molybdenum silicide: • containing 1 mg / kg or less of sodium, and • mounted on a copper or aluminium support	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
7616 99 90 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Connecting components for use in the production of helicopter tail rotor shafts	31 August 2024
7616 99 90 77	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Television pedestal stands with or without bracket for fixation to and stabilisation of television cabinet case/body	31 August 2024
8104 11 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Unwrought magnesium, containing at least 99.8% by weight of magnesium	31 August 2024
8104 30 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Magnesium powder: • of a purity by weight of 98% or more, but not more than 99.5%, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			with a particle size of 0.2 mm or more but not more than 0.8 mm	
8108 20 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Titanium sponge	31 August 2024
8108 20 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Titanium powder of which 90% by weight or more passes through a sieve with an aperture of 0.224 mm	31 August 2024
8108 20 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Titanium alloy slab, with: • a height of 20.3 cm or more, but not more than 23.3 cm, • a length of 246.1 cm or more, but not more than 289.6 cm, • a width of 40.6 cm or more, but not more than 46.7 cm, • a weight of 820 kg or more but not more than 965 kg containing alloy elements by weight of:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• 5.2% or more but not more than 6.2% of aluminium, 2.5% or more but not more than 4.8% of vanadium	
8108 20 00 90	0.00%	This suspension only applies to: Titanium alloy ingot: • with a height of 17.8 cm or more, a length of 180 cm or more and a width of 48.3 cm or more, • a weight of 680 kg or more containing alloy elements by weight of: • 3% or more but not more than 6% of aluminium,	Titanium alloy ingot: • with a height of 17.8 cm or more, a length of 180 cm or more and a width of 48.3 cm or more, • a weight of 680 kg or more containing alloy elements by weight of: • 3% or more but not more than 6% of aluminium, • 2.5% or more but not more than 5% of tin,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• 2.5% or more but not more than 5% of tin, • 2.5% or more but not more than 4.5% of zirconium, • 0.2% or more but not more than 1% of niobium, • 0.1% or more but not more than 1% of molybdenum, • 0.1% or more but not more than 0.5% of silicon and Titanium alloy ingot: • with a height of 17.8 cm or more, a length of 180 cm or more, a width	• 2.5% or more but not more than 4.5% of zirconium, • 0.2% or more but not more than 1% of niobium, • 0.1% or more but not more than 1% of molybdenum, • 0.1% or more but not more than 0.5% of silicon and and Titanium alloy ingot: • with a height of 17.8 cm or more, a length of 180 cm or more, a width of 48.3 cm or more, • a weight of 680 kg or more containing alloy elements by weight of: • 3% or more but not more than 7% of aluminium,	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		of 48.3 cm or more, • a weight of 680 kg or more containing alloy elements by weight of: • 3% or more but not more than 7% of aluminium, • 1% or more but not more than 5% of tin, • 3% or more but not more than 5% of zirconium, • 4% or more but not more than 8% of molybdenum and Titanium alloy ingot: • with a diameter of 63.5 cm or more and a length of 450 cm or	• 1% or more but not more than 5% of tin, • 3% or more but not more than 5% of zirconium, • 4% or more but not more than 8% of molybdenum and Titanium alloy ingot: • with a diameter of 63.5 cm or more and a length of 450 cm or more, • a weight of 6 350 kg or more containing alloy elements by weight of: • 5.5% or more but not more than 6.7% of aluminium, • 3.7% of more but not more than 4.9% of vanadium	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		more, • a weight of 6 350 kg or more containing alloy elements by weight of: • 5.5% or more but not more than 6.7% of aluminium, • 3.7% of more but not more than 4.9% of vanadium falling under these CN10 codes. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
8108 30 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Waste and scrap of titanium and titanium alloys, except those containing by weight 1 % or more but not more than 2 % of aluminium	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
8108 90 30 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Titanium alloy rods complying with standard EN 2002-1, EN 4267 or DIN 65040	31 August 2024
8108 90 30 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rods and wire of an alloy of titanium with: • a uniform solid cross-section in the form of a cylinder, • with a diameter of 0.8 mm or more, but not more than 5 mm, • an aluminium content by weight of 0.3% or more, but not more than 0.7%, • a silicon content by weight of 0.3% or more, but not more than 0.6%, • a niobium content by weight of 0.1% or more, but not more than 0.3%, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• an iron content by weight of not more than 0.2%	
8108 90 30 45	0.00%	This suspension does not apply to mixtures, preparations or products made up of different components containing these parts	Titanium-aluminium-vanadium alloy (TiAl6V4) wire, of a diameter less than 20 mm and complying with AMS standards 4928, 4965 or 4967	31 August 2024
8108 90 30 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Forged cylindrical bars of titanium with: • a purity of 99.995% by weight or more, • a diameter of 140 mm or more but not more than 200 mm,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a weight of 5 kg or more but not more than 300 kg	
8108 90 30 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Wire of an titanium alloy containing by weight: • 22% (± 1%) of vanadium, and • 4% (± 0.5%) of aluminium, or • 15% (± 1%) of vanadium, • 3% (± 0.5%) of chromium, • 3% (± 0.5%) of tin, and • 3% (± 0.5%) of aluminium	31 August 2024
8108 90 30 90	0.00%	This suspension only applies to titanium-aluminium-vanadium alloy (TiAl6V4) bars, rods and wire, complying with AMS standards 4928, 4965 or 4967 falling under this CN10 code. This suspension does not apply to any mixtures, preparations or	Titanium-aluminium-vanadium alloy (TiAl6V4) bars, rods and wire, complying with AMS standards 4928, 4965 or 4967	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		products made up of different components containing these products.		
8108 90 50 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cold or hot rolled plates, sheets and strips of non-alloyed titanium with: • a thickness of 0.4 mm or more, but not more than 100 mm, • a length of not more than 14 m, and • a width of not more than 4 m	31 August 2024
8108 90 50 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Plates, sheets, strip and foil of an alloy of titanium	31 August 2024
8108 90 50 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Plates, sheets, strips and foil of non-alloyed titanium: • of a width of more than 750 mm, • of a thickness of not more than 3 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8108 90 50 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Strip or foil of non-alloyed titanium: • containing more than 0.07% by weight of oxygen (O2), • of a thickness of 0.4 mm or more but not more than 2.5 mm, • conforming to the Vickers hardness HV1 standard of not more than 170 of a kind used in the manufacture of welded tubes for nuclear power plant condensers	31 August 2024
8108 90 60 90	0.00%	This suspension only applies to: • Seamless tubes and pipes of a titanium or an alloy of titanium with: - a diameter of 19 mm or more but not more than 159 mm, - a wall thickness of 0.4 mm or more but not more than 8 mm, and	• Seamless tubes and pipes of a titanium or an alloy of titanium with: - a diameter of 19 mm or more but not more than 159 mm, - a wall thickness of 0.4 mm or more but not more than 8 mm, and - a maximum length of 18 m •	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		- a maximum length of 18 m Falling under this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
8108 90 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Parts of spectacle frames and mountings, including: • temples, • blanks of a kind used for the manufacture of spectacle parts, and • bolts of the kind used for spectacle frames and mountings of a titanium alloy	31 August 2024
8302 49 00 91	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Aluminium telescopic handle for use in the manufacture of luggage	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
8407 33 20 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm^3 and a power of not less than 6 kW or more but not more than 20 kW, for the manufacture of: • lawn mowers of subheadings 8433 11, 8433 19 and 8433 20, • tractors of subheadings 8701 91 90, 8701 92 90 whose main function is that of a lawn mower, • four stroke mowers with motor of a cylinder capacity of not less than 300 cm^3 of subheading 8433 20 10, or • snowploughs and snow blowers of subheading 8430 20	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8407 33 80 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm³ and a power of not less than 6 kW or more but not more than 20 kW, for the manufacture of: • lawn mowers of subheadings 8433 11, 8433 19 and 8433 20, • tractors of subheadings 8701 91 90, 8701 92 90 whose main function is that of a lawn mower, • four stroke mowers with motor of a cylinder capacity of not less than 300 cm³ of subheading 8433 20 10, or • snowploughs and snow blowers of subheading 8430 20	31 August 2024
8407 90 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs	Four-stroke petrol engines of a cylinder capacity of not more than 250cm³ for use in the manufacture of lawnmowers of sub-heading 8433 11, mowers with motor of subheading 8433 20 10, rotovators of sub-heading 8432 29 50, garden shredders of subheading 8436 80 90 or scarifiers of subheading 8432 29 10	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		(Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8407 90 80 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm^3 and a power of not less than 6 kW or more but not more than 20 kW, for the manufacture of: • lawn mowers of subheadings 8433 11, 8433 19 and 8433 20, • tractors of subheadings 8701 91 90, 8701 92 90 whose main function is that of a lawn mower, • four stroke mowers with motor of a cylinder capacity of not less than 300 cm^3 of subheading 8433 20 10, or • snowploughs and snow blowers of subheading 8430 20	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8407 90 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Spark-ignition reciprocating or rotary internal combustion piston engines, having a cylinder capacity of not less than 300 cm^3 and a power of not less than 6 kW or more but not more than 20 kW, for the manufacture of: • lawn mowers of subheadings 8433 11, 8433 19 and 8433 20, • tractors of subheadings 8701 91 90, 8701 92 90 whose main function is that of a lawn mower, • four stroke mowers with motor of a cylinder capacity of not less than 300 cm^3 of subheading 8433 20 10, or • snowploughs and snow blowers of subheading 8430 20	31 August 2024
8407 90 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Compact Liquid Petroleum Gas (LPG) Engine System, with: • 6 cylinders, • an output of 75 kW or more, but not more than 80 kW,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• inlet and exhaust valves modified to operate continuously in heavy duty applications for use in the manufacture of vehicles of heading 8427	
8408 90 41 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Diesel engines of a power of not more than 15 kW, with 2 or 3 cylinders, for use in the manufacture of vehicle mounted temperature control systems	31 August 2024
8408 90 43 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Diesel engines of a power of not more than 30 kW, with 4 cylinders, for use in the manufacture of vehicle mounted temperature control systems	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8408 90 43 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	4 Cylinder, 4 cycle, liquid cooled, compression-ignition engine having: • a capacity of not more than 3 850 cm^3, and • a rated output of 15 kW or more but not more than 85 kW for use in the manufacture of vehicles of heading 8427	31 August 2024
8408 90 45 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4 Cylinder, 4 cycle, liquid cooled, compression-ignition engine having: • a capacity of not more than 3 850 cm^3, and • a rated output of 15 kW or more but not more than 85 kW for use in the manufacture of vehicles of heading 8427	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8408 90 47 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	4 Cylinder, 4 cycle, liquid cooled, compression-ignition engine having: • a capacity of not more than 3 850 cm^3, and • a rated output of 15 kW or more but not more than 85 kW for use in the manufacture of vehicles of heading 8427	31 August 2024
8409 91 00 25	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Air intake module for engine cylinders consisting of: • a suction pipe, • a pressure sensor, • an electric throttle, • hoses, • brackets for use in the manufacture of engines of motor vehicles	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8409 91 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fuel injector with solenoid valve for optimised atomisation in the combustion chamber for use in the manufacture of spark-ignition internal combustion piston engines of motor vehicles	31 August 2024
8409 91 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Exhaust manifold with turbine housing of turbochargers with: • a heat-resistance of not more than 1 050 °C, and • a hole to insert a turbine wheel, whereby the hole has a diameter of 28 mm or more, but not more than 181 mm	31 August 2024
8409 91 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Inlet manifold, exclusively for use in the manufacture of the motor vehicles with: • a width of 40 mm or more but not more than 70 mm, • valves length of 250 mm or more but not more than 350 mm, • air volume of 5.2 litres, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• an electrical flow control system that provides maximum performance at more than 3 200 rpm	
8409 99 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Injectors with solenoid valve for optimised atomisation in the engine combustion chamber	31 August 2024
8409 99 00 25	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hoses assembly for fuel return from injectors to engine fuel unit consisting of at least: • three rubber hoses, whether or not with a protective braided sleeving, • three connectors for connecting fuel injectors, • five metal clamps, • one T-shaped plastic joint for use in the manufacture of engines of motor vehicles	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8409 99 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Exhaust manifold with turbine housing of turbochargers with: • a heat-resistance of not more than 1 050 °C, and • a hole to insert a turbine wheel, whereby the hole has a diameter of 28 mm or more, but not more than 181 mm	31 August 2024
8409 99 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Intake manifold for air supply to the engine cylinders, comprising at least: • a throttle, • a boost pressure sensor for use in the manufacture of compression ignition engines of motor vehicles	31 August 2024
8409 99 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Exhaust gas recirculation assembly consisting of: • a control unit, • an air throttle,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• an intake pipe, • an outlet hose for use in the manufacture of diesel engines of motor vehicles	
8409 99 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Metal alloy intake and exhaust valve with a Rockwell hardness HRC 20 or more, but not more than HRC 50 for use in the manufacture of compression ignition engines of motor vehicles	31 August 2024
8409 99 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	High pressure fuel rail of galvanised ferrite-pearlite steel with: • at least one pressure sensor and one valve, • a length of 314 mm or more but not more than 322 mm, • an operating pressure not more than 225 MPa, • an inlet temperature not more than 95°C,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• ambient temperature of -45 °C or more but not more than 145 °C, for use in the manufacture of compression ignition engines of motor vehicles	
8409 99 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	High pressure oil jet nozzle for engine piston cooling and lubrication with: • an opening pressure of 1 bar or more, but not more than 3 bar, • a closing pressure of more than 0.7 bar, • a one-way valve for use in the manufacture of compression ignition engines of motor vehicles	31 August 2024
8409 99 00 90	0.00%	This suspension only applies to: Turbocharger cooling duct containing: • an aluminium alloy duct with at least one metal	Turbocharger cooling duct containing: • an aluminium alloy duct with at least one metal holder and at least two mounting holes,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		holder and at least two mounting holes, • a rubber pipe with clips, • a stainless steel flange highly resistant to corrosion [SUS430JIL] and Plastic or aluminum cylinder head cover with: • a camshaft position sensor (CMPS), • metal brackets for mounting on an engine, and For use in the manufacture of compression ignition engines of motor vehicles under this CN10 code This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• a rubber pipe with clips, • a stainless steel flange highly resistant to corrosion [SUS430JIL] and Plastic or aluminium cylinder head cover with: • a camshaft position sensor (CMPS), • metal brackets for mounting on an engine, and • two or more gaskets for use in the manufacture of compression ignition engines of motor vehicles	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8412 39 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Actuator for a single-stage turbocharger: • whether or not with conducting horns and connecting sleeves, having an operating distance of 20 mm or more but not more than 40 mm, • with a length of not more than 350 mm, • with a diameter of not more than 75 mm, • with a height of not more than 110 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8413 91 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pump head for two cylinder high pressure pump made of forged steel, with: • milled threaded fittings with a diameter of 10 mm or more but not more than 36.8 mm, and • drilled fuel channels with a diameter of 3.5 mm or more but not more than 10 mm, of a kind used in diesel injection systems	31 August 2024
8414 30 81 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hermetic or semi-hermetic variable-speed electric scroll compressors, with a nominal power rating of 0.5 kW or more but not more than 10 kW, with a displacement volume of not more than 35 cm^3, of the type used in refrigeration equipment	31 August 2024
8414 30 81 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hermetic rotary compressors for Hydro-Fluoro-Carbon (HFC) refrigerants: • driven by 'on-off' single phase alternate current' (AC) or 'brushless direct current' (BLDC) variable speed motors • with a nominal power rating of not more than 1.5 kW	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			of a kind used in the production of household heat pump laundry tumble dryers	
8414 30 89 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Vehicle air conditioning system part, consisting of an open shaft reciprocating compressor of a power of more than 0.4 kW but not more than 10 kW	31 August 2024
8414 30 89 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Open shaft, scroll type compressor with clutch assembly, of a power of more than 0.4 kW, for air conditioning in vehicles, for use in the manufacture of motor vehicles of Chapter 87	31 August 2024
8414 59 25 90	0.00%	This suspension only applies to: Axial fan with an electric motor, of an output of not more than 2 W, for use in the manufacture of products of heading 8521 or 8528, falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Axial fan with an electric motor, of an output of not more than 2 W, for use in the manufacture of products of heading 8521 or 8528	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8414 59 35 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Radial fan, with: • a dimension of 25 mm (height) x 85 mm (width) x 85 mm (depth), • a weight of 120 g, • a rated voltage of 13.6 VDC (direct current voltage), • an operating voltage of 9 VDC or more but not more than 16 VDC (direct current voltage), • a rated current of 1.1 A (TYP), • a rated power of 15 W,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a rotation speed of 500 RPM (revolutions per minute) or more but not more than 4 800 RPM (revolutions per minute) (free flow), • an air flow of not more than 17.5 litre/s, • an air pressure of not more than 16 mm H2O ≈ 157 Pa, • an overall sound pressure of not more than 58 dB(A) at 4 800 RPM (revolutions per minute), and with a FIN (Fan Interconnect Network) interface for communication with the heating and air-conditioning control unit used in car seat ventilation systems	
8414 80 22 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Air membrane compressor with: • a flow of 4.5 l / min or more, but not more than 7 l / min, • power input of not more than 8.1 W, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a gauge pressure capacity not exceeding 400 hPa (0.4 bar) of a kind used in the production of motor vehicle seats	
8414 80 73 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hermetic rotary compressors for Hydro-Fluoro-Carbon (HFC) refrigerants: • driven by 'on-off' single phase alternate current' (AC) or 'brushless direct current' (BLDC) variable speed motors, • with a nominal power rating of not more than 1.5 kW of a kind used in the production of household heat pump laundry tumble dryers	31 August 2024
8414 80 80 90	0.00%	This suspension only applies to Air membrane compressor with: • a flow of 4.5 l / min or more, but not more than 7 l / min, • power input of not more than 8.1 W, and	Air membrane compressor with: • a flow of 4.5 l / min or more, but not more than 7 l / min, • power input of not more than 8.1 W, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• a gauge pressure capacity not exceeding 400 hPa (0.4 bar) of a kind used in the production of motor vehicle seats under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• a gauge pressure capacity not exceeding 400 hPa (0.4 bar) of a kind used in the production of motor vehicle seats	
8414 90 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Aluminium pistons, for incorporation into compressors of air conditioning machines of motor vehicles	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8414 90 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Pressure-regulating system, for incorporation into compressors of air conditioning machines of motor vehicles	31 August 2024
8414 90 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Drive part, for compressors of air conditioning machines of motor vehicles	31 August 2024
8431 20 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward	Drive axle assembly containing differential, reduction gears, crown wheel, drive shafts, wheel hubs, brakes and mast mounting arms for use in the manufacture of vehicles in heading 8427	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8431 20 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium core, plastic tank radiator, with integral steel support structure and an open core square wave design of 9 fins per 2.54 cm of core length for use in the manufacture of vehicles of heading 8427	31 August 2024
8481 10 99 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electromagnetic pressure reducing valve: • with a plunger, • with at least 275 mPa internal tightness, with a plastic connector with 2 silver or tin pins	31 August 2024
8481 10 99 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pressure reducing valves in a brass case with: • a length of not more than 30 mm (± 1 mm),	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a width of not more than 18 mm (± 1 mm) • of a kind used for incorporation in fuel delivery modules of motor vehicles	
8481 30 91 91	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Steel check (non-return) valves with: • an opening pressure of not more than 800 kPa, an external diameter not more than 37 mm	31 August 2024
8481 30 99 30	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Brake booster check valve assembly containing at least: • three vulcanised rubber hoses, • one membrane valve, • two metal clamps, • one metal holder, • whether or not connecting metal pipe	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• for use in the manufacture of motor vehicles	
8481 80 59 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Air control valve, consisting of a stepping motor and a valve pintle, for the regulation of idle air flow in fuel injection engines	31 August 2024
8481 80 59 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pressure regulating valve for incorporation into compressors of motor vehicle air condition units	31 August 2024
8481 80 59 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Two-way flow control valve with housing, with: • at least 5, but not more than 10 outlet holes with at least 0.9 mm, but not more than 0.2 mm diameter, • at least 550 cm^3 / minute, but not more than 2 000 cm^3 / minute flow rate, at least 19, but not more than 300 MPa operating pressure	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8481 80 59 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Flow-control valve: • made of steel, • with an outlet hole with a diameter of at least 0.05 mm or more, but not more than 0.5 mm, • with an inlet hole with a diameter of at least 0.1 mm, but not more than 1.3 mm, • with chromium nitride coating, • with a surface roughness of Rp 0.4	31 August 2024
8481 80 59 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electromagnetic valve for quantity control with: • a plunger, • a solenoid with a of coil resistance of at least 1.85 Ohm, but not more than 8.2 Ohm	31 August 2024
8481 80 59 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	• Electromagnetic valve for quantity control - with a solenoid with a coil resistance of at least 0.19 Ohm, but	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	not more than 0.66 Ohm, and with an inductance of not more than 1 mH	
8481 80 69 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Four-way reversing valve for refrigerants, consisting of: • a solenoid pilot valve, • a brass valve body including valve slider and copper connections with a working pressure up to 4.5 MPa	31 August 2024
8481 80 73 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pressure- and flow-control valve controlled by external electromagnet: • made of steel and/or steel alloy(s), • without integrated circuit, • of not more than 1 000 kPa operating pressure, • with a flow quantity of not more than 5 l / min, without an electromagnet	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8481 80 79 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Service Valve which suits for R410A or R32 gas while connecting indoor and outdoor units with: • a withstanding pressure of the valve body of 6.3 MPa, • a leakage ratio of less than 1.6 g / a, • an impurity ratio of less than 1.2 mg / PCS, • an airtight pressure of the valve body of 4.2 MPa • for use in the manufacture of air conditioners	31 August 2024
8481 80 99 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Service Valve which suits for R410A or R32 gas while connecting indoor and outdoor units with: • a withstanding pressure of the valve body of 6.3 MPa, • a leakage ratio of less than 1.6 g / a,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• an impurity ratio of less than 1.2 mg / PCS, • an airtight pressure of the valve body of 4.2 MPa for use in the manufacture of air conditioners	
8481 80 99 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pressure- and flow-control valve controlled by external electromagnet: • made of steel and/or steel alloy(s), • without integrated circuit, • of not more than 1 000 kPa operating pressure, • with a flow quantity of not more than 5 l / min, without an electromagnet	31 August 2024
8481 90 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Valve armature: • for the opening and closing of the flow of fuel,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• consisting of a shaft and a blade, • with 8 holes on the blade, • made of metal and/or metal alloy(s)	
8481 90 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Silicone or plastic keyboards, comprising: • parts of common metal, and • whether or not comprising parts of plastic, • epoxy resin reinforced with fiberglass or wood, • whether or not printed or surface-treated, • with or without electrical conductors, • with or without a membrane bonded to the keyboard, • with or without mono or multilayer protective film	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8482 10 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Ball and cylindrical bearings: • with an outside diameter of 28 mm or more but not more than 140 mm, • with an operational thermal stress of more than 150 °C at a working pressure of not more than 14 MPa • for the manufacture of machinery for the protection and control of nuclear reactors in nuclear power plants	31 August 2024
8482 10 10 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Ball bearings with: • an internal diameter of 4 mm or more but not more than 9 mm, • an external diameter of not more than 26 mm, • a width of not more than 8 mm for use in the manufacture of electromotors with a range of 40 000 rpm or more but not more than 80 000 rpm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8482 10 10 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Double row ball bearings / ball bearing cartridges: • with an internal diameter of 3 mm or more, but not more than 9 mm, • with an external diameter of 17 mm or more, but not more than 36 mm, • with a width of 6 mm or more, but not more than 69 mm, • manufactured according to ISO standard 492 - Class 5 or DIN 620 - P5 or ANSI Standard 20 - ABEC 5, • with ceramic balls for use in turbo compressors (turbochargers)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8482 10 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Ball and cylindrical bearings: • with an outside diameter of 28 mm or more but not more than 140 mm, • with an operational thermal stress of more than 150 °C at a working pressure of not more than 14 MPa for the manufacture of machinery for the protection and control of nuclear reactors in nuclear power plants	31 August 2024
8482 10 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Double row ball bearings / ball bearing cartridges: • with an internal diameter of 3 mm or more, but not more than 9 mm, • with an external diameter of 17 mm or more, but not more than 36 mm, • with a width of 6 mm or more, but not more than 69 mm, • manufactured according to ISO standard 492 - Class 5 or DIN 620 -	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			P5 or ANSI Standard 20 - ABEC 5, • with ceramic balls for use in turbo compressors (turbochargers)	
8482 50 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Ball and cylindrical bearings: • with an outside diameter of 28 mm or more but not more than 140 mm, • with an operational thermal stress of more than 150 °C at a working pressure of not more than 14 MPa, for the manufacture of machinery for the protection and control of nuclear reactors in nuclear power plants	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8482 80 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Connecting components for use in the production of helicopter tail rotor shafts	31 August 2024
8482 99 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Brass cages with the following characteristics: • continuously or centrifugally cast, • turned, • containing by weight 35% or more, but not more than 38% of zinc, • containing by weight 0.75% or more, but not more than 1.25% of lead, • containing by weight 1% or more, but not more than 1.4% of aluminium, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• with a tensile strength of 415 Pa or more, of a kind used for the manufacture of ball bearings	
8483 30 32 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bearing housing of a kind used in turbochargers: • of precision-cast grey cast iron complying with standard DIN EN 1561 or precision-cast ductile cast iron complying with DIN EN 1560, • with oil chambers, • without bearings, • with a diameter of 50 mm or more, but not more than 250 mm, • with a height of 40 mm or more, but not more than 150 mm,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			whether or not with water chambers and connectors	
8483 30 38 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bearing housing of a kind used in turbochargers: • of precision-cast grey cast iron complying with standard DIN EN 1561 or precision-cast ductile cast iron complying with DIN EN 1560, • with oil chambers, • without bearings, • with a diameter of 50 mm or more, but not more than 250 mm, • with a height of 40 mm or more, but not more than 150 mm, • whether or not with water chambers and connectors	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8501 40 20 40	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electric AC commutator motor, single-phase, with an output of 250 W or more, an input power of 700 W or more but not more than 2 700 W, an external diameter of more than 120 mm (± 0.2 mm) but not more than 135 mm (± 0.2 mm), a rated speed of more than 30 000 rpm but not more than 50 000 rpm, equipped with air-inducting ventilator, for use in the manufacture of vacuum cleaners	31 August 2024
8501 40 80 30	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Electric AC commutator motor, single-phase, with an output of more than 750 Wm an input power of 700 W or more but not more than 2 700 W, an external diameter of more than 120 mm (± 0.2 mm) but not more than 135 mm (± 0.2 mm), a rated speed of more than 30 000 rpm but not more than 50 000 rpm, equipped with air-inducting ventilator, for use in the manufacture of vacuum cleaners	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8503 00 91 31	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rotor, at the inner side provided with one or two magnetic rings (uniform or sectional) whether or not incorporated in a steel ring	31 August 2024
8503 00 99 31	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Stamped collector of an electric motor, having an external diameter of not more than 16 mm	31 August 2024
8503 00 99 32	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rotor, at the inner side provided with one or two magnetic rings (uniform or sectional) whether or not incorporated in a steel ring	31 August 2024
8503 00 99 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Stator for brushless motor of electrical power steering with a roundness tolerance of 50 µm	31 August 2024
8503 00 99 34	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rotor for brushless motor of electrical power steering with a roundness tolerance of 50 µm	31 August 2024
8503 00 99 37	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Rotor for an electric motor, with the rotor cylindrical body made of agglomerated ferrite and plastics and the shaft made of metal with:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	• diameter of the rotor body of 17 mm or more but not more than 37 mm, • length of the rotor body of 12 mm or more but not more than 36 mm, shaft length of 52 mm or more but not more than 82 mm	
8503 00 99 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Fuel cell membrane, in rolls or sheets, with a width of not more than 150 cm, of a kind used for manufacture of fuel cells in heading 8501	31 August 2024
8503 00 99 43	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Silicone or plastic keyboards, comprising: • parts of common metal, and • whether or not comprising parts of plastic, • epoxy resin reinforced with fiberglass or wood, • whether or not printed or surface-treated,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• with or without electrical conductors • with or without a membrane bonded to the keyboard, with or without mono or multilayer protective film	
8503 00 99 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Stator for brushless motor, with: • an internal diameter of 206.6 mm (± 0.5), • an external diameter of 265 mm (± 0.2), and • a width of 37.2 mm or more but not more than 47.8 mm • of a kind used in the manufacture of washing machine, washer-dryer or dryer equipped with direct drive drums	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8503 00 99 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Engine cover for electronic belt drive steering system of galvanised steel with a thickness of not more than 2.5 mm (± 0.25 mm)	31 August 2024
8503 00 99 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rotor body of stacked electrical sheet having: • a diameter of 18 mm or more but not more than 35 mm, and a length of 20 mm or more but not more than 65 mm	31 August 2024
8503 00 99 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Stator body of stacked electrical sheet having: • an inner diameter of 18 mm or more, but not more than 35 mm, • an outer diameter of 35 mm or more, but not more than 65 mm, and • a length of 20 mm or more, but not more than 65 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8503 00 99 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Steel motor housing having: • an inner diameter of 35 mm or more but not more than 65 mm, • an outer diameter of 35 mm or more but not more than 70 mm, and • a length of 35 mm or more but not more than 150 mm	31 August 2024
8506 50 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Lithium cylindrical primary cells with: • a diameter of 14 mm or more but not more than 26 mm, • a length of 2.2 mm or more but not more than 51 mm, • a voltage of 1.5 V or more, but not more than 3.6 V, • a capacity of 0.15 Ah or more, but not more than 5 Ah • for use in the manufacture of telemetry and medical devices, electronic meters or remote controls	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8506 50 30 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lithium manganese dioxide cell, with: • a diameter of 20 mm or more but not more than 25 mm, • a length of 3 mm or more but not more than 6 mm, • a voltage of 3 V or more but not more than 3.4 V, • a capacity of 200 mAh or more but not more than 600 mAh, • an automotive test temperature range from -40 °C to + 125 °C for use as a component within the manufacture of Tyre Pressure Measuring Systems (TPMS)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8506 50 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lithium iodine single cell battery the dimensions of which do not exceed 9 mm × 23 mm × 45 mm and a voltage of not more than 2.8 V	31 August 2024
8506 50 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lithium-iodine or lithium-silver vanadium oxide single cell battery of dimensions of not more than 28 mm × 45 mm × 15 mm and a capacity of not less than 1.05 Ah	31 August 2024
8506 90 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cathode, in rolls, for air zinc button cell batteries (hearing aid batteries)	31 August 2024
8507 60 00 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit)	Cylindrical lithium-ion-accumulators or modules with: • a nominal capacity of 8.8 Ah or more, but not more than 18 Ah, • a nominal voltage of 36 V or more, but not more than 48 V,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	• a power of 300 Wh or more, but not more than 648 Wh • for use in the manufacture of electric bicycles	
8507 60 00 17	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lithium-ion starter accumulator, consisting of four rechargeable lithium-ion secondary cells, with: • a rated voltage of 12 V, • a length of 350 mm or more but not more than 355 mm, • a width of 170 mm or more but not more than 180 mm, • a height of 180 mm or more but not more than 195 mm, • weighing 10 kg or more but not more than 15 kg, a nominal charge of 60 Ah or more, but not more than 80 Ah	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8507 60 00 18	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lithium-ion polymer accumulator equipped with a battery management system and can-bus interface with: • a length of not more than 1 600 mm, • a width of not more than 448 mm, • a height of not more than 395 mm, • a weight of 125 kg or more but not more than 135 kg, • a nominal voltage of 280 V or more but not more than 400 V, • a nominal capacity of 9.7 Ah or more but not more than 10.35 Ah, • a charging voltage of 110 V or more but not more than 230 V, and • containing 6 modules with 90 cells or more but not more than 96 cells enclosed in a steel casing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• for use in the manufacture of vehicle capable of being charged by plugging to external source of electric power of heading 8703	
8507 60 00 22	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Integrated battery system in a metal case with holders, consisting of: • a lithium-ion battery with voltage of 48 V (± 5 V) and capacity of 0.44 kWh (± 0.05 kWh), • Battery Management System, • a relay, • a low voltage converter (DC/DC), • at least one connector for use in the manufacture of hybrid motor vehicles	31 August 2024
8507 60 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cylindrical lithium-ion accumulator or module, with a length of 63 mm or more and a diameter of 17.2 mm or more, having a nominal capacity of 1 200 mAh or more, for use in the manufacture of rechargeable batteries	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8507 60 00 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lithium-ion accumulator, with: • a length of 150 mm or more, but not more than 1 000 mm, • a width of 100 mm or more, but not more than 1 000 mm, • a height of 200 mm or more, but not more than 1 500 mm, • a weight of 75 kg or more, but not more than 200 kg, a nominal capacity not less than 150 Ah and not more than 500 Ah	31 August 2024
8507 60 00 37	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lithium-ion accumulator, with: • a length of 1 200 mm or more, but not more than 2 000 mm • a width of 800 mm or more, but not more than 1 300 mm • a height of 2 000 mm or more, but not more than 2 800 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a weight of 1 800 kg or more, but not more than 3 000 kg • a nominal capacity of 2 800 Ah or more but not more than 7 200 Ah	
8507 60 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Modules for the assembly of batteries of ion lithium electric accumulators with: • a length of 298 mm or more, but not more than 500 mm, • a width of 33.5 mm or more, but not more than 209 mm, • a height of 75 mm or more, but not more than 228 mm, • a weight of 3.6 kg or more, but not more than 17 kg, and • a power of 458 Wh or more, but not more than 2 158 Wh	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8507 60 00 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cylindrical Lithium Ion Cell with: • 3.5 VDC to 3.8 VDC, • 300 mAh to 900 mAh, and • a diameter of 10 mm to 14.5 mm	31 August 2024
8507 60 00 68	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lithium-ion accumulator in a metal housing with: • a length of 173 mm or more but not more than 175 mm, • a width of 41.5 mm or more but not more than 43 mm, • a height of 85 mm or more but not more than 103 mm, • a nominal voltage of 3.6 V or more but not more than 3.75 V, and • a nominal capacity of 93 Ah or more but not more than 94 Ah	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8507 60 00 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rectangular lithium-ion-accumulator, with: • a metal casing, • a length of 173 mm (± 0.15 mm), • a width of 21 mm (± 0.1 mm), • a height of 91 mm (± 0.15 mm), • a nominal voltage of 3.3 V, and • a nominal capacity of 21 Ah or more	31 August 2024
8507 60 00 77	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lithium-ion rechargeable batteries, with: • a length of 700 mm or more, but not more than 2 820 mm, • a width of 935 mm or more, but not more than 1 660 mm, • a height of 85 mm or more, but not more than 700 mm,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a weight of 250 kg or more, but not more than 700 kg, • a power of not more than 175 kWh, • a nominal voltage of 400 V	
8507 60 00 90	0.00%	This suspension only applies to: Lithium-ion modules for incorporation in lithium-ion rechargeable batteries: • of a length of 300 mm or more, but not more than 350 mm, • of a width of 79.8 mm or more, but not more than 225 mm, • of a height of 35 mm or more, but not more than 168 mm, • of a weight of 3.95 kg or more, but not more than 8.85 Kg,	Lithium-ion modules for incorporation in lithium-ion rechargeable batteries: • of a length of 300 mm or more, but not more than 350 mm, • of a width of 79.8 mm or more, but not more than 225 mm, • of a height of 35 mm or more, but not more than 168 mm, • of a weight of 3.95 kg or more, but not more than 8.85 Kg, • with a rating of 66.6 Ah or more, but not more than 129 Ah and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• with a rating of 66.6 Ah or more, but not more than 129 Ah and Lithium-ion cylindrical accumulator with: • a nominal capacity of 10 Ah or more, but not more than 20 Ah, • a nominal voltage of 12,8 V (± 0.05) or more, but not more than 15.2 V (± 0.05), • a power of 128 Wh or more, but not more than 256 Wh for use in the manufacture of electric bicycle drives and Prismatic lithium-ion electric accumulators with:	Lithium-ion cylindrical accumulator with: • a nominal capacity of 10 Ah or more, but not more than 20 Ah, • a nominal voltage of 12,8 V (± 0.05) or more, but not more than 15.2 V (± 0.05), • a power of 128 Wh or more, but not more than 256 Wh • for use in the manufacture of electric bicycle drives and Prismatic lithium-ion electric accumulators with: • -a width of 173,0 mm (± 0,4 mm), • -a thickness of 45,0 mm (± 0,4 mm), • -a height 125,0 mm (± 0,3 mm), • -a nominal voltage of 3,67 V (± 0,01 V), and	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• -a width of 173,0 mm (± 0,4 mm), • -a thickness of 45,0 mm (± 0,4 mm), • -a height 125,0 mm (± 0,3 mm), • -a nominal voltage of 3,67 V (± 0,01 V), and • -a nominal capacity of 94 Ah and/or 120 Ah for use in the manufacture of rechargeable electric vehicle batteries falling under these CN10 codes. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• -a nominal capacity of 94 Ah and/or 120 Ah for use in the manufacture of rechargeable electric vehicle batteries	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8507 90 30 90	0.00%	This suspension only applies to: Safety Reinforced Separator designed to separate cathode and anode in lithium-ion electric accumulators for motor vehicle batteries for use in the manufacture of lithium-ion electric accumulators for motor vehicle batteries, falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Safety Reinforced Separator designed to separate cathode and anode in lithium-ion electric accumulators for motor vehicle batteries for use in the manufacture of lithium-ion electric accumulators for motor vehicle batteries	31 August 2024
8507 90 80 90	0.00%	This suspension only applies to Roll of laminate foil of graphite and copper, with: • a width of 610 mm or more but not more than 620 mm, and • a diameter of 690 mm or more but not more than 710 mm	Roll of laminate foil of graphite and copper, with: • a width of 610 mm or more but not more than 620 mm, and • a diameter of 690 mm or more but not more than 710 mm and Cut plate of nickel-plated copper foil, with:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		for use in the manufacture of lithium-ion electric rechargeable batteries and Cut plate of nickel-plated copper foil, with: • a width of 70mm (± 5 mm), • a thickness of 0.4mm (± 0.2 mm), • a length of not more than 55 mm for use in the manufacture of lithium-ion electric rechargeable batteries, falling under this CN10 code. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	• a width of 70mm (± 5 mm), • a thickness of 0.4mm (± 0.2 mm), • a length of not more than 55 mm for use in the manufacture of lithium-ion electric rechargeable batteries	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8511 30 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Igniter integrated coil assembly with: • an igniter, • a coil on plug assembly with an integrated mounting bracket, • a housing, • a length of 90 mm or more but not more than 200 mm (+/- 5 mm), • an operating temperature of - 40 °C or more but not more than 130 °C, a voltage of 10.5 V or more, but not more than 16 V	31 August 2024
8511 30 00 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward	Ignition coil: • with a length of 50 mm or more, but not more than 200 mm, • with an operating temperature of - 40 °C or more, but not more than 140 °C, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	• with a voltage of 9 V or more, but not more than 16 V, • with or without connection cable • for use in the manufacture of engines of motor vehicles	
8511 80 00 90	0.00%	This suspension only applies to: Glow-plug for pre-heating of the diesel engines with: • an operating temperature of more than 800 °C, • a voltage of 5 V or more, but not more than 16 V, • a heating rod containing silicon nitride (Si3N4) and molybdenum disilicide (MoSi2), and • a metal housing	Glow-plug for pre-heating of the diesel engines with: • an operating temperature of more than 800 °C, • a voltage of 5 V or more, but not more than 16 V, • a heating rod containing silicon nitride (Si3N4) and molybdenum disilicide (MoSi2), and • a metal housing for use in the manufacture of diesel engines of motor vehicles	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		falling under this CN10 code and for use in the manufacture of diesel engines of motor vehicles This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8512 20 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lighting module, containing at least: • two LEDs, • glass or plastic lenses, focusing/scattering the light emitted by the LEDs, • reflectors redirecting the light emitted by the LEDs	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			in an aluminium housing with a radiator, mounted at a bracket with an actuator	
8512 20 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Fog lamp with a galvanised inner surface, containing: • a plastic holder with three or more brackets, • one or more 12 V bulbs, • a connector, • a plastic cover, • whether or not with a connection cable for use in the manufacture of goods of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8512 20 00 90	0.00%	This suspension only applies to: Information screen displaying at least time, date and status of safety features in a vehicle with an operating voltage of 12 V or more, but not more than 14.4 V, of a kind used in the manufacturing of goods of Chapter 87 Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Information screen displaying at least time, date and status of safety features in a vehicle with an operating voltage of 12 V or more, but not more than 14.4 V, of a kind used in the manufacturing of goods of Chapter 87	31 August 2024
8512 30 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Horn assembly operating on piezomechanical principle for generating a specific sound signal, with a voltage of 12 V, comprising: • coil, • magnet, • metal membrane, • connector,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• holder of a kind used in the manufacture of goods of Chapter 87	
8512 30 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Warning buzzer for parking sensor system in a plastic casing operating on the piezo-mechanic principle, containing: • a printed circuit board, • a connector, • whether or not a metal holder of a kind used in the manufacture of goods of chapter 87	31 August 2024
8512 30 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs	Sound alarm device for protection against burglary into the vehicle: • with an operating temperature of -45 °C or more, but not more than + 95 °C,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	• with a voltage of 9 V or more but not more than 16 V, • in a plastic housing, • whether or not with a metal holder for use in the manufacture of motor vehicles	
8512 40 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Car door mirror heating foil: • with two electrical contacts, • with an adhesive layer on both sides (on the side of the plastic holder of the mirror and on the side of the mirror glass), with a protective paper film on both sides	31 August 2024
8516 50 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Cavity assembly comprising at least: • a transformer with an input of not more than 240 V and an output of not more than 3 000 W,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• an AC or DC fan motor with an output of not more than 42 W, • a housing made of stainless steel, • with or without a magnetron of a microwave output power of not more than 900 W • for use in the manufacture of built-in products of headings 8514 2080, 8516 5000 and 8516 6080	
8516 60 80 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Cavity assembly comprising at least: • a transformer with an input of not more than 240 V and an output of not more than 3 000 W, • an AC or DC fan motor with an output of not more than 42 watts, • a housing made of stainless steel, • with or without a magnetron of a microwave output power of not more than 900 W	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			for use in the manufacture of built-in products of headings 8514 2080, 8516 5000 and 8516 6080	
8516 80 20 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Car door mirror heating foil: • with two electrical contacts, • with an adhesive layer on both sides (on the side of the plastic holder of the mirror and on the side of the mirror glass), with a protective paper film on both sides	31 August 2024
8516 90 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ventilation sub-assembly of an electric deep-fat fryer: • fitted with a motor having a power rating of 8 W at 4 600 rpm, • governed by an electronic circuit,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• operating at ambient temperatures above 110 °C, • fitted with a thermoregulator	
8516 90 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Inner pot: • containing side and central openings, • of annealed aluminium, • with a ceramic coating, heat resistant to more than 200 °C • for use in the manufacture of an electric fryer	31 August 2024
8516 90 00 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Door assembly incorporating a capacitive sealing element and wavelength choke for use in the manufacture of built-in products of headings 8514 2080, 8516 5000 and 8516 6080	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8528 59 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Liquid crystal display colour video monitor assembly mounted on a frame: • excluding those combined with other apparatus, • comprising touch screen facilities, a printed circuit board with drive circuitry and power supply used for permanent incorporation or permanent mounting into entertainment systems for vehicles	31 August 2024
8528 59 00 30	0.00%	This suspension only applies to: • Electronic device with LCD touch screen display powered by a voltage of 12 V or more but not more tha:n 14.4 V, containing • a LCD control processor, • a GPS module,	Electronic device with LCD touch screen display powered by a voltage of 12 V or more but not more than 14.4 V, containing: • a LCD control processor, • a GPS module, • a Bluetooth module, • an USB port, • a radio signal tuner,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• a Bluetooth module, • an USB port, • a radio signal tuner, • whether or not containing DAB module, • whether or not containing functions for cooperation with E-CALL, • whether or not containing an integrated control panel, • whether or not containing connectors for use in the manufacture of goods of Chapter 87, falling under this CN10 code.	• whether or not containing DAB module, • whether or not containing functions for cooperation with E-CALL, • whether or not containing an integrated control panel, • whether or not containing connectors for use in the manufacture of goods of Chapter 87	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8529 90 92 75	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Printed circuit board with LED diodes: • whether or not equipped with prisms/lenses, and • whether or not fitted with connector(s) for the manufacture of backlight units for goods of Heading 8528	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8529 90 92 99	0.00%	This suspension only applies to LCD display with: • a touch panel, • at least one printed circuit board for simple slave device pixel addressing (Timing Controller function) and touch control, with EEPROM (Electrically Erasable Programmable Read-Only Memory) for display settings, • a diagonal screen measurement of at least 15 cm but not more than 21 cm, • a backlight, • a LVDS (Low Voltage Differential Signalling) and a power supply connector, • a viewing angle of 70 degrees or more, and • a luminance of 715 cd/m^2 or more,	LCD display with: • a touch panel, • at least one printed circuit board for simple slave device pixel addressing (Timing Controller function) and touch control, with EEPROM (Electrically Erasable Programmable Read-Only Memory) for display settings, • a diagonal screen measurement of at least 15 cm but not more than 21 cm, • a backlight, • a LVDS (Low Voltage Differential Signalling) and a power supply connector, • a viewing angle of 70 degrees or more, and • a luminance of 715 cd/m^2 or more, for use in the manufacture of motor vehicles of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• for use in the manufacture of motor vehicles of Chapter 87 Falling under this CN10 code. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
8535 90 00 89	0.00%	This suspension only applies to: Semiconductor module switch in a casing: • consisting of an IGBT transistor chip and a diode chip on one or more lead frames,	Semiconductor module switch in a casing: • consisting of an IGBT transistor chip and a diode chip on one or more lead frames, for a voltage of 600 V or 1 200 V	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• for a voltage of 600 V or 1 200 V Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
8536 41 10 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Photoelectric (so called photovoltaic) relay consisting of a GaAlAs light-emitting diode, a galvanically isolated input circuit with a photovoltaic generator and a power MOSFET output switch in a casing with connections for a voltage of 60 volts or less and a current of 2 amps or less	31 August 2024
8536 41 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Power relay with: • electromechanical and/or electromagnetical switching function, • a load current of 3 A or more but not more than 16 A,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a coil voltage of 5 V or more but not more than 24 V, and a distance between the connector pins of the load circuit not more than 15.6 mm	
8536 41 90 89	0.00%	This suspension only applies to: Photoelectric (so called photovoltaic) relay consisting of a GaAlAs light-emitting diode, a galvanically isolated input circuit with one or two photovoltaic generators and two power MOSFET output switches in a casing with connections for a maximum voltage of 60 volts and a minimum current of 2 amps Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Photoelectric (so called photovoltaic) relay consisting of a GaAlAs light-emitting diode, a galvanically isolated input circuit with one or two photovoltaic generators and two power MOSFET output switches in a casing with connections for a maximum voltage of 60 volts and a minimum current of 2 amps	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8536 49 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Photoelectric (so called photovoltaic) relay consisting of two GaAlAs light-emitting diodes, two galvanically isolated input circuits with photovoltaic generator(s) and four power MOSFET output switches in a casing with connections for a voltage of more than 60 volts	31 August 2024
8536 49 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Relay with: • a contact current carrying capacity of 5 A or more but not more than 15 A, • a nominal voltage of 80 V or more but not more than 270 V, and • outer dimensions of 19 mm x 15.2 mm x 15.5 mm for use in the manufacture of control boards for household appliances	31 August 2024
8536 69 90 51	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	SCART type connectors, built into a plastic or metal housing, with 21 pins in 2 rows, for use in the manufacture of products falling within headings 8521 and 8528	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8536 69 90 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electrical sockets and plugs with a length of not more than 12.7 mm or a diameter of not more than 10.8 mm, for use in the production of hearing aids and speech processors	31 August 2024
8536 69 90 82	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Modular socket or plug for local area networks, whether or not combined with other sockets, integrating at least: • a pulse transformer, including a wide-band ferrite core, • a common mode coil, • a resistor, • a capacitor for use in the manufacture of products falling within headings 8521 or 8528	31 August 2024
8536 69 90 83	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	AC socket with a noise filter, composed of: • AC socket (for power cord connection) of 230 V,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• integrated noise filter composed of capacitors and inductors, • cable connector for connecting an AC socket with the PDP (Plasma display panel) power supply unit whether or not equipped with a metal support, which joins the AC socket to the PDP TV set	
8536 69 90 84	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Universal serial bus (USB) socket or plug in a single or multiple form for connecting with other USB devices, for use in the manufacture of goods falling within headings 8521 or 8528	31 August 2024
8536 69 90 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Socket or plug, built into a plastic or metal housing, with no more than 96 pins, for use in the manufacture of products falling within headings 8521 or 8528	31 August 2024
8536 69 90 86	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	High-Definition Multimedia Interface (HDMI) type socket or plug, built into a plastic or metal housing, with 19 pins or 20 pins in 2 rows, for use in the manufacture of products falling within headings 8521 or 8528	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8536 70 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Optical socket, plug or connector, for use in the manufacture of goods falling within headings 8521 or 8528	31 August 2024
8537 10 91 20	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electronic assembly containing: • a microprocessor, • a programmable memory and other electronic components mounted on a printed circuit, • with or without light-emitting diode (LED) or liquid crystal display (LCD) indicators for use in the manufacture of products of subheadings 8418 21, 8418 29, 8421 12, 8422 11, 8450 11, 8450 12, 8450 19, 8451 21, 8451 29 and 8516 60	31 August 2024
8537 10 91 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fuse control module in a plastic housing with mounting brackets comprising: • sockets with or without fuses,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• connecting ports, • a printed circuit board with embedded microprocessor, micro switch and relay of a kind used in the manufacture of goods of chapter 87	
8537 10 91 57	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Programmable memory control board with: • 4 or more stepper motor drivers, • 4 or more outputs with MOSFET transistors, • a main processor, • 3 or more inputs for temperature sensors, • for a voltage of 10 V or more but not more than 30 V for use in the manufacture of 3D printers	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8537 10 91 59	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electronic control units for controlling inter axle torque transferring in all-wheel drive vehicles including: • a printed circuit board with programmable memory controller, • one single connector, and working at 12 V	31 August 2024
8537 10 91 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electronic control units, manufactured according to class 2 of IPC-A-610E standard, with at least: • an AC power input of 208 V or more but not more than 400 V, • a logic power input of 24 V DC, • an automatic circuit breaker, • a main power switch, • internal or external electrical connectors and cables,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• in a housing with dimension of 281 mm x 180 mm x 75 mm or more, but not more than 630 mm x 420 mm x 230 mm • of a kind used for manufacturing recycling or sorting machines	
8537 10 91 63	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electronic control units able to control automatic continuous variable transmission for passenger vehicles including: • a printed circuit board with programmable memory controller, • a metallic housing, • one single connector, working at 12V	31 August 2024
8537 10 91 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electronic control unit for optimal engine performance: • with a programmable memory, • with a voltage of 8 V or more but not more than 16 V,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• with at least one composite connector, • in a metal housing, • whether or not with metal holders • for use in the manufacture of motor vehicles	
8537 10 91 67	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electronic Engine Control Unit (ECU) with: • a printed circuit board (PCB), • 12 Volts voltage, • reprogrammable, • a micro-processor that can control, evaluate and manage support service functions in cars (injection and ignition advance values of fuel, fuel and air flow rate) for use in the manufacture of goods of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8537 10 91 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Programmable memory controller for a voltage not exceeding 1 000 V, comprising at least: • a printed circuit with active and passive components, • an aluminium housing, and multiple connectors	31 August 2024
8537 10 98 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Motor bridge ICs without programmable memory consisting of: • one or more integrated circuits, not interconnected, on separate lead frames, • also with discrete Metal Oxide Field Effect Transistors (MOSFET) for controlling DC motors in cars, • mounted in a plastic housing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8537 10 98 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electronic control unit without memory, for a voltage of 12 V, for information exchange systems in vehicles (for connection of audio, telephony, navigation, camera and wireless car service) containing: • 2 rotary knobs, • 27 or more pushbuttons, • LED lights, • 2 integrated circuits for receiving and sending of control signals via the LIN-bus	31 August 2024
8537 10 98 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electronic control unit for monitoring car vehicle tyre pressure comprising plastic box with printed circuit board inside and with or without metal holder, of: • a length of 50 mm or more, but not more than 120 mm, • a width of 20 mm or more but not more than 40 mm,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a height of 30 mm or more, but not more than 120 mm • of a kind used in the manufacture of goods of Chapter 87	
8537 10 98 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electronic control units, manufactured according to class 2 of IPC-A-610E standard, with at least: • an AC power input of 208 V or more but not more than 400 V, • a logic power input of 24 V DC, • an automatic circuit breaker, • a main power switch, • internal or external electrical connectors and cables, • in a housing with dimension of 281 mm x 180 mm x 75 mm or more, but not more than 630 mm x 420 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			x 230 mm of a kind used for manufacturing recycling or sorting machines	
8537 10 98 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electronic control unit BCM (Body Control Module) comprising: • plastic box with printed circuit board and metal holder, • with voltage of 9 V or more, but not more than 16 V, • able to control, evaluate and manage functions of assisting services in an automobile, at least wiper timing, window heating, interior lighting, seat belt reminder of a kind used in the manufacture of goods of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8537 10 98 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Silicone or plastic keyboards, comprising: • parts of common metal, and • whether or not comprising parts of plastic, • epoxy resin reinforced with fiberglass or wood, • whether or not printed or surface-treated, • with or without electrical conductors, • with or without a membrane bonded to the keyboard, with or without mono or multilayer protective film	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8537 10 98 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Electronic assembly consisting of: • a microprocessor, • light-emitting diode (LED) or liquid crystal display (LCD) indicators, • electronic components mounted on a printed circuit • for use in the manufacture of built-in products of headings 8514 2080, 8516 5000 and 8516 6080	31 August 2024
8537 10 98 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Control unit for keyless access to vehicle and vehicle starting, with electrical switching apparatus, in a plastic housing, for a voltage of 12 V, whether or not with: • an antenna, • a connector, • a metal holder for use in the manufacture of goods of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8537 10 98 93	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electronic control units for a voltage of 12 V, for use in the manufacture of vehicle mounted temperature control systems	31 August 2024
8537 10 98 98	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electronic circuit cards that: • are connected by wire or radio frequency to each other and the motor controller card, and • regulate the functioning (switching on or off and suction capacity) of vacuum cleaners according to a stored program, whether or not fitted with indicators that display the functioning of the vacuum cleaner (suction capacity and/or dust bag full and/or filter full)	
8537 10 98 99	0.00%	This suspension only applies to: Electronic circuit card without separate housing for actuating and controlling vacuum cleaner brushes powered by not more than 300W and	Electronic circuit card without separate housing for actuating and controlling vacuum cleaner brushes powered by not more than 300W and Lever for control module under the steering wheel:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Lever for control module under the steering wheel: • with one or more single or multi-positional electrical switches (push-button, rotary or other), • whether or not equipped with printed circuit boards and electrical cables, • for a voltage of 9 V or more but not more than 16 V of a kind used in the manufacture of motor vehicles of Chapter 87 falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• with one or more single or multi-positional electrical switches (push-button, rotary or other), • whether or not equipped with printed circuit boards and electrical cables, • for a voltage of 9 V or more but not more than 16 V of a kind used in the manufacture of motor vehicles of Chapter 87	
8543 70 90 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Laminated electrochromic film consisting of: • two outer layers of polyester,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	• a middle layer of acrylic polymer and silicone, and two electric connection terminals	
8543 70 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Amplifier, consisting of active and passive elements mounted on a printed circuit, contained in a housing	31 August 2024
8543 70 90 33	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	High-frequency amplifier comprising one or more integrated circuits and one or more discrete capacitor chips, whether or not with IPD (integrated passive devices) on a metal flange in a housing	31 August 2024
8543 70 90 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Radio frequency (RF) modulator, operating with a frequency range of 43 MHz or more but not more than 870 MHz, capable of switching VHF and UHF signals, consisting of active and passive elements mounted on a printed circuit, contained in a housing	31 August 2024
8543 70 90 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Piezo-electric crystal oscillator with a fixed frequency, within a frequency range of 1.8 MHz to 67 MHz, contained in a housing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8543 70 90 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Opto-electronic circuit comprising one or more light-emitting diodes (LEDs), whether or not equipped with an integrated driving circuit, and one photodiode with amplifier circuit, whether or not with an integrated logic gate arrays circuit or one or more light-emitting diodes and at least 2 photodiodes with an amplifier circuit, whether or not with an integrated logic gate arrays circuit or other integrated circuits, contained in a housing	31 August 2024
8543 70 90 63	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Voltage controlled frequency generator, consisting of active and passive elements mounted on a printed circuit, contained in a housing with dimensions of not more than 30 mm × 30 mm	31 August 2024
8543 70 90 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Temperature compensated oscillator, comprising a printed circuit on which are mounted at least a piezo-electric crystal and an adjustable capacitor, contained in a housing	31 August 2024
8543 70 90 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Voltage controlled oscillator (VCO), other than temperature compensated oscillators, consisting of active and passive elements	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	mounted on a printed circuit, contained in a housing	
8543 70 90 99	0.00%	This suspension only applies to: Mobile telephone view and control module comprising of: • a mains power/ CAN (Controller area network) output socket, • a Universal Serial Bus (USB) and Audio IN/OUT ports, and • incorporating a video switching device for the interface of smart phone operating systems with the Media Orientated Systems Transport network (MOST) and Gallium nitride (GaN) high-frequency amplifier consisting of one or more discrete transistors, one or more discrete capacitor	Mobile telephone view and control module comprising of: • a mains power/ CAN (Controller area network) output socket, • a Universal Serial Bus (USB) and Audio IN/OUT ports, and • incorporating a video switching device for the interface of smart phone operating systems with the Media Orientated Systems Transport network (MOST) and Gallium nitride (GaN) high-frequency amplifier consisting of one or more discrete transistors, one or more discrete capacitor chips, whether or not with IPD (integrated passive devices) on a metal flange in a housing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		chips, whether or not with IPD (integrated passive devices) on a metal flange in a housing for use in the manufacture of vehicles of chapter 87 falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	for use in the manufacture of vehicles of chapter 87.	
8544 20 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	PET/PVC insulated flexible cable with: • a voltage of not more than 60 V, • a current of not more than 1 A, • a heat resistance of not more than 105 °C, • individual wires of a thickness of not more than 0.1 mm (± 0.01 mm) and a width of not more than 0.8 mm (± 0.03 mm),	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a distance between conductors of not more than 0.5 mm, and a pitch (distance from centreline to centreline of conductors) of not more than 1.25 mm	
8544 20 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Antenna connecting cable for the transmission of radio (AM/FM) signal and whether or not GPS signal, containing: • a coaxial cable, • two or more connectors, and • 3 or more plastic clips for attachment to the dashboard • of a kind used in the manufacture of goods of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8544 30 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Multi-measurement wire harness of a voltage of 5V or more but not more than 90 V capable of measuring some or all of the following: • a travel speed of not more than 24 km/h, • a motor speed of not more than 4 500 rpm, • hydraulic pressure of not more than 25 Mpa, • mass of not more than 50 metric tonnes for use in the manufacture of vehicles of heading 8427	31 August 2024
8544 30 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Wire harness of the steering system with an operating voltage of 12 V, equipped with connectors on both sides, having at least 3 plastic anchor clamps for mounting on a motor vehicle steering box	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8544 30 00 45	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Linking seven-core cable for connecting sensor for pressure measure in intake manifold (Boost Pressure Sensor - BPS) and sockets for glow plugs with common connector, containing four sockets and two connectors for use in the manufacture of compression-ignition internal combustion piston engines for passenger cars	31 August 2024
8544 30 00 55	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Connecting five-core cable with connectors for coupling the temperature sensor and the exhaust manifold pressure difference sensor to the common connector for use in the manufacture of compression-ignition internal combustion piston engines of passenger cars	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8544 30 00 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Four-core connecting cable containing two female connectors for the transmission of digital signals from navigation and audio systems to a USB connector, of kind used in the manufacture of goods of Chapter 87	31 August 2024
8544 30 00 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Multi-measurement wire harness: • of a voltage of 5 V or more but not more than 90 V, capable of transmitting information for use in the manufacture of vehicles of heading 8711	31 August 2024
8544 30 00 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Extension two-core cable with two connectors, containing at least: • a rubber grommet, • a metal attachment bracket	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• of a kind used to connect vehicle speed sensors in the manufacture of vehicles of Chapter 87	
8544 30 00 89	0.00%	This suspension only applies to: Wire harness: • with an operation voltage of 12 V, • wrapped in tape or covered in plastic convoluted tubing, • with 16 or more strand, with all terminals to be tin plated or equipped with connectors for use in the manufacture of all-terrain or utility task vehicles Falling under this CN10 code.	Wire harness: • with an operation voltage of 12 V, • wrapped in tape or covered in plastic convoluted tubing, • with 16 or more strand, with all terminals to be tin plated or equipped with connectors for use in the manufacture of all-terrain or utility task vehicles	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8544 42 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Data transmission cable capable of a bit rate transmission of 600 Mbit/s or more, with: • a voltage of 1.25 V (± 0.25 V), • connectors fitted at one or both ends, at least one of which contains pins with a pitch of 1 mm, • outer screening shielding used solely for communication between LCD, PDP or OLED panel and video processing electronic circuits	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8544 42 90 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	PVC isolated flexible eight wire cable with: • a length of not more than 2 100 mm, • an operating voltage of 5 V or more, but not more than 35 V, • a temperature resistance of not more than 80 °C, • either an over-moulded 7 pin round 270 ° DIN male connector, a 6 pin A1101 male connector or an 8 pin A1001 male connector on one end, and • at least two stripped and tinned wires on the other end, whether or not with mounted rubber pad with integrated strain relief	31 August 2024
8544 42 90 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	PET/PVC insulated flexible cable with: • a voltage of not more than 60 V, • a current of not more than 1 A,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a heat resistance of not more than 105 °C, • individual wires of a thickness of not more than 0.1 mm (± 0.01 mm) and a width of not more than 0.8 mm (± 0.03 mm), • a distance between conductors of not more than 0.5 mm, and • a pitch (distance from centreline to centreline of conductors) of not more than 1.25 mm	
8544 42 90 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	PVC isolated flexible cable with: • a length of not more than 1 800 mm, • an operating voltage of 5 V or more, but not more than 35 V, • a heat resistance of not more than 80 °C, • an over-moulded 8 pin MiniFit male connector on one end,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• either a 6 pin MiniFit socket or two over-moulded AMP connectors on the other end, • a over-moulded resistor inside the connector, and • a moulded strain relief on the cable, • whether or not with an over-moulded diode inside a connector	
8544 42 90 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	PVC isolated flexible six or eight wire cable with: • a length of not more than 1 300 mm, • an operating voltage of 5 V or more, but not more than 35 V, • a heat resistance of not more than 80 °C, • either an over-moulded 8 pin MiniFit male connector or an over-moulded 6-pin DIN male connector on one end, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• either an over-moulded 8 pin MiniFit socket or an 8 pin MicroFit male connector on the other end	
8544 42 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Wire harness of the steering system with an operating voltage of 12 V, equipped with connectors on both sides, having at least 3 plastic anchor clamps for mounting on a motor vehicle steering box	31 August 2024
8544 42 90 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Four-core connecting cable containing two female connectors for the transmission of digital signals from navigation and audio systems to a USB connector, of kind used in the manufacture of goods of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8544 42 90 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electric conductors: • of a voltage of not more than 80 V, • with a length of not more than 120 cm, • fitted with connectors for use in the manufacture of hearing aids, accessory kits and speech processors	31 August 2024
8544 42 90 80	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	12-wire connecting cable containing two connectors • of a voltage of 5 V, • with a length of not more than 300 mm for use in the manufacture of goods of Chapter 87	31 August 2024
8544 49 93 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Elastomeric connector, of rubber or silicone, consisting of one or more conductor elements	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8544 49 93 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	PET/PVC insulated flexible cable with: • a voltage of not more than 60 V, • a current of not more than 1 A, • a heat resistance of not more than 105 °C, • individual wires of a thickness of not more than 0.1 mm (± 0.01 mm) and a width of not more than 0.8 mm (± 0.03 mm), • a distance between conductors of not more than 0.5 mm, and a pitch (distance from centreline to centreline of conductors) of not more than 1.25 mm	31 August 2024
8544 49 93 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electric conductors: • of a voltage of not more than 80 V, • of a platinum-iridium-alloy,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• coated with poly(tetrafluoroethylene), • without connectors • for use in the manufacture of hearing aids, implants and speech processors	
8708 10 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Plastic cover for filling the space between the fog lights and the bumper whether or not with a chrome strip for use in the manufacture of goods of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 10 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Plastic cover for filling the space between the fog lights and the bumper whether or not with a chrome strip for use in the manufacture of goods of Chapter 87	31 August 2024
8708 30 10 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Motor powered brake actuation unit: • with a rating of 13.5 V (± 0.5 V), and • a ball screw mechanism to control brake fluid pressure in the master cylinder for use in the manufacture of electric motor vehicles	31 August 2024
8708 30 10 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Body of disc type brake in BIR ("Ball in Ramp") or EPB ("Electronic Parking Brake") or with hydraulic function only, containing functional and mounting openings	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			and guide grooves, of a kind used in the manufacture of goods of Chapter 87	
8708 30 10 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-asbestos organic brake pads with friction material mounted to the band steel back plate for use in the manufacture of goods of Chapter 87	31 August 2024
8708 30 10 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ductile cast iron brake caliper jaw, of a kind used in the manufacture of goods of Chapter 87	31 August 2024
8708 30 10 90	0.00%	This suspension only applies to: Drum type parking brake: • operating within the service brake disk, • with a diameter of 170 mm or more but not more than 195 mm	Drum type parking brake: • operating within the service brake disk, • with a diameter of 170 mm or more but not more than 195 mm for use in the manufacture of motor vehicles	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		for use in the manufacture of motor vehicles. Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit)		
8708 30 91 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Non-asbestos organic brake pads with friction material mounted to the band steel back plate for use in the manufacture of goods of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 30 91 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Body of disc type brake in BIR ("Ball in Ramp") or EPB ("Electronic Parking Brake") or with hydraulic function only, containing functional and mounting openings and guide grooves, of a kind used in the manufacture of goods of Chapter 87	31 August 2024
8708 30 91 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ductile cast iron brake caliper jaw, of a kind used in the manufacture of goods of Chapter 87	31 August 2024
8708 30 91 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Motor powered brake actuation unit: • with a rating of 13.5 V (± 0.5 V), and • a ball screw mechanism to control brake fluid pressure in the master cylinder for use in the manufacture of electric motor vehicles	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 30 91 90	0.00%	This suspension only applies to: Drum type parking brake: • operating within the service brake disk, • with a diameter of 170 mm or more but not more than 195 mm for use in the manufacture of motor vehicles Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Drum type parking brake: • operating within the service brake disk, • with a diameter of 170 mm or more but not more than 195 mm for use in the manufacture of motor vehicles	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 30 99 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Motor powered brake actuation unit -with a rating of 13.5 V (±0.5V) and -a ball screw mechanism to control brake fluid pressure in the master cylinder for use in the manufacture of electric motor vehicles	31 August 2024
8708 40 20 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Automatic hydrodynamic gearbox: • with a hydraulic torque converter, • without transfer box and cardan shaft, • whether or not with front differential for use in the manufacture of motor vehicles of Chapter 87	31 August 2024
8708 40 20 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit)	Automatic gearbox with a hydraulic torque converter with: • at least eight gears, • an engine torque of 300 Nm or more, and • transverse or longitudinal installation	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	for use in the manufacture of motor vehicles of heading 8703	
8708 40 20 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Transmission assembly which houses 3 other shafts inside it and offers a rotating switch for shift position consisting: • cast aluminium body, • differential gear, • 2 electrical motors and gears with the dimensions of: • a width of 280 mm or more but not more than 470 mm, • a height of 350 mm or more but not more than 595 mm, • a length of 410 mm or more but not more than 690 mm for use in the manufacture of motor vehicles of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 40 20 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Automatic transmission assembly with rotary gear shifter with: • aluminium casting housing, • differential gear, • 9 Speed automatic Electronic range select gear selection system, with dimensions of: • a width of 330 mm or more but not more than 420 mm, • a height of 380 mm or more but not more than 450 mm, • a length of 580 mm or more but not more than 690 mm for use in the manufacture of the vehicles in heading 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 40 20 70	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Manual gearbox in cast aluminium housing with: • a width of not more than 480 mm, • a height of not more than 400 mm, • a length of not more than 550 mm, • five gears, • a differential gear, • an engine torque of 250 Nm or less, • for transverse installation for use in the manufacture of motor vehicles of heading 8703	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 40 20 90	0.00%	This suspension only applies to: Gear box assembly with one or two inputs and at least three outputs in cast aluminium housing with overall dimensions (excluding the shafts) of not more than 455 mm (width) x 462 mm (height), 680 mm length, equipped with at least: • one exterior-splined output shaft, • a rotary switch to indicate gear position, • the potential for a differential for use in the manufacture of all-terrain or utility task vehicles Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Gear box assembly with one or two inputs and at least three outputs in cast aluminium housing with overall dimensions (excluding the shafts) of not more than 455 mm (width) x 462 mm (height), 680 mm length, equipped with at least: • one exterior-splined output shaft, • a rotary switch to indicate gear position, • the potential for a differential for use in the manufacture of all-terrain or utility task vehicles	24 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8708 40 50 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Automatic hydrodynamic gearbox: • with a hydraulic torque converter, • without transfer box and cardan shaft, • whether or not with front differential for use in the manufacture of motor vehicles of Chapter 87	31 August 2024
8708 40 50 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Transmission assembly which houses 3 other shafts inside it and offers a rotating switch for shift position consisting: • cast aluminium body,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• differential gear, • 2 electrical motors and gears with the dimensions of: • a width of 280 mm or more but not more than 470 mm, • a height of 350 mm or more but not more than 595 mm, • a length of 410 mm or more but not more than 690 mm for use in the manufacture of motor vehicles of Chapter 87	
8708 40 50 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward	Automatic transmission assembly with rotary gear shifter with: • aluminium casting housing, • differential gear, • 9 Speed automatic	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Electronic range select gear selection system, with dimensions of: • a width of 330 mm or more but not more than 420 mm, • a height of 380 mm or more but not more than 450 mm, • a length of 580 mm or more but not more than 690 mm for use in the manufacture of the vehicles in heading 87	
8708 40 50 60	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Manual gearbox in cast aluminium housing with: • a width of not more than 480 mm, • a height of not more than 400 mm, • a length of not more than 550 mm, • five gears,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a differential gear, • an engine torque of 250 Nm or less, • for transverse installation for use in the manufacture of motor vehicles of heading 8703	
8708 40 50 90	0.00%	This suspension only applies to: Gear box assembly with one or two inputs and at least three outputs in cast aluminium housing with overall dimensions (excluding the shafts) of not more than 455 mm (width) x 462 mm (height), 680 mm length, equipped with at least: • one exterior-splined output shaft, • a rotary switch to indicate gear position, • the potential for a differential	Gear box assembly with one or two inputs and at least three outputs in cast aluminium housing with overall dimensions (excluding the shafts) of not more than 455 mm (width) x 462 mm (height), 680 mm length, equipped with at least: • one exterior-splined output shaft, • a rotary switch to indicate gear position, • the potential for a differential for use in the manufacture of all-terrain or utility task vehicles	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		for use in the manufacture of all-terrain or utility task vehicles Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8708 50 20 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Transmission shaft in carbon fibre reinforced plastics consisting of a unique piece without any joint in the middle: • of a length of 1 m or more but not more than 2 m, of a weight of 6 kg or more but not more than 9 kg	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 50 20 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Double flange bearing of 3rd generation, for motor vehicles, • with double-row ball bearing, whether or not with impulse (encoder) ring: • whether or not with antilock brake system (ABS) sensor, • whether or not with mounted screws for use in the manufacture of goods of Chapter 87	31 August 2024
8708 50 20 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Car transfer case with single input, dual output, to distribute torque between front and rear axles in an aluminium housing, with dimension of not more than 565 x 570 x 510 mm, comprising at least: • an actuator, and whether or not an interior distribution by chain	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 50 20 65	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Intermediate steel shaft connecting the gearbox with semi-axle with: • a length of 300 mm or more but not more than 650 mm, • a spline end on both sides, • whether or not with a pressed bearing in the case, • whether or not with a holder • for use in the manufacture of goods of Chapter 87	31 August 2024
8708 50 20 70	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Housing of tripod type half shaft inboard joint for transmitting a torque from engine and transmission to wheels of motor vehicles with: • an outer diameter of 67 mm or more but not more than 84.5 mm, • 3 cold calibrated roller tracks with a diameter of 29.90 mm or more but not more than 36.60 mm, • sealing diameter 34 mm or more but not more than 41 mm, without lead	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			angle, • spline with 21 teeth or more but not more than 35, bearing seat diameter of 25 mm or more but not more than 30 mm, with or without oil grooves	
8708 50 20 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Outboard joint assembly for transmitting a torque from engine and transmission to wheels of motor vehicles, consisting of: • an inner race with 6 ball tracks for running with the bearing balls with a diameter 15 mm or more but not more than 20 mm, • an outer race with 6 ball tracks for running with 6 bearing balls, made of steel with carbon content of 0.45% or more but not more than 0.58%, with thread and with a spline with 26 teeth or more but not more than 38, • a spherical cage keeping bearing balls in the ball tracks of outer race and inner race in proper angular position, made of material suitable for carburising with carbon content of	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			0.14% or more but not more than 0.25%, and • with a grease compartment • capable of working at constant speed at variable articulation angle not higher than 50 degrees	
8708 50 20 90	0.00%	This suspension only applies to: Single input, dual output gearcase (transmission) in cast aluminium housing, with overall dimensions not exceeding 148 mm (± 1 mm) x 213 mm (± 1 mm) x 273 mm (± 1 mm) comprising at least: • two electro-magnetic one direction clutches in one cage, working in both directions, • an input shaft with outer diameter of 24 mm (± 1 mm), ended with spline of 22,	Single input, dual output gearcase (transmission) in cast aluminium housing, with overall dimensions not exceeding 148 mm (± 1 mm) x 213 mm (± 1 mm) x 273 mm (± 1 mm) comprising at least: • two electro-magnetic one direction clutches in one cage, working in both directions, • an input shaft with outer diameter of 24 mm (± 1 mm), ended with spline of 22, • a coaxial output bushing with inner diameter of 22 mm or more but not more than 30 mm, ended with spline of 22 teeth or more but not more than 28 teeth	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• a coaxial output bushing with inner diameter of 22 mm or more but not more than 30 mm, ended with spline of 22 teeth or more but not more than 28 teeth for use in the manufacture of all-terrain or utility task vehicles Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	for use in the manufacture of all-terrain or utility task vehicles	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 50 55 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Double flange bearing of 3rd generation, for motor vehicles: • with double-row ball bearing, • whether or not with impulse (encoder) ring, • whether or not with antilock brake system (ABS) sensor, • whether or not with mounted screws for use in the manufacture of goods of chapter 87	31 August 2024
8708 50 91 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Double flange bearing of 3rd generation, for motor vehicles: • with double-row ball bearing, • whether or not with impulse (encoder) ring,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• whether or not with antilock brake system (ABS) sensor, • whether or not with mounted screws for use in the manufacture of goods of Chapter 87	
8708 50 99 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Transmission shaft in carbon fibre reinforced plastics consisting of a unique piece without any joint in the middle: • of a length of 1 m or more but not more than 2 m, of a weight of 6 kg or more but not more than 9 kg	31 August 2024
8708 50 99 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Car transfer case with single input, dual output, to distribute torque between front and rear axles in an aluminium housing, with dimension of not more than 565 x 570 x 510 mm, comprising at least: • an actuator, and • whether or not an interior distribution by chain	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 50 99 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Intermediate steel shaft connecting the gearbox with semi-axle with: • a length of 300 mm or more but not more than 650 mm, • a spline end on both sides, • whether or not with a pressed bearing in the case, • whether or not with a holder • for use in the manufacture of goods of Chapter 87	31 August 2024
8708 50 99 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Housing of tripod type half shaft inboard joint for transmitting a torque from engine and transmission to wheels of motor vehicles with: • an outer diameter of 67 mm or more but not more than 84.50 mm, • 3 cold calibrated roller tracks with a diameter of 29.90 mm or more but not more than 36.60 mm, • sealing diameter 34 mm or more but not more than 41 mm, without lead	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			angle, • spline with 21 teeth or more but not more than 35, bearing seat diameter of 25 mm or more but not more than 30 mm, with or without oil grooves	
8708 50 99 35	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Outboard joint assembly for transmitting a torque from engine and transmission to wheels of motor vehicles, consisting of: • an inner race with 6 ball tracks for running with the bearing balls with a diameter 15 mm or more but not more than 20 mm, • an outer race with 6 ball tracks for running with 6 bearing balls, made of steel with carbon content of 0.45% or more but not more than 0.58%, with thread and with a spline with 26 teeth or more but not more than 38, • a spherical cage keeping bearing balls in the ball tracks of outer race and inner race in proper angular position, made of material suitable for carburising with carbon content of	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			0.14% or more but not more than 0.25%, and • with a grease compartment capable of working at constant speed at variable articulation angle not higher than 50 degrees	
8708 50 99 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Double flange bearing of 3rd generation, for motor vehicles: • with double-row ball bearing, • whether or not with impulse (encoder) ring, • whether or not with antilock brake system (ABS) sensor, • whether or not with mounted screws	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			for use in the manufacture of goods of chapter 87	
8708 50 99 90	0.00%	This suspension only applies to: Single input, dual output gearcase (transmission) in cast aluminium housing, with overall dimensions not exceeding 148 mm (± 1 mm) x 213 mm (± 1 mm) x 273 mm (± 1 mm) comprising at least: • two electro-magnetic one direction clutches in one cage, working in both directions, • an input shaft with outer diameter of 24 mm (± 1 mm), ended with spline of 22, • a coaxial output bushing with inner diameter of 22 mm or more but not more than 30 mm, ended with spline of 22 teeth or more but not more than	Single input, dual output gearcase (transmission) in cast aluminium housing, with overall dimensions not exceeding 148 mm (± 1 mm) x 213 mm (± 1 mm) x 273 mm (± 1 mm) comprising at least: • two electro-magnetic one direction clutches in one cage, working in both directions, • an input shaft with outer diameter of 24 mm (± 1 mm), ended with spline of 22, • a coaxial output bushing with inner diameter of 22 mm or more but not more than 30 mm, ended with spline of 22 teeth or more but not more than 28 teeth for use in the manufacture of all-terrain or utility task vehicles	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		28 teeth for use in the manufacture of all-terrain or utility task vehicles Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8708 80 20 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	For the industrial assembly of: vehicles of heading 8703; vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm^3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm^3; vehicles of heading 8705. Upper strut insulator containing:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a metal holder with three mounting screws, and • a rubber bump of a kind used in the manufacture of goods of Chapter 87	
8708 80 20 90	0.00%	This suspension only applies to: • For the industrial assembly of: vehicles of heading 8703; vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm^3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm^3; vehicles of heading 8705. Rear chassis arm with a protective plastic label equipped with two metal casings with pressed-in rubber silent blocks, of kind used in the	• For the industrial assembly of: vehicles of heading 8703; vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm^3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm^3; vehicles of heading 8705. Rear chassis arm with a protective plastic label equipped with two metal casings with pressed-in rubber silent blocks, of kind used in the manufacture of goods of Chapter 87, and • For the industrial assembly of: vehicles of heading 8703; vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		manufacture of goods of Chapter 87, and • For the industrial assembly of: vehicles of heading 8703; vehicles of heading 8704 with either a compression-ignition internal combustion piston engine (diesel or semi-diesel) of a cylinder capacity not exceeding 2 500 cm^3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm^3; vehicles of heading 8705. Rear chassis arm equipped with a ball pivot and metal casing with a pressed-in rubber silent block, of kind used in the manufacture of goods of Chapter 87 falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different	semi-diesel) of a cylinder capacity not exceeding 2 500 cm^3 or with a spark-ignition internal combustion piston engine of a cylinder capacity not exceeding 2 800 cm^3; vehicles of heading 8705. Rear chassis arm equipped with a ball pivot and metal casing with a pressed-in rubber silent block, of kind used in the manufacture of goods of Chapter 87	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
8708 80 35 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Suspension shock-absorbers. Upper strut insulator containing: • a metal holder with three mounting screws, and • a rubber bump of a kind used in the manufacture of goods of Chapter 87	31 August 2024
8708 80 91 00	0.00%	This suspension only applies to: • Rear chassis arm with a protective plastic label equipped with two metal casings with pressed-in rubber silent blocks, of kind used in the manufacture of goods of Chapter 87, and • Rear chassis arm equipped with a ball pivot and metal casing with a pressed-in rubber	• Rear chassis arm with a protective plastic label equipped with two metal casings with pressed-in rubber silent blocks, of kind used in the manufacture of goods of Chapter 87, and Rear chassis arm equipped with a ball pivot and metal casing with a pressed-in rubber silent block, of kind used in the manufacture of goods of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		silent block, of kind used in the manufacture of goods of Chapter 87 falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
8708 80 99 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium suspension link arm, with dimensions of: • a height of 50 mm or more but not more than 150 mm, • a width of 10 mm or more but not more than 100 mm, • a length of 100 mm or more but not more than 600 mm, • a mass of 1 000 g or more but not more than 3 000 g Equipped with at least two bushed holes made of aluminium alloy with the following characteristics:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• a tensile strength of 200 mPa or more, • a strength of 19 kN or more, • a stiffness of 5 kN / mm or more but not more than 9 kN / mm, a frequency of 400 Hz or more but not more than 600 Hz	
8708 80 99 30	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Surface-hardened, steel piston rod for a hydraulic or hydropneumatic shock absorber of motor vehicles: • with a chrome coating, • of a diameter of 11 mm or more, but not more than 28 mm, • of a length of 80 mm or more, but not more than 600 mm • with a threaded end or a mandrel for resistance welding	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 80 99 90	0.00%	This suspension only applies to: Stabiliser bar for front axle equipped with a ball pivot on both ends for use in the manufacture of goods of Chapter 87 Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Stabiliser bar for front axle equipped with a ball pivot on both ends for use in the manufacture of goods of Chapter 87	31 August 2024
8708 91 20 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium cooler using compressed air with a ribbed design of a kind used in the manufacture of goods of Chapter 87	31 August 2024
8708 91 20 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Aluminium alloy inlet or outlet air tank manufactured to standard EN AC 42100 with:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	• an insulating area flatness of not more than 0.1 mm, • a permissible particle quantity of 0.3 mg per tank, • a distance between pores of 2 mm or more, • pore sizes of not more than 0.4 mm, and • not more than 3 pores larger than 0.2 mm of a kind used in heat exchangers for car cooling systems	
8708 91 35 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium cooler using compressed air with a ribbed design of a kind used in the manufacture of goods of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 91 99 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium alloy inlet or outlet air tank manufactured to standard EN AC 42100 with: • an insulating area flatness of not more than 0.1 mm, • a permissible particle quantity of 0.3 mg per tank, • a distance between pores of 2 mm or more, • pore sizes of not more than 0.4 mm, and • not more than 3 pores larger than 0.2 mm of a kind used in heat exchangers for car cooling systems	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 91 99 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Assembly for supplying compressed air, whether or not with a resonator, comprising at least: • one solid aluminium tube whether or not with mounting bracket, • one flexible rubber hose, and • one metal clip for use in the manufacture of goods of Chapter 87	31 August 2024
8708 92 99 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Exhaust system inner liner: • with a wall thickness of 0.7 mm or more but not more than 1.3 mm, • made of stainless steel sheets or coil class 1.4310 and 1.4301 according to norm EN 10088, • whether or not with mounting holes for use in the manufacture of exhaust systems for automobiles	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 92 99 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pipe for guiding exhaust gases from the combustion engine: • with a diameter of 40 mm or more but not more than 100 mm, • with a length of 90 mm or more but not more than 410 mm, • with a wall thickness of 0.7 mm or more but not more than 1.3 mm, • of stainless steel for use in the manufacture of exhaust systems for automobiles	31 August 2024
8708 92 99 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Exhaust system end cover: • with a wall thickness of 0.7 mm or more but not more than 1.3 mm, • made of stainless steel class 1.4310 and 1.4301 according to norm EN 10088, • whether or not with inner liner,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• whether or not with surface treatment for use in the manufacture of exhaust systems for automobiles	
8708 93 10 40	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Clutch pedal with electronic parking brake connection (EPB), whether or not with sending signal function for: • cruise control reset, • electronic parking brake release, • start and stop engine management under Idle Stop and Go system (ISG) for use in the manufacture of passenger vehicles	31 August 2024
8708 93 10 90	0.00%	This suspension only applies to: Mechanically operated clutch for use with an elastomeric belt in a dry environment in a CVT (Continuously Variable Transmission) gear case:	Mechanically operated clutch for use with an elastomeric belt in a dry environment in a CVT (Continuously Variable Transmission) gear case: • designed to be bolted onto a splined shaft of outer diameter 23 mm,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• designed to be bolted onto a splined shaft of outer diameter 23 mm, • with an overall diameter of not more than 266 mm (± 1 mm), • comprised of 2 sheaves with tapered faces, • sheaves having taper of 13 degrees each, • having a main compression spring used to resist displacement between sheaves, and • comprised of a cam or spring to maintain proper belt tension and Mechanically operated centrifugal clutch for use with an elastomeric belt in a dry environment in a	• with an overall diameter of not more than 266 mm (± 1 mm), • comprised of 2 sheaves with tapered faces, • sheaves having taper of 13 degrees each, • having a main compression spring used to resist displacement between sheaves, and • comprised of a cam or spring to maintain proper belt tension and Mechanically operated centrifugal clutch for use with an elastomeric belt in a dry environment in a continuously variable transmission (CVT), equipped with: • elements that activate the clutch at given rotation and generate (in this way) centrifugal force,	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		continuously variable transmission (CVT), equipped with: • elements that activate the clutch at given rotation and generate (in this way) centrifugal force, • shaft ended with 5 or more but not more than 6 degree taper, • 3 weights, and • 1 compression spring for use in the manufacture of all-terrain or utility task vehicles Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• shaft ended with 5 or more but not more than 6 degree taper, • 3 weights, and • 1 compression spring for use in the manufacture of all-terrain or utility task vehicles	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8708 93 90 40	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Clutch pedal with electronic parking brake connection (EPB), whether or not with sending signal function for: • cruise control reset, • electronic parking brake release, • start and stop engine management under Idle Stop and Go system (ISG) for use in the manufacture of passenger vehicles	31 August 2024
8708 93 90 90	0.00%	This suspension only applies to: Mechanically operated clutch for use with an elastomeric belt in a dry environment in a CVT (Continuously Variable Transmission) gear case:	Mechanically operated clutch for use with an elastomeric belt in a dry environment in a CVT (Continuously Variable Transmission) gear case:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• designed to be bolted onto a splined shaft of outer diameter 23 mm, • with an overall diameter of not more than 266 mm (± 1 mm), • comprised of 2 sheaves with tapered faces, • sheaves having taper of 13 degrees each, • having a main compression spring used to resist displacement between sheaves, and • comprised of a cam or spring to maintain proper belt tension and Mechanically operated centrifugal clutch for use with an elastomeric belt in a dry environment in a continuously variable	• designed to be bolted onto a splined shaft of outer diameter 23 mm, • with an overall diameter of not more than 266 mm (± 1 mm), • comprised of 2 sheaves with tapered faces, • sheaves having taper of 13 degrees each, • having a main compression spring used to resist displacement between sheaves, and • comprised of a cam or spring to maintain proper belt tension and Mechanically operated centrifugal clutch for use with an elastomeric belt in a dry environment in a continuously variable transmission (CVT), equipped with: • elements that activate the clutch at given rotation and generate (in this	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		transmission (CVT), equipped with: • elements that activate the clutch at given rotation and generate (in this way) centrifugal force, • shaft ended with 5 or more but not more than 6 degree taper, • 3 weights, and 1 compression spring for use in the manufacture of all-terrain vehicles or utility task vehicles Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward	way) centrifugal force, • shaft ended with 5 or more but not more than 6 degree taper, • 3 weights, and 1 compression spring for use in the manufacture of all-terrain vehicles or utility task vehicles	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8708 94 20 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rack steering gear in aluminium housing with homokinetic hinges of a kind used in the manufacture of goods of Chapter 87	31 August 2024
8708 94 35 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rack steering gear in aluminium housing with homokinetic hinges of a kind used in the manufacture of goods of Chapter 87	31 August 2024
8708 95 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Inflatable safety cushion of high strength polyamide fibre: • sewn, folded into three-dimensional packing form, fixed by thermal forming	31 August 2024
8708 95 10 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Inflatable safety cushion of high strength polyamide fibre:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.	• sewn, • folded, • with three-dimensionally applied silicone bonding for air bag cavity forming and load-regulated air bag sealing, • suitable for cool inflator technology	
8708 95 99 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Inflatable safety cushion of high strength polyamide fibre: • sewn, folded into three-dimensional packing form, fixed by thermal forming	31 August 2024
8708 95 99 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Inflatable safety cushion of high strength polyamide fibre: • sewn, • folded,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• with three-dimensionally applied silicone bonding for air bag cavity forming and load-regulated air bag sealing, • suitable for cool inflator technology	
8708 99 10 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Plastic air guide for directing air flow to the surface of intercooler for use in the production of motor vehicles	31 August 2024
8708 99 10 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Silicone or plastic keyboards, comprising: • parts of common metal, and • whether or not comprising parts of plastic, • epoxy resin reinforced with fiberglass or wood,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• whether or not printed or surface-treated, • with or without electrical conductors, • with or without a membrane bonded to the keyboard, • with or without mono or multilayer protective film	
8708 99 10 60	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium engine bracket, with dimensions of: • height of more than 10 mm but not more than 200 mm, • width of more than 10 mm but not more than 200 mm, • length of more than 10 mm but not more than 200 mm equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics:	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• internal porosity not more than 1 mm, • outer porosity not more than 2 mm, • Rockwell hardness HRB 10 or more • of a kind used in the production of suspensions systems for engines in motor vehicles	
8708 99 10 90	0.00%	This suspension only applies to: Car transfer case with single input, dual output, to distribute torque between front and rear axles in an aluminium housing, with dimension of not more than 565 x 570 x 510 mm, comprising at least: • an actuator, and whether or not an interior distribution by chain Six-layer composite fuel tank assembly comprising of: • a fuel inlet,	Car transfer case with single input, dual output, to distribute torque between front and rear axles in an aluminium housing, with dimension of not more than 565 x 570 x 510 mm, comprising at least: • an actuator, and whether or not an interior distribution by chain Six-layer composite fuel tank assembly comprising of: • a fuel inlet, • a pump flange assembly (PFA), • a ventilation with rollover valve mounted on the top of the tank, and	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• a pump flange assembly (PFA), • a ventilation with rollover valve mounted on the top of the tank, and • threated holes for PFA assembly Holder of front radiator or intercooler whether or not with rubber cushioning for use in the manufacture of goods of Chapter 87 Support bracket of iron or steel, with mounting holes, whether or not with fixation nuts, for connecting the gearbox to the car body for use in the manufacture of goods of Chapter 87 Single input, dual output gearcase (transmission) in cast aluminium housing, with overall dimensions not exceeding 148 mm (± 1 mm) x 213 mm (± 1 mm) x 273 mm (± 1 mm) comprising at least: • two electro-magnetic one direction clutches in one cage, working in both	• threated holes for PFA assembly Holder of front radiator or intercooler whether or not with rubber cushioning for use in the manufacture of goods of Chapter 87 Support bracket of iron or steel, with mounting holes, whether or not with fixation nuts, for connecting the gearbox to the car body for use in the manufacture of goods of Chapter 87 Single input, dual output gearcase (transmission) in cast aluminium housing, with overall dimensions not exceeding 148 mm (± 1 mm) x 213 mm (± 1 mm) x 273 mm (± 1 mm) comprising at least: • two electro-magnetic one direction clutches in one cage, working in both directions, • an input shaft with outer diameter of 24 mm (± 1 mm), ended with spline of 22, • a coaxial output bushing with inner diameter of 22 mm or more but not more than 30 mm, ended with spline of 22 teeth or more but not more than 28 teeth	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		directions, • an input shaft with outer diameter of 24 mm (± 1 mm), ended with spline of 22, • a coaxial output bushing with inner diameter of 22 mm or more but not more than 30 mm, ended with spline of 22 teeth or more but not more than 28 teeth for use in the manufacture of all-terrain or utility task vehicles falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit)	for use in the manufacture of all-terrain or utility task vehicles	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8708 99 97 18	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hydrostatic speed changer: • with a hydro pump and a differential with wheel axle, • whether or not with a fan impeller and/or a pulley for use in the manufacture of tractors of subheadings 8701 9190 and 8701 9290, whose main function is that of a lawn mower	31 August 2024
8708 99 97 22	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Silicone or plastic keyboards, comprising: • parts of common metal, and • whether or not comprising parts of plastic, • epoxy resin reinforced with fiberglass or wood,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			• whether or not printed or surface-treated, • with or without electrical conductors, • with or without a membrane bonded to the keyboard, with or without mono or multilayer protective film	
8708 99 97 45	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Plastic air guide for directing air flow to the surface of intercooler for use in the production of motor vehicles	31 August 2024
8708 99 97 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium engine bracket, with dimensions of: • height of more than 10 mm but not more than 200 mm, • width of more than 10 mm but not more than 200 mm, • length of more than 10 mm but not more than 200 mm	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			equipped with at least two fixing holes, made of aluminium alloys ENAC-46100 or ENAC-42100 (based on the norm EN:1706) with following characteristics: • internal porosity not more than 1 mm, • outer porosity not more than 2 mm, • Rockwell hardness HRB 10 or more of a kind used in the production of suspensions systems for engines in motor vehicles	
8708 99 97 55	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Assembly for supplying compressed air, whether or not with a resonator, comprising at least: • one solid aluminium tube whether or not with mounting bracket, • one flexible rubber hose, and • one metal clip for use in the manufacture of goods of Chapter 87	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 99 97 75	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Aluminium alloy support bracket, with mounting holes, whether or not with fixation nuts, for indirect connection of the gearbox to the car body for use in the manufacture of goods of Chapter 87	31 August 2024
8708 99 97 85	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electroplated interior or exterior parts consisting of: • a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate, • layers of copper, nickel and chromium • for use in the manufacturing of parts for motor vehicles of heading 8701 to 8705	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8708 99 97 90	0.00%	This suspension only applies to • Car transfer case with single input, dual output, to distribute torque between front and rear axles in an aluminium housing, with dimension of not more than 565 x 570 x 510 mm, comprising: - at least an actuator, and whether or not an interior distribution by chain • Support bracket of iron or steel, with mounting holes, whether or not with fixation nuts, for connecting the gearbox to the car body for use in the manufacture of goods of Chapter 87 • Holder of front radiator or intercooler, whether or not with rubber cushioning for use in the manufacture of goods of Chapter 87	• Car transfer case with single input, dual output, to distribute torque between front and rear axles in an aluminium housing, with dimension of not more than 565 x 570 x 510 mm, comprising: - at least an actuator, and whether or not an interior distribution by chain • Support bracket of iron or steel, with mounting holes, whether or not with fixation nuts, for connecting the gearbox to the car body for use in the manufacture of goods of Chapter 87 • Holder of front radiator or intercooler, whether or not with rubber cushioning for use in the manufacture of goods of Chapter 87 • Six-layer composite fuel tank assembly comprising of: - a fuel inlet, - a pump flange assembly (PFA), - a ventilation with rollover valve mounted on the top of the tank, and threated holes for PFA assembly	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		• Six-layer composite fuel tank assembly comprising of: - a fuel inlet, - a pump flange assembly (PFA), - a ventilation with rollover valve mounted on the top of the tank, and threated holes for PFA assembly • Single input, dual output gearcase (transmission) in cast aluminium housing, with overall dimensions not exceeding 148 mm (± 1 mm) x 213 mm (± 1 mm) x 273 mm (± 1 mm) comprising at least: - two electro-magnetic one direction clutches in one cage, working in both directions, - an input shaft with outer diameter of 24 mm (±	• Single input, dual output gearcase (transmission) in cast aluminium housing, with overall dimensions not exceeding 148 mm (± 1 mm) x 213 mm (± 1 mm) x 273 mm (± 1 mm) comprising at least: ○ two electro-magnetic one direction clutches in one cage, working in both directions, ○ an input shaft with outer diameter of 24 mm (± 1 mm), ended with spline of 22, ○ a coaxial output bushing with inner diameter of 22 mm or more but not more than 30 mm, ended with spline of 22 teeth or more but not more than 28 teeth	

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		1 mm), ended with spline of 22, - a coaxial output bushing with inner diameter of 22 mm or more but not more than 30 mm, ended with spline of 22 teeth or more but not more than 28 teeth for use in the manufacture of all-terrain or utility task vehicles falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8714 10 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Inner tubes: • of SAE1541 carbon steel, • with a hard chromium layer of 20 µm (+15 µm / -5 µm), • having a wall thickness of 1.45 mm or more, but not more than 1.5 mm, • having an elongation at break of 15 %, • perforated of a kind used for the production of motorcycle fork rods	31 August 2024
8714 10 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Axle clamps, housings, fork bridges and clamping pieces, of aluminium alloy of a kind used for motor bikes	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
8714 10 90 90	0.00%	This suspension only applies to: Radiators of a kind used in motor bikes for fitting of attachments. and Suspension damper tubes: • of 7050-t73 aluminium alloy, • anodised on the inner surface, • with a mean roughness (Ra) of the inner surface of not more than 0.4, and a maximum roughness height (Rt) of the inner surface of not more than 4.0 Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to	Radiators of a kind used in motor bikes for fitting of attachments and Suspension damper tubes: • of 7050-t73 aluminium alloy, • anodised on the inner surface, • with a mean roughness (Ra) of the inner surface of not more than 0.4, and a maximum roughness height (Rt) of the inner surface of not more than 4.0	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8714 91 10 21	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Frames, painted, anodised, polished and/or lacquered, originating in or consigned from China: • in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month, or • to be transferred to another holder of an end-use authorisation or to exempted parties constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles (including electric bicycles)	31 August 2024
8714 91 10 25	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Frames, painted, anodised, polished and/or lacquered, originating in or consigned from China: • in quantities below 300 units per month or to be transferred to a party in quantities below 300 units per month, or	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• to be transferred to another holder of an end-use authorisation or to exempted parties constructed from aluminium or aluminium and carbon fibres, for the use in the manufacture of bicycles (including electric bicycles)	
8714 91 10 75	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249). This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Frames, other, constructed from carbon fibres and artificial resin, for use in the manufacture of bicycles (including electric bicycles)	31 August 2024
8714 91 10 77	0.00%	Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Frames, other, constructed from aluminium or aluminium and carbon fibres, for use in the manufacture of bicycles (including electric bicycles)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
8714 91 30 25	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Front forks, except rigid (non-telescopic) front forks made entirely of steel, for use in the manufacture of bicycles (including electric bicycles)	31 August 2024
8714 91 30 72	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Front forks, except rigid (non-telescopic) front forks made entirely of steel, for use in the manufacture of bicycles (including electric bicycles)	31 August 2024
8714 96 10 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different	Pedals, for use in the manufacture of bicycles (including electric bicycles)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
8714 99 10 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Bicycle handlebars, • with or without integrated stem, • either made out of carbon fibres and synthetic resin or made of aluminium for use in the manufacture of bicycles (including electric bicycles)	31 August 2024
8714 99 50 11	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Derailleur gears, consisting of: • rear derailleur and mounting articles, • with or without front derailleur for use in the manufacture of bicycles (including electric bicycles)	31 August 2024
8714 99 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs	Seat posts, for use in the manufacture of bicycles (including electric bicycles)	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
8714 99 90 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Stem for bicycle handlebars, for use in the manufacture of bicycles (including electric bicycles)	31 August 2024
9001 10 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Image reverser made up from an assembly of optical fibres	31 August 2024
9001 10 90 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polymer optical fibre with: • a poly(methyl methacrylate) core, • a cladding of fluorinated polymer, • a diameter of not more than 3 mm, and a length of more than 150 m, of a kind used in the manufacture of polymer fibre cables	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
9001 10 90 90	0.00%	This suspension only applies to: Fibre optic plates: • uncoated and unpainted, • of a length of 30 mm or more, but not more than 234.5 mm, • of a width of 7 mm or more, but not more than 28 mm, and • of a height of 0.5 mm or more, but not more than 3 mm of a kind used in dental x-ray systems Falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fibre optic plates: • uncoated and unpainted, • of a length of 30 mm or more, but not more than 234.5 mm, • of a width of 7 mm or more, but not more than 28 mm, and • of a height of 0.5 mm or more, but not more than 3 mm • of a kind used in dental x-ray systems	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
9001 50 41 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Organic uncut corrective eyeglass lens, finished on both sides, to undergo a coating, colouring, edging, mounting or any other substantial process for use in the manufacture of corrective glasses	31 August 2024
9001 50 49 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Organic uncut corrective eyeglass lens, finished on both sides, to undergo a coating, colouring, edging, mounting or any other substantial process for use in the manufacture of corrective glasses	31 August 2024
9001 50 80 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Round organic uncut, semi-finished eyeglass lens with corrective effect, finished on one side, of a kind used for the manufacture of finished eyeglass lenses	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
9032 89 00 30	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Electronic controller of electric power steering (EPS controller)	31 August 2024
9032 89 00 40	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Digital valve controller for controlling liquids and gases	31 August 2024
9032 89 00 50	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Gas panel for regulating and controlling of the gas flow rate, working with plasma technology, comprising: • an electronic mass flow regulator, suitable for receiving and sending of analogue and digital signals, • four pressure transducers, • two or more pressure valves, • electric interfaces, and • several connectors for gas lines,	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
			suitable for in-situ plasma bonding processes or for multi frequency bond activating processes	
9401 99 90 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Ratchet disk of a kind used in the manufacture of reclining car seats	31 August 2024
9401 99 90 90	0.00%	This suspension only applies to: Outer part of a headrest made of perforated bovine leather, lined with a scrim-reinforced lamination liner and without foam padding, after reworking (stitching of the leather and embroidery application) used in manufacture of seats of motor vehicles, falling under this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different	Outer part of a headrest made of perforated bovine leather, lined with a scrim-reinforced lamination liner and without foam padding, after reworking (stitching of the leather and embroidery application) used in manufacture of seats of motor vehicles	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		components containing these products.		
9503 00 75 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit) Regulations 2018 (UK Statutory Instruments 2018 No. 1249).	Cable car scale models for printing	31 August 2024
9503 00 95 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products. Suspension of duties is subject to Authorised-Use customs supervision in accordance with Chapter 4 of The Customs (Special Procedures and Outward Processing) (EU Exit)	Cable car scale models for printing	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
		Regulations 2018 (UK Statutory Instruments 2018 No. 1249).		
9608 91 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Non-fibrous plastic pen-tips with an internal canal	31 August 2024
9608 91 00 20	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Felt tips and other porous-tips for markers, without internal canal	31 August 2024

Commodity Code	Duty Expression	Notes	Description	Expiry Date
2207 10 00 90	0.00%	This suspension only applies to alcohol solution (undenatured, containing by volume 80% or more ethyl alcohol) falling under this CN10 code.	Undenatured ethyl alcohol, of actual alcoholic strength of >= 80%	31st December 2023
2208 90 91 90	0.00%	This suspension only applies to alcohol solution (undenatured, 75% ethyl alcohol) falling under this CN10 code.	Undenatured ethyl alcohol, of an alcoholic strength of < 80% vol, in containers holding <= 2 l	31st December 2023
2208 90 99 90	0.00%	This suspension only applies to alcohol solution (undenatured, 75% ethyl alcohol) falling under this CN10 code.	Undenatured ethyl alcohol, of an alcoholic strength of < 80% vol, in containers holding > 2 l	31st December 2023
2804 40 00	0.00%	This suspension only applies to medical oxygen (medical oxygen has as a minimum 82% pure oxygen, is free from any contamination, and is generated by an oil-free compressor. This subheading includes both compressed oxygen supplied in cylinders and liquid oxygen) falling under this CN8 code.	Oxygen	31st December 2023
2847 00 00	0.00%	This suspension only applies to hydrogen peroxide in bulk (bulk H2O2 whether or not with solidified with urea) falling under this CN8 code.	Hydrogen peroxide, whether or not solidified with urea	31st December 2023
2833 30 00 00	0.00%	This suspension only applies to aluminium salts (alums) falling under this CN10 code	Aluminium salts (alum)	31st December 2023
2835 22 00 00	0.00%	This suspension only applies to Dibasic sodium phosphate dihydrate falling under this CN10 code	Dibasic sodium phosphate dihydrate	31st December 2023
2835 24 00 00	0.00%	This suspension only applies to Monobasic potassium phosphate falling under this CN10 code	Monobasic potassium phosphate	31st December 2023
2853 90 10 00	0.00%	This suspension only applies to Water for injection falling under this CN10 code	Water for injection	31st December 2023
2905 44 19 00	0.00%	This suspension only applies to Sorbitol falling under this CN10 code	Sorbitol	31st December 2023

2905 44 91 00	0.00%	This suspension only applies to Sorbitol falling under this CN10 code	Sorbitol	31st December 2023
2912 11 00 00	0.00%	This suspension only applies to Formaldehyde falling under this CN10 code	Formaldehyde	31st December 2023
2915 11 00	0.00%	This suspension only applies to formic acid and its salts falling under this CN8 code.	Formic acid	31st December 2023
2915 12 00	0.00%	This suspension only applies to formic acid and its salts falling under this CN8 code.	Salts of formic acid	31st December 2023
2915 21 00	0.00%	This suspension only applies to acetic acid falling under this CN8 code	Acetic acid	31st December 2023
2918 14 00 90	0.00%	This suspension only applies to Citric acid monohydrate falling under this CN10 code	Citric acid monohydrate	31st December 2023
2918 15 00 19	0.00%	This suspension only applies to Trisodium citrate dihydrate falling under this CN10 code	Trisodium citrate dihydrate	31st December 2023
2918 21 00	0.00%	This suspension only applies to salicylic acid and its salts falling under this CN8 code.	Salicylic acid and its salts (excl. inorganic or organic compounds of mercury)	31st December 2023
2922 50 00 90	0.00%	This suspension only applies to SM-102: heptadecane-9-yl 8-((2- hydroxyethyl) (6-oxo-6-(undecyloxy) hexyl) amino) octanoate or; (4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate) falling under this CN10 code.	SM-102: heptadecane-9-yl 8-((2-hydroxyethyl) (6-oxo-6-(undecyloxy) hexyl) amino) octanoate or; (4-hydroxybutyl)azanediyl)bis(hexane-6,1-diyl)bis(2-hexyldecanoate)	31st December 2023
3401 30 00	0.00%	This suspension only applies to liquid or cream hand or skin washes put up for retail sale falling within this CN8 code.	Mixtures of organic surface-active agents and other substances (whether or not containing soap) put up in containers for retail sale.	31st December 2023
3808 94 10	0.00%	This suspension only applies to hand sanitiser (a liquid or gel generally used to decrease infectious agents on the hands, alcohol-based type) or other disinfectant preparations (put up in forms or packings for retail sale such as rubs and wipes	Disinfectants, based on quaternary ammonium salts, put up for retail sale or as preparations or articles (excl. goods of subheading 3808 59)	31st December 2023

		impregnated with alcohol or other disinfectants); or hydrogen peroxide put up in disinfectant preparations for cleaning surfaces (H2O2 put up as cleaning solutions for surfaces or apparatus); or other chemical disinfectants (put up in forms or packings for retail sale as disinfectants or as disinfectant preparations, containing alcohol, benzalkonium chloride solution or peroxyacids, or other disinfectants. This includes sodium dichloroisocyanurate (NaDCC) and calcium hypochlorite (65-70% active chlorine) when put up with a measurement spoon in the forms normally sold directly to hospitals and the like. (Bulk NaDCC would be classified in subheading 2933 69. Bulk calcium hypochlorite would be classified in subheading 2828 10)) falling under this CN8 code.		
3808 94 20	0.00%	This suspension only applies to hand sanitiser (a liquid or gel generally used to decrease infectious agents on the hands, alcohol-based type) or other disinfectant preparations (put up in forms or packings for retail sale such as rubs and wipes impregnated with alcohol or other disinfectants) or hydrogen peroxide put up in disinfectant preparations for cleaning surfaces (H2O2 put up as cleaning solutions for surfaces or apparatus) or other chemical disinfectants (put up in forms or packings for retail sale as disinfectants or as disinfectant preparations, containing alcohol, benzalkonium chloride solution or peroxyacids, or other disinfectants. This includes sodium dichloroisocyanurate (NaDCC) and calcium hypochlorite (65-70% active chlorine) when put up with a measurement	Disinfectants, based on halogenated compounds, put up for retail sale or as preparations or articles (excl. goods of subheading 3808 59)	31st December 2023

		spoon in the forms normally sold directly to hospitals and the like. (Bulk NaDCC would be classified in subheading 2933 69. Bulk calcium hypochlorite would be classified in subheading 2828 10)) falling under this CN8 code.		
3808 94 90	0.00%	This suspension only applies to hand sanitiser (a liquid or gel generally used to decrease infectious agents on the hands, alcohol-based type) or other disinfectant preparations (put up in forms or packings for retail sale such as rubs and wipes impregnated with alcohol or other disinfectants); or hydrogen peroxide put up in disinfectant preparations for cleaning surfaces (H2O2 put up as cleaning solutions for surfaces or apparatus); or other chemical disinfectants (put up in forms or packings for retail sale as disinfectants or as disinfectant preparations, containing alcohol, benzalkonium chloride solution or peroxyacids, or other disinfectants). This includes sodium dichloroisocyanurate (NaDCC) and calcium hypochlorite (65-70% active chlorine) when put up with a measurement spoon in the forms normally sold directly to hospitals and the like. (Bulk NaDCC would be classified in subheading 2933 69. Bulk calcium hypochlorite would be classified in subheading 2828 10)), falling under this CN8 code.	Disinfectants, put up for retail sale or as preparations or articles (excl. such products based on quaternary ammonium salts or halogenated compounds, and goods of subheading 3808 59)	31st December 2023
3923 29 90	0.00%	This suspension only applies to plastic hazardous waste disposal bags (disposal bag for bio-hazardous waste, with "Bio Hazard" print, autoclavable polypropylene, 50 or 70 micron thickness) falling under this CN8 code.	Sacks and bags, incl. cones, of plastics (excl. those of poly"vinyl chloride" and polymers of ethylene)	31st December 2023
3926 20 00	0.00%	This suspension only applies to plastic face shields (covering more than the eye area) or	Articles of apparel and clothing accessories produced by the stitching or	31st December 2023

		plastic gloves or protective unisex garments made of plastic sheeting, textile reinforced plastics or textile backed plastics or protective apron – made of plastic, disposable falling under this CN8 code.	sticking together of plastic sheeting, incl. gloves, mittens and mitts (excl. goods of 9619)	
3926 90 60 00	0.00%	This suspension applies only to plastic face shields (covering more than the eye area) falling under this CN10 code.	Articles of plastics and articles of other materials of heading 3901 to 3914, n.e.s.	31st December 2023
3926 90 97 60	0.00%	This suspension only applies to boot covers/overshoes – made of plastic or rubber, disposable or Urine bags (plastic bags for collecting urine, with outlet tap, with non-return valve) or body bags – infection control grade, plastic (non-porous bags designed specifically to hold human bodies safely. Specific standards apply to infection control grade bags) or tents for setting up field hospitals, including temporary canopies (plastic tents) or plastic face shields (covering more than the eye area) falling under this CN8 code.	Articles of plastics and articles of other materials of heading 3901 to 3914, n.e.s.	31st December 2023
4015 12 00	0.00%	This suspension only applies to surgical rubber gloves falling under this CN8 code.	Surgical gloves, of vulcanised rubber (excl. fingerstalls)	31st December 2023
4015 19 00	0.00%	This suspension only applies to other rubber gloves falling under this CN8 code.	Gloves, mittens and mitts, of vulcanised rubber (excl. surgical gloves)	31st December 2023
4015 90 00	0.00%	This suspension only applies to protective unisex garments made of rubber sheeting, textile reinforced rubber or textile backed rubber falling under this CN8 code.	Articles of apparel and clothing accessories, for all purposes, of vulcanised rubber (excl. hard rubber and footwear and headgear and parts thereof, and gloves, mittens and mitts)	31st December 2023
4016 99 97	0.00%	This suspension only applies to boot covers/overshoes – made of plastic or rubber, disposable, falling under this CN8 code.	Articles of vulcanised rubber, n.e.s. (excl. hard rubber and those of cellular rubber)	31st December 2023
5603 11 10	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt	Nonwovens, coated or covered, n.e.s., of man-made filaments, weighing <= 25 g/m²	31st December 2023

		or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.		
5603 11 90	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.	Nonwovens, whether or not impregnated or laminated, n.e.s., of man-made filaments, weighing <= 25 g/m² (excl. coated or covered)	31st December 2023
5603 12 10	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.	Nonwovens, coated or covered, n.e.s., of man-made filaments, weighing > 25 g/m² but <= 70 g/m²	31st December 2023
5603 12 90	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.	Nonwovens, whether or not impregnated or laminated, n.e.s., of man-made filaments, weighing > 25 g/m² but <= 70 g/m² (excl. coated or covered)	31st December 2023
5603 13 10	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.	Nonwovens, coated or covered, n.e.s., of man-made filaments, weighing > 70 g/m² but <= 150 g/m²	31st December 2023
5603 13 90	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.	Nonwovens, whether or not impregnated or laminated, n.e.s., of man-made filaments, weighing > 70 g/m² but <= 150 g/m² (excl. coated or covered)	31st December 2023

5603 14 10	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.	Nonwovens, coated or covered, n.e.s., of man-made filaments, weighing > 150 g/m²	31st December 2023
5603 14 90	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.	Nonwovens, whether or not impregnated or laminated, n.e.s., of man-made filaments, weighing > 150 g/m² (excl. coated or covered)	31st December 2023
5603 91 90	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.	Nonwovens, whether or not impregnated or laminated, n.e.s., weighing <= 25 g/m² (excl. coated or covered or of man-made filaments)	31st December 2023
5603 92 10	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.	Nonwovens, coated or covered, n.e.s., weighing > 25 g/m² but <= 70 g/m² (excl. of man-made filaments)	31st December 2023
5603 92 90	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.	Nonwovens, whether or not impregnated or laminated, n.e.s., weighing > 25 g/m² but <= 70 g/m² (excl. coated or covered or of man-made filaments)	31st December 2023
5603 93 10	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading	Nonwovens, coated or covered, n.e.s., weighing > 70 g/m² but <= 150 g/m² (excl. of man-made filaments)	31st December 2023

		5602 or 5603). This includes spun-bonded garments falling under this CN8 code.		
5603 93 90	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.	Nonwovens, whether or not impregnated or laminated, n.e.s., weighing > 70 g/m² but <= 150 g/m² (excl. coated or covered or of man-made filaments)	31st December 2023
5603 94 10	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.	Nonwovens, coated or covered, n.e.s., weighing > than 150 g/m² (excl. of man-made filaments)	31st December 2023
5603 94 90	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.	Nonwovens, whether or not impregnated or laminated, n.e.s., weighing > than 150 g/m² (excl. coated or covered or of man-made filaments)	31st December 2023
6116 10 20	0.00%	This suspension only applies to knitted or crocheted gloves which have been impregnated or covered with plastics or rubber falling under this CN8 code.	Gloves, impregnated, coated or covered with rubber, knitted or crocheted	31st December 2023
6116 10 80	0.00%	This suspension only applies to knitted or crocheted gloves which have been impregnated or covered with plastics or rubber falling under this CN8 code.	Mittens and mitts, impregnated, coated or covered with plastics or rubber, knitted or crocheted, and gloves, impregnated, coated or covered with plastics, knitted or crocheted	31st December 2023
6210 10 10	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading	Garments made up of felt, whether or not impregnated, coated, covered or laminated (excl. babies' garments and clothing accessories)	31st December 2023

		5602 or 5603). This includes spun-bonded garments falling under this CN8 code.		
6210 10 92	0.00%	This suspension only applies to protective garments for surgical/medical use made up of felt or nonwovens whether or not impregnated, coated, covered or laminated (fabrics of heading 5602 or 5603). This includes spun-bonded garments falling under this CN8 code.	Single-use gowns made up of nonwovens, of a kind used by patients or surgeons during surgical procedures	31st December 2023
6210 40 00	0.00%	This suspension only applies to men's protective garments for surgical/medical use made of woven textiles of that are impregnated, coated, covered or laminated with plastics or men's protective garments made of rubberised textile fabrics falling under this CN8 code.	Men's or boys' garments of textile fabrics, rubberised or impregnated, coated, covered or laminated with plastics or other substances (excl. of the type described in subheading 6201 11 to 6201 19, and babies' garments and clothing accessories)	31st December 2023
6210 50 00	0.00%	This suspension only applies to women´s or unisex protective garments for surgical/medical use made of woven textiles of that are impregnated, coated, covered or laminated with plastics or women´s or unisex protective garments made of rubberised textile fabrics falling under this CN8 code.	Women's or girls' garments of textile fabrics, rubberised or impregnated, coated, covered or laminated with plastics or other substances (excl. of the type described in subheading 6202 11 to 6202 19, and babies' garments and clothing accessories)	31st December 2023
6211 42 10	0.00%	This suspension only applies to "scrub tops" – loose fit unisex tops, made of a tightly woven cotton or cotton blend (more than 50% cotton) fabric without any coating, covering or other treatment, identifiable as being of the kind used by medical staff in hospitals or "scrub bottoms" – loose fit unisex long pants, made of a tightly woven cotton or cotton blend (more than 50% cotton) fabric without any coating, covering or other treatment, identifiable as being of the kind used by medical staff in hospitals falling under this CN8 code.	Women's or girls' aprons, overalls, smock-overalls and other industrial and occupational clothing of cotton (excl. knitted or crocheted)	31st December 2023

6216 00 00	0.00%	This suspension only applies to textile gloves that are not knitted or crocheted falling under this CN8 code.	Gloves, mittens and mitts, of all types of textile materials (excl. knitted or crocheted and for babies)	31st December 2023
6306 22 00	0.00%	This suspension only applies to tents for setting up field hospitals, including temporary canopies (made of synthetic fibres or other textile materials) falling under this CN8 code.	Tents of synthetic fibres (excl. umbrella and play tents)	31st December 2023
6306 29 00	0.00%	This suspension only applies to tents for setting up field hospitals, including temporary canopies (made of synthetic fibres or other textile materials) falling under this CN8 code.	Tents of textile materials (excl. of synthetic fibres, and umbrella and play tents)	31st December 2023
6307 90 92	0.00%	This suspension only applies to textile face-masks, without a replaceable filter or mechanical parts, including surgical masks and disposable face-masks made of non-woven textiles. This includes the masks known as N95 Particulate Respirators. Note: the heading also includes N95 respirators with simple exhalation valves as these remain respirator masks and are not gas masks or boot covers/overshoes – made of non-woven textiles, disposable or single-use drapes (made up of fabrics of heading 5603, of a kind used during surgical procedures) or absorbent pads of non-woven textiles for hospital beds (pads made primarily of non-woven textiles, but further worked into other forms, e.g. hemmed pads or pads assembled into multiple layers) falling under this CN8 code.	Single-use drapes used during surgical procedures made up of nonwovens	31st December 2023
6307 90 93 00	0.00%	This suspension only applies to textile face-masks, without a replaceable filter or mechanical parts, including surgical masks and disposable face-masks made of non-woven textiles. This includes the masks known as N95 Particulate Respirators. Note: the heading also includes N95	Protective face masks	31st December 2023

		respirators with simple exhalation valves as these remain respirator masks and are not gas masks or boot covers/overshoes – made of non-woven textiles, disposable or Single-use drapes (made up of fabrics of heading 5603, of a kind used during surgical procedures) or absorbent pads of non-woven textiles for hospital beds (pads made primarily of non-woven textiles, but further worked into other forms, e.g. hemmed pads or pads assembled into multiple layers, falling under this CN10 code.		
6307 90 95 00	0.00%	This suspension only applies to textile face-masks, without a replaceable filter or mechanical parts, including surgical masks and disposable face-masks made of non-woven textiles. This includes the masks known as N95 Particulate Respirators. Note: the heading also includes N95 respirators with simple exhalation valves as these remain respirator masks and are not gas masks or boot covers/overshoes – made of non-woven textiles, disposable or Single-use drapes (made up of fabrics of heading 5603, of a kind used during surgical procedures) or absorbent pads of non-woven textiles for hospital beds (pads made primarily of non-woven textiles, but further worked into other forms, e.g. hemmed pads or pads assembled into multiple layers, falling under this CN10 code.	Filtering facepieces (FFP) according to EN149, and other masks filtering at least 80% of O,3|micron particles	31st December 2023
6307 90 98	0.00%	This suspension only applies to textile face-masks, without a replaceable filter or mechanical parts, including surgical masks and disposable face-masks made of non-woven textiles. This includes the masks known as N95 Particulate Respirators. Note: the heading also includes N95	Made-up articles of textile materials, incl. dress patterns, n.e.s. (excl. of felt, knitted or crocheted, and single-use drapes used during surgical procedures made up of nonwovens)	31st December 2023

		respirators with simple exhalation valves as these remain respirator masks and are not gas masks or boot covers/overshoes – made of non-woven textiles, disposable or Single-use drapes (made up of fabrics of heading 5603, of a kind used during surgical procedures) or absorbent pads of non-woven textiles for hospital beds (pads made primarily of non-woven textiles, but further worked into other forms, e.g. hemmed pads or pads assembled into multiple layers, falling under this CN8 code.		
6505 00 90	0.00%	This suspension only applies to disposable hair nets falling under this CN8 code.	Hats and other headgear, knitted or crocheted, or made up from lace, felt or other textile fabric, in the piece (but not in strips), whether or not lined or trimmed (excl. of fur felt or of felt of wool and fur, peaked caps, headgear for animals or headgear having the character of toys or festive articles)	31st December 2023
7311 00 11	0.00%	This suspension only applies to empty medical gas cylinders, portable, for oxygen, fitted with a valve and a pressure and flow regulator (steel or steel alloy), falling under this CN8 code.	Containers of iron or steel, seamless, for compressed or liquefied gas, for a pressure >= 165 bar, of a capacity < 20 l (excl. containers specifically constructed or equipped for one or more types of transport)	31st December 2023
7311 00 13	0.00%	This suspension only applies to empty medical gas cylinders, portable, for oxygen, fitted with a valve and a pressure and flow regulator (steel or steel alloy), falling under this CN8 code.	Containers of iron or steel, seamless, for compressed or liquefied gas, for a pressure >= 165 bar, of a capacity >= 20 l to <= 50 l (excl. containers specifically constructed or equipped for one or more types of transport)	31st December 2023
7311 00 19	0.00%	This suspension only applies to empty medical gas cylinders, portable, for oxygen, fitted with a	Containers of iron or steel, seamless, for compressed or liquefied gas, for a pressure >= 165 bar, of a capacity > 50 l (excl.	31st December 2023

		valve and a pressure and flow regulator (steel or steel alloy), falling under this CN8 code.	containers specifically constructed or equipped for one or more types of transport)	
7311 00 30	0.00%	This suspension only applies to empty medical gas cylinders, portable, for oxygen, fitted with a valve and a pressure and flow regulator (steel or steel alloy), falling under this CN8 code.	Containers of iron or steel, seamless, for compressed or liquefied gas, for a pressure < 165 bar (excl. containers specifically constructed or equipped for one or more types of transport)	31st December 2023
7311 00 91	0.00%	This suspension only applies to empty medical gas cylinders, portable, for oxygen, fitted with a valve and a pressure and flow regulator (steel or steel alloy), falling under this CN8 code.	Containers of iron or steel, seamless, for compressed or liquefied gas, of a capacity of < 1 000 l (excl. seamless containers and containers specifically constructed or equipped for one or more types of transport)	31st December 2023
7311 00 99	0.00%	This suspension only applies to empty medical gas cylinders, portable, for oxygen, fitted with a valve and a pressure and flow regulator (steel or steel alloy), falling under this CN8 code.	Containers of iron or steel, seamless, for compressed or liquefied gas, of a capacity of >= 1 000 l (excl. seamless containers and containers specifically constructed or equipped for one or more types of transport)	31st December 2023
7613 00 00	0.00%	This suspension only applies to empty medical gas cylinders, portable, for oxygen, fitted with a valve and a pressure and flow regulator (aluminium), falling under this CN8 code.	Aluminium containers for compressed or liquefied gas	31st December 2023
8543 70 90 99	0.00%	This suspension only applies to ultra-violet irradiation equipment for disinfection purpose, falling under this CN10 code.	Electrical machines and apparatus, having individual functions, n.e.s. in chap. 85	31st December 2023
8703 10 11	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Vehicles specially designed for travelling on snow, for the transport of <10 persons, with internal combustion piston engine	31st December 2023
8703 10 18	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Vehicles for the transport of <10 persons on snow, not with internal combustion piston engine; golf cars and similar vehicles	31st December 2023

8703 21 10	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with only spark-ignition internal combustion reciprocating piston engine of a cylinder capacity <= 1 000 cm³, new (excl. vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	31st December 2023
8703 21 90	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with only spark-ignition internal combustion reciprocating piston engine of a cylinder capacity <= 1 000 cm³, used (excl. vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	31st December 2023
8703 22 10	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with only spark-ignition internal combustion reciprocating piston engine, of a cylinder capacity > 1 000 cm³ but <= 1 500 cm³, new (excl. vehicles for travelling on snow and similar vehicles of subheading 8703 10)	31st December 2023
8703 22 90	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with only spark-ignition internal combustion reciprocating piston engine of a cylinder capacity > 1 000 cm³ but <= 1 500 cm³, used (excl. vehicles for	31st December 2023

			travelling on snow and other specially designed vehicles of subheading 8703 10)	
8703 23 11	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor caravans with only spark-ignition internal combustion reciprocating piston engine, of a cylinder capacity > 1 500 cm³ but <= 3 000 cm³, new	31st December 2023
8703 23 19	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with only spark-ignition internal combustion reciprocating piston engine, of a cylinder capacity > 1 500 cm³ but <= 3 000 cm³, new (excl. those of subheading 8703 10 and motor caravans)	31st December 2023
8703 23 90	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with only spark-ignition internal combustion reciprocating piston engine of a cylinder capacity > 1 500 cm³ but <= 3 000 cm³, used (excl. vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	31st December 2023
8703 24 10	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with only spark-ignition internal combustion reciprocating piston engine of a cylinder capacity > 3 000 cm³, new (excl. vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	31st December 2023
8703 24 90	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of	31st December 2023

			<10 persons, incl. station wagons and racing cars, with only spark-ignition internal combustion reciprocating piston engine of a cylinder capacity > 3 000 cm³, used (excl. vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	
8703 31 10	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with only diesel engine of a cylinder capacity <= 1 500 cm³, new (excl. vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	31st December 2023
8703 31 90	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with only diesel engine of a cylinder capacity <= 1 500 cm³, used (excl. vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	31st December 2023
8703 32 11	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor caravans with only diesel engine of a cylinder capacity > 1 500 cm³ but <= 2 500 cm³, new	31st December 2023
8703 32 19	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles, principally designed for the transport of <10 persons, incl. station wagons, with only diesel engine of a cylinder capacity > 1 500 cm³ but <= 2 500 cm³, new (excl. motor caravans and vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	31st December 2023

8703 32 90	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with only diesel engine of a cylinder capacity > 1 500 cm³ but <= 2 500 cm³, used (excl. vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	31st December 2023
8703 33 11	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor caravans with only diesel engine of a cylinder capacity > 2 500 cm³, new	31st December 2023
8703 33 19	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles, principally designed for the transport of <10 persons, incl. station wagons, with only diesel engine of a cylinder capacity > 2 500 cm³, new (excl. motor caravans and vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	31st December 2023
8703 33 90	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with only diesel engine of a cylinder capacity > 2 500 cm³, used (excl. vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	31st December 2023
8703 40 10	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with both spark-ignition internal combustion reciprocating piston engine and electric motor as motors for propulsion, new (excl. vehicles for travelling on snow, other specially	31st December 2023

			designed vehicles of subheading 8703 10 and plug-in hybrids)	
8703 40 90	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with both spark-ignition internal combustion reciprocating piston engine and electric motor as motors for propulsion, used (excl. vehicles for travelling on snow, other specially designed vehicles of subheading 8703 10 and plug-in hybrids)	31st December 2023
8703 50 00	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with both diesel engine and electric motor as motors for propulsion (excl. vehicles for travelling on snow, other specially designed vehicles of subheading 8703 10 and plug-in hybrids)	31st December 2023
8703 60 10	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with both spark-ignition internal combustion reciprocating piston engine and electric motor as motors for propulsion, capable of being charged by plugging to external source of electric power, new (excl. vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	31st December 2023
8703 60 90	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and	31st December 2023

			racing cars, with both spark-ignition internal combustion reciprocating piston engine and electric motor as motors for propulsion, capable of being charged by plugging to external source of electric power, used (excl. vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	
8703 70 00	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with both diesel engine and electric motor as motors for propulsion, capable of being charged by plugging to external source of electric power (excl. vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	31st December 2023
8703 80 10	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with only electric motor for propulsion, new (excl. vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	31st December 2023
8703 80 90	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other motor vehicles principally designed for the transport of <10 persons, incl. station wagons and racing cars, with only electric motor for propulsion, used (excl. vehicles for travelling on snow and other specially designed vehicles of subheading 8703 10)	31st December 2023
8703 90 00	0.00%	This suspension only applies to ambulances falling under this CN8 code.	Motor cars and other vehicles principally designed for the transport of <10 persons,	31st December 2023

			incl. station wagons and racing cars, with engines other than internal combustion piston engine or electric motor (excl. vehicles for the transport of persons on snow and other specially designed vehicles of subheading 8703 10)	
9004 90 10	0.00%	This suspension only applies to protective spectacles and goggles falling under this CN8 code.	Spectacles, goggles and the like, corrective, protective or other, with lenses of plastics (excl. spectacles for testing eyesight, sunglasses, contact lenses, spectacle lenses and frames and mountings for spectacles)	31st December 2023
9004 90 90	0.00%	This suspension only applies to protective spectacles and goggles falling under this CN8 code.	Spectacles, goggles and the like, corrective, protective or other (other than with lenses of plastics and excl. spectacles for testing eyesight, sunglasses, contact lenses, spectacle lenses and frames and mountings for spectacles)	31st December 2023

Commodity Code	Duty Expression	Notes	Description	Expiry Date
0409 00 00	0.00%	This suspension only applies to Manuka Honey falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Manuka Honey	31st December 2024
0712 20 00 00	0.00%	This Suspension only applies to:	Dehydrated and ground dried onion from white seed bred Californian varieties of Allium cepa, and Dehydrated onion in the form of powder or granules.	31st December 2024

		• Dehydrated and ground dried onion from white seed bred Californian varieties of Allium cepa • Dehydrated onion in the form of powder or granules Falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
0712 90 90 10	0.00%	This Suspension only applies to: • Dehydrated and ground garlic from white seed bred Californian varieties of Allium sativum with an allicin content of more than 10 000 mg/kg as determined by high performance liquid chromatography (HPLC) • Garlic powder at 8% moisture falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dehydrated and ground garlic from white seed bred Californian varieties of Allium sativum with an allicin content of more than 10 000 mg/kg as determined by high performance liquid chromatography (HPLC), and Garlic powder at 8% moisture	31st December 2024
0813 20 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Dried prunes	31st December 2024

0813 50 15 00	0.00%	This Suspension only applies to: A mixture of freeze dried fruits consisting of blackcurrant, blueberry, cranberry with coconut oil falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	A mixture of freeze dried fruits consisting of blackcurrant, blueberry, cranberry with coconut oil	31st December 2024
1108 14 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Manioc (cassava) starch	31st December 2024
1209 91 80 10	0.00%	This Suspension only applies to: Corn Salad (Valerianella locusta), Kohlrabi (Brassica oleracea Gongylodes), Lettuce (Lactuca sativa), Sweet Pepper (Capsicum annuum), Hot Pepper (Capsicum frutescens), Tomato (Solanum lycopersicum), Carrot (Daucus carota subsp. sativus), Cucumber (Brassica oleracea var. capitata), Cabbage (Cucumis sativus, Celery(Apium graveolens), Cauliflower (Brassica oleracea var. botrytis), Swiss Chard (Beta vulgaris, Aubergine (solanum melongena), Endive (Cichorium endivia), Spinach (Spinacia oleracea), Celeriac (Apium graveolens var. rapaceum), Leek (Allium ampeloprasum), Broccoli (Brassica oleracea var. italica),Radish (Raphanus sativus), Rocket (Eruca sativa) falling within this commodity code.	Corn Salad (Valerianella locusta), Kohlrabi (Brassica oleracea Gongylodes), Lettuce (Lactuca sativa), Sweet Pepper (Capsicum annuum), Hot Pepper (Capsicum frutescens), Tomato (Solanum lycopersicum), Carrot (Daucus carota subsp. sativus), Cucumber (Brassica oleracea var. capitata), Cabbage (Cucumis sativus, Celery(Apium graveolens), Cauliflower (Brassica oleracea var. botrytis), Swiss Chard (Beta vulgaris, Aubergine (solanum melongena), Endive (Cichorium endivia), Spinach (Spinacia oleracea), Celeriac (Apium graveolens var. rapaceum), Leek (Allium ampeloprasum), Broccoli (Brassica oleracea var. italica),Radish (Raphanus sativus), Rocket (Eruca sativa)	31st December 2024

		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
1518 00 95 90	0.00%	This Suspension only applies to used cooking oil, for use in the production of biodiesel falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Used cooking oil, for use in the production of biodiesel	31st December 2024
2005 99 50 90	0.00%	This Suspension only applies to: Brined Chinese leaf cabbage, mixed with carrot, daikon and spring onion naturally fermented in a spice paste, naturally fermented in its own brine with natural acids produced by lactobacillus bacteria that naturally preserve the vegetables falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Brined Chinese leaf cabbage, mixed with carrot, daikon and spring onion naturally fermented in a spice paste, naturally fermented in its own brine with natural acids produced by lactobacillus bacteria that naturally preserve the vegetables	31st December 2024
2005 99 60 90	0.00%	This Suspension only applies to: Shredded drumhead cabbage, salted and mixed with other vegetables, herbs and spices, naturally fermented in its own brine, with natural acids	Shredded drumhead cabbage, salted and mixed with other vegetables, herbs and spices, naturally fermented in its own brine, with natural acids produced by lactobacillus bacteria that naturally preserve the vegetables	31st December 2024

		produced by lactobacillus bacteria that naturally preserve the vegetables falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2008 20 51 00	0.00%	This Suspension only applies to: • Dried diced pineapple, sugar, citric acid, S02, and • Fresh, sound, ripe Pineapple core which has been peeled, cut to 10mm dice, and processed by hot air dehydration after syruping Falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Dried diced pineapple, sugar, citric acid, S02, and • Fresh, sound, ripe Pineapple core which has been peeled, cut to 10mm dice, and processed by hot air dehydration after syruping	31st December 2024
2008 93 91 80	0.00%	This suspension only applies to: sweetened dried cranberries for use in retail packing and for the manufacture of products of food processing industries falling within this commodity code.	Sweetened dried cranberries for use in retail packing and for the manufacture of products of food processing industries	31st December 2024

		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2008 99 48 94	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mango puree: • not from concentrate, • of the genus Mangifera, • of a Brix value of 14 or more, but not more than 20 used in the manufacture of products of drink industry	31st December 2024
2008 99 48 99	0.00%	This Suspension only applies to: Fresh, sound, ripe Papaya which has been peeled, cut to desired shape and processed by hot air de-hydration after syruping falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fresh, sound, ripe Papaya which has been peeled, cut to desired shape and processed by hot air dehydration after syruping	31st December 2024
2009 11 99 96	0.00%	This Suspension only applies to: Frozen orange juice concentrate, with a brix value of 64 or more but not more than 67 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Frozen orange juice concentrate, with a brix value of 64 or more but not more than 67	31st December 2024

2009 12 00 10	0.00%	This suspension only applies to: Orange juice not from concentrate, not frozen, With a brix value of 10 or more but not more than 20, In containers of 2 litres or less falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	orange juice not from concentrate, Not frozen, With a brix value of 10 or more but not more than 20, In containers of 2 litres or less	31st December 2024
2009 12 00 90	0.00%	This suspension only applies to: Orange juice not from concentrate, not frozen, With a brix value of 10 or more but not more than 20, in containers of more than 2 litres falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Orange juice not from concentrate, Not frozen, With a brix value of 10 or more but not more than 20, in containers of more than 2 litres	31st December 2024
2009 19 98 19	0.00%	This suspension only applies to: Orange juice concentrate, with a brix value of 64 or more but not more than 67, in containers of 2 litres or less	Orange juice concentrate, with a brix value of 64 or more but not more than 67, in containers of 2 litres or less	31st December 2024

		falling under this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2009 19 98 99	0.00%	This suspension only applies to: Orange juice concentrate, with a brix value of 64 or more but not more than 67, in containers of more than 2 litres falling under this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Orange juice concentrate, with a brix value of 64 or more but not more than 67, in containers of more than 2 litres	31st December 2024
2009 31 19 99	0.00%	This Suspension only applies to: Frozen lime juice not from concentrate, with a brix value not exceeding 20 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Frozen lime juice not from concentrate, with a brix value not exceeding 20	31st December 2024
2009 39 31 99	0.00%	This Suspension only applies to: Lime juice concentrate, with a brix value of 39 or more but not more than 67	Lime juice concentrate, with a brix value of 39 or more but not more than 67	31st December 2024

		falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2009 39 39 19	0.00%	This Suspension only applies to: Lemon juice concentrate, with a brix value of 46 or more but not more than 67 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lemon juice concentrate, with a brix value of 46 or more but not more than 67	31st December 2024
2009 39 39 99	0.00%	This Suspension only applies to: Lime juice concentrate, with a brix value of 39 or more but not more than 67 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Lime juice concentrate, with a brix value of 39 or more but not more than 67	31st December 2024
2009 49 99 90	0.00%	This Suspension only applies to:	Pineapple juice concentrate, other than in powdered form, not containing added	31st December 2024

		Pineapple juice concentrate, other than in powdered form, not containing added sweetening with a brix value of 59 or more but not more than 67 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	sweetening with a brix value of 59 or more but not more than 67	
2009 90 51 80	0.00%	This Suspension only applies to: Tropical fruit juice blend consisting of orange, apricot, guava, mango, apple, lemon, grapefruit, banana, pineapple and passion fruit – brix value not exceeding 67 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Tropical fruit juice blend consisting of orange, apricot, guava, mango, apple, lemon, grapefruit, banana, pineapple and passion fruit – brix value not exceeding 67	31st December 2024
2106 90 92 60	0.00%	This Suspension only applies to: Preparation containing by weight: • more than 30% but not more than 35% licorice extract • more than 65% but not more than 70% tricaprylin	Flavour Preparation, containing by weight: • 70% or more, but not more than 90% of Torula yeast • 10% or more, but not more than 30% Smoke Flavour • Not more than 2% Silicon Dioxide falling within this commodity code.•	31st December 2024

		• standardised by weight to 3% or more but not more than 4% glabridin Flavour Preparation, containing by weight: • 70% or more, but not more than 90% of Torula yeast • 10% or more, but not more than 30% Smoke Flavour • Not more than 2% Silicon Dioxide falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2309 90 31 91	0.00%	This Suspension only applies to: Soya protein concentrate containing by weight 0.2% or more but not more than 7% starch falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Soya protein concentrate containing by weight 0.2% or more but not more than 7% starch	31st December 2024
2309 90 96 95	0.00%	This Suspension only applies to: Lysine Sulphate falling within this commodity code. This suspension does not apply to any mixtures,	Lysine Sulphate	31st December 2024

		preparations or products made up of different components containing these products.		
2710 12 21 00	0.00%	This Suspension only applies to: White spirit with a difference of not more than 60°C between the temperatures at which 5% and 90% by volume (including losses) distil falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	White spirit with a difference of not more than 60°C between the temperatures at which 5% and 90% by volume (including losses) distil	31st December 2024
2710 19 29 00	0.00%	This Suspension only applies to: Hydrocarbon fractions, meeting the description of CAS RN 64771-72-8, or EC 918-481-9, 926-141-6 or 921-050-8 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hydrocarbon fractions, meeting the description of CAS RN 64771-72-8, or EC 918-481-9, 926-141-6 or 921-050-8	31st December 2024
2710 19 85 00	0.00%	This Suspension only applies to: White medicinal oils (CAS RNs 8042-47-5, 72623-87-1, 72623-86-0 and/or 64742-55-8)	White medicinal oils (CAS RNs 8042-47-5, 72623-87-1, 72623-86-0 and/or 64742-55-8)	31st December 2024

		falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2710 19 99 40	0.00%	This Suspension only applies to: Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: • 90 % or more by weight of saturates, and • not more than 0,03 % by weight of sulphur, and with a • viscosity index of 80 or more, but less than 120, and a • kinematic viscosity of 5,0 cSt at 100 °C or more, but not more than 13,0 cSt at 100 °C falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Catalytically hydroisomerized and dewaxed base oil of hydrogenated, highly isoparaffinic hydrocarbons, containing: • 90 % or more by weight of saturates, and • not more than 0,03 % by weight of sulphur, and with a • viscosity index of 80 or more, but less than 120, and a • kinematic viscosity of 5,0 cSt at 100 °C or more, but not more than 13,0 cSt at 100 °C	31st December 2024
2818 20 00 90	0.00%	This suspension only applies to:	Artificial corundum, whether or not chemically defined; aluminium oxide; aluminium hydroxide	31st December 2024

		Artificial corundum, whether or not chemically defined; aluminium oxide; aluminium hydroxide - Aluminium oxide, other than artificial corundum -Other specifically for the manufacture of auto-catalyst monoliths ONLY falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	- Aluminium oxide, other than artificial corundum -Other specifically for the manufacture of auto-catalyst monoliths ONLY	
2903 29 00 00	0.00%	This Suspension only applies to: Trans-Dichloroethylene (CAS RN 156-60-5) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Trans-Dichloroethylene (CAS RN 156-60-5)	31st December 2024
2903 71 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Chlorodifluoromethane (HCFC-22)	31st December 2024
2905 31 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Mono ethylene glycol (current EC-number 203-473-3)	31st December 2024
2905 49 00 00	0.00%	This Suspension only applies to: • Erythritol (CAS RN 149-32-6)	• Erythritol (CAS RN 149-32-6)	31st December 2024

		falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2907 22 00 10	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hydroquinone (quinol)	31st December 2024
2914 19 90 70	0.00%	This suspension applies to: Calcium acetylacetonate (CAS RN 19372-44-2) with a purity by weight of 95 % or more	Calcium acetylacetonate (CAS RN 19372-44-2) with a purity by weight of 95 % or more	31st December 2024
2915 90 70 98	0.00%	This Suspension only applies to: • Ethyl difluoroacetate (CAS RN 454-31-9) • 2-Ethyl-2-methyl butanoic acid (CAS RN 19889-37-3) • Pivaloyl chloride (CAS RN 3282-30-2) • Vinyl neodecanoate (CAS RN 51000-52-3) • Triethyl orthoformate (CAS RN 122-51-0) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Pivaloyl chloride (CAS RN 3282-30-2) • Vinyl neodecanoate (CAS RN 51000-52-3)	31st December 2024
2917 36 00 00	0.00%	This Suspension only applies to:	Terephthalic acid (CAS RN 100-21-0)	31st December 2024

		Terephthalic acid (CAS RN 100-21-0) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2918 12 00 90	0.00%	This Suspension only applies to: L-(+)-tartaric acid (CAS RN 87-64-9) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	L-(+)-tartaric acid (CAS RN 87-64-9)	31st December 2024
2918 14 00 90	0.00%	This Suspension only applies to Anhydrous Citric acid falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Anhydrous Citric acid	31st December 2024
2918 15 00 19	0.00%	This Suspension only applies to: Trisodium citrate dyhydrate falling within this commodity code. This suspension does not apply to any mixtures,	Trisodium citrate dyhydrate	31st December 2024

		preparations or products made up of different components containing these products.		
2920 29 00 90	0.00%	This suspension only applies to: • 2,2'-[[3,3',5,5'-Tetrakis(1,1-di-methylethyl)[1,1'-biphenyl]-2,2'-diyl]bis(oxy)]bis[biphenyl-1,3,2-dioxaphos-phepine] (CAS RN 138776-88-2) • Fosetyl-sodium (CAS RN 39148-16-8) in form of an aqueous solution with a content by weight of fosetyl-sodium of 35 % or more but not more than 45 % for use in the manufacture of pesti-cides' • Triphenyl phosphite (CAS RN 101-02-0) Falling within this CN10 code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Triphenyl phosphite (CAS RN 101-02-0)	31st December 2024
2920 90 10 15	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products	Ethyl methyl carbonate (CAS RN 623-53-0)	31st December 2024
2920 90 10 90	0.00%	This Suspension only applies to: • Sodium 2-[2-(2-tridecoxyethoxy)ethoxy]ethyl sulphate (CAS RN 25446-78-0) in the form of a	-fluoro-1,3-dioxolan-2-one (CAS RN 11435-02-8) • Diethyl carbonate (CAS RN 105-58-8), and	31st December 2024

		liquid paste with a content by weight in water of 62% or more but not more than 65% • 4-fluoro-1,3-dioxolan-2-one (CAS RN 11435-02-8) • Diethyl carbonate (CAS RN 105-58-8), and • Vinylene carbonate (CAS RN 872-36-6) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Vinylene carbonate (CAS RN 872-36-6)	
2921 19 99 90	0.00%	This Suspension only applies to: Ethyldiisopropylamine (CAS RN 7087-68-5) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Ethyldiisopropylamine (CAS RN 7087-68-5)	31st December 2024
2921 59 90 75	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products	4,4'- Diaminodiphenylmethane (MDA) (CAS RN 101-77-9)	31st December 2024
2922 15 00 00	0.00%	This suspension does not apply to any mixtures, preparations or products made up of different components containing these products	Triethanolamine	31st December 2024

2924 29 70 99	0.00%	This Suspension only applies to: • N,N'-(2-Chloro-5-methyl-1,4-phenylene)bis[3-oxobutyramide] (CAS RN 41131-65-1) • (S)-1-Phenylethanamine (S)-2-(((1R,2R)-2-al-lylcyclopropoxy) • carbonylamino)-3,3-dimethylbutanoate (CUS 0143288-8) • 2-Bromo-4-fluoroacetanilide (CAS RN 1009-22-9), and • N-Benzyloxycarbonyl-L-tert-leucine isopropyl-amine salt (CAS RN 1621085-33-3) • Chlorpropham (CAS RN 101-21-3) • Phenmedipham (CAS RN 13684-63-4) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Chlorpropham (CAS RN 101-21-3) • Phenmedipham (CAS RN 13684-63-4)	31st December 2024
2933 31 00 00	0.00%	This Suspension only applies to: Pyridine (CAS RN 110-86-1) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Pyridine (CAS RN 110-86-1)	31st December 2024

2934 99 90 90	0.00%	This Suspension only applies to: • Oxadiazon (ISO) (CAS RN 19666-30-9) with a purity by weight of 95% or more, • Uridine 5′-diphospho-N-acetylgalactosamine disodium salt (CAS RN 91183-98-1) • Uridine 5′-diphosphoglucuronic acid trisodium salt (CAS RN 63700-19-6) • 7-[4-(Diethylamino)-2-ethoxyphenyl]-7-(1-ethyl-2-methyl-1H-indol-3-yl)furo[3,4-b]pyridin-5(7H)-one (CAS RN 69898-40-4) • 10-[1,1'-Biphenyl]-4-yl-2-(1-methylethyl)-9-oxo-9H-thioxanthenium hexafluorophosphate (CAS RN 591773-92-1) • Rel-(3aR,12bR)-11-Chloro-2,3,3a,12b-tetrahydro-2-methyl-1H-dibenz[2,3:6,7]oxepino[4,5-c]pyrrol-1-one (CAS RN 129385-59-7) • 4-Methoxy-5-(3-morpholin-4-yl-propoxy)-2-nitro-benzonitrile (CAS RN 675126-26-8) • Thidiazuron (ISO) (CAS RN 51707-55-2) with a content by weight of 98% or more • 4-Methoxy-3-(3-morpholin-4-yl-propoxy)-benzonitrile (CAS RN 675126-28-0) • 1,5,2,4-dioxadithiane 2,2,4,4-tetraoxide (CAS RN 99591-74-9)	• 1,5,2,4-dioxadithiane 2,2,4,4-tetraoxide (CAS RN 99591-74-9) • Diacetyloxadiazepane (CAS RN 83598-13-4)	31st December 2024

		• Diacetyloxadiazepane (CAS RN 83598-13-4) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
2935 90 90 99	0.00%	This Suspension only applies to: • (1R,2R)-1-Amino-2-(difluoromethyl)-N-(1-methylcyclopropylsulphonyl) cyclopropanecar-boxamide hydrochloride (CUS 0143290-2) • 1-Methylcyclopropane-1-sulphonamide (CAS RN 669008-26-8) • N-(2-phenoxyphenyl)methanesulphonamide (CAS RN 51765-51-6) and • Bensulfuron-methyl (CAS RN 83055-99-6) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Bensulfuron-methyl (CAS RN 83055-99-6)	31st December 2024
3102 10 10 00	0.00%	This Suspension only applies to: Urea (CAS RN 57-13-6) with a purity by weight of 97% or more for the use of: - manufacturing of particle and fibreboards, or - as an additive for diesel	Urea (CAS RN 57-13-6) with a purity by weight of 97% or more for the use of: - manufacturing of particle and fibreboards, or - as an additive for diesel	31st December 2024

		falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
3204 17 00 90	0.00%	This Suspension only applies to: • Colourant C.I. Pigment Orange 34 (CAS RN 15793-73-4) and preparations based thereon with a Colourant C.I. Pigment Orange 34 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 3 (CAS RN 2425-85-6) and preparations based thereon with a Colourant C.I. Pigment Red 3 content of 70 % or more (by weight). • Colourant C.I. Pigment Red 48:1 (CAS RN 7585-41-3) and preparations based thereon with a Colourant C.I. Pigment Red 48:1 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 48:3 (CAS RN 15782-05-5) and preparations based thereon with a Colourant C.I. Pigment Red 48:3 content of 70 % or more (by weight)	• Colourant C.I. Pigment Orange 34 (CAS RN 15793-73-4) and preparations based thereon with a Colourant C.I. Pigment Orange 34 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 3 (CAS RN 2425-85-6) and preparations based thereon with a Colourant C.I. Pigment Red 3 content of 70 % or more (by weight). • Colourant C.I. Pigment Red 48:1 (CAS RN 7585-41-3) and preparations based thereon with a Colourant C.I. Pigment Red 48:1 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 48:3 (CAS RN 15782-05-5) and preparations based thereon with a Colourant C.I. Pigment Red 48:3 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 53:1 (CAS	31st December 2024

		• Colourant C.I. Pigment Red 53:1 (CAS RN 5160-02-1) and preparations based thereon with a Colourant C.I. Pigment Red 53:1 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 62 (CAS RN 12286-66-7) and preparations based thereon with a Colourant C.I. Pigment Yellow 62 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 17 (CAS RN 4531-49-1) and preparations based thereon with a Colourant C.I. Pigment Yellow 17 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 13 (CAS RN 5102-83-0) and preparations based thereon with a Colourant C.I. Pigment Yellow 13 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 112 (CAS RN 6535-46-2) and preparations based thereon with a Colourant C.I. Pigment Red 112 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 74 (CAS RN 6358-31-2) and preparations based thereon with a	RN 5160-02-1) and preparations based thereon with a Colourant C.I. Pigment Red 53:1 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 62 (CAS RN 12286-66-7) and preparations based thereon with a Colourant C.I. Pigment Yellow 62 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 17 (CAS RN 4531-49-1) and preparations based thereon with a Colourant C.I. Pigment Yellow 17 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 13 (CAS RN 5102-83-0) and preparations based thereon with a Colourant C.I. Pigment Yellow 13 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 112 (CAS RN 6535-46-2) and preparations based thereon with a Colourant C.I. Pigment Red 112 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 74 (CAS RN 6358-31-2) and preparations based thereon with a Colourant C.I. Pigment	

		Colourant C.I. Pigment Yellow 74 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 191 (CAS RN 129423-54-7) and preparations based thereon with a Colourant C.I. Pigment Yellow 191 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 83 (CAS RN 5567-15-7) and preparations based thereon with a Colourant C.I. Pigment Yellow 83 content of 70 % or more (by weight) • Colourant C.I. Pigment Orange 64 (CAS RN 72102-84-2) and preparations based thereon with a Colourant C.I. Pigment Orange 64 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 122 (CAS RN 980-26-7) and preparations based thereon with a Colourant C.I. Pigment Red 122 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 170 (CAS RN 2786-76-7) and preparations based thereon with a Colourant C.I. Pigment Red 170 content of 70 % or more (by weight) • Colourant C.I. Pigment Violet 19 (CAS RN	Yellow 74 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 191 (CAS RN 129423-54-7) and preparations based thereon with a Colourant C.I. Pigment Yellow 191 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 83 (CAS RN 5567-15-7) and preparations based thereon with a Colourant C.I. Pigment Yellow 83 content of 70 % or more (by weight) • Colourant C.I. Pigment Orange 64 (CAS RN 72102-84-2) and preparations based thereon with a Colourant C.I. Pigment Orange 64 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 122 (CAS RN 980-26-7) and preparations based thereon with a Colourant C.I. Pigment Red 122 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 170 (CAS RN 2786-76-7) and preparations based	

		1047-16-1) and preparations based thereon with a Colourant C.I. Pigment Violet 19 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 151 (CAS RN 31837-42-0) and preparations based thereon with a Colourant C.I. Pigment Yellow 151 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 154 (CAS RN 68134-22-5) and preparations based thereon with a Colourant C.I. Pigment Yellow 154 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 180 (CAS RN 77804-81-0) and preparations based thereon with a Colourant C.I. Pigment Yellow 180 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 110 (CAS RN 5590-18-1) and preparations based thereon with a Colourant C.I. Pigment Yellow 110 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 139 (CAS RN 36888-99-0) and preparations based thereon with a Colourant C.I. Pigment Yellow 139 content of 70 % or more (by weight)	thereon with a Colourant C.I. Pigment Red 170 content of 70 % or more (by weight) • Colourant C.I. Pigment Violet 19 (CAS RN 1047-16-1) and preparations based thereon with a Colourant C.I. Pigment Violet 19 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 151 (CAS RN 31837-42-0) and preparations based thereon with a Colourant C.I. Pigment Yellow 151 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 154 (CAS RN 68134-22-5) and preparations based thereon with a Colourant C.I. Pigment Yellow 154 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 180 (CAS RN 77804-81-0) and preparations based thereon with a Colourant C.I. Pigment Yellow 180 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 110 (CAS RN 5590-18-1) and preparations	

		• Colourant C.I. Pigment Yellow 1 (CAS RN 2512-29-0) and preparations based thereon with a Colourant C.I. Pigment Yellow 1 content of 70 % or more (by weight) • Colourant C.I. Pigment Violet 23 (CAS RN 215247-95-3) and preparations based thereon with a Colourant C.I. Pigment Violet 23 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 13 (CAS RN 5102-83-0) and preparations based thereon with a Colourant C.I. Pigment Yellow 13 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 2 (CAS RN 6041-94-7) and preparations based thereon with a Colourant C.I. Pigment Red 2 content of 70 % or more (by weight) and less than 1% of 3-hydroxy-2-naphthanilide (CAS RN 92-77-3) • Colourant C.I. Pigment Blue 15:0 (CAS RN 147-14-8) and preparations based thereon with a Colourant C.I. Pigment Blue 15:0 content of 35 % or more (by weight) • Colourant C.I. Pigment Yellow 147 (CAS RN 4118-16-5) and preparations based thereon with a	based thereon with a Colourant C.I. Pigment Yellow 110 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 139 (CAS RN 36888-99-0) and preparations based thereon with a Colourant C.I. Pigment Yellow 139 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 1 (CAS RN 2512-29-0) and preparations based thereon with a Colourant C.I. Pigment Yellow 1 content of 70 % or more (by weight) • Colourant C.I. Pigment Violet 23 (CAS RN 215247-95-3) and preparations based thereon with a Colourant C.I. Pigment Violet 23 content of 70 % or more (by weight) • Colourant C.I. Pigment Yellow 13 (CAS RN 5102-83-0) and preparations based thereon with a Colourant C.I. Pigment Yellow 13 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 2 (CAS RN 6041-94-7) and preparations based thereon	

		Colourant C.I. Pigment Yellow 147 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 146 (CAS RN 5280-68-2) and preparations based thereon with a Colourant C.I. Pigment Red 146 content of 70% or more (by weight) • Colourant C.I. Pigment Red 254 (CAS RN 84632-65-5) and preparations based thereon with a Colourant C.I. Pigment Red 254 content of 85 % or more (by weight) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	with a Colourant C.I. Pigment Red 2 content of 70 % or more (by weight) and less than 1% of 3-hydroxy-2-naphthanilide (CAS RN 92-77-3) • Colourant C.I. Pigment Blue 15:0 (CAS RN 147-14-8) and preparations based thereon with a Colourant C.I. Pigment Blue 15:0 content of 35 % or more (by weight) • Colourant C.I. Pigment Yellow 147 (CAS RN 4118-16-5) and preparations based thereon with a Colourant C.I. Pigment Yellow 147 content of 70 % or more (by weight) • Colourant C.I. Pigment Red 146 (CAS RN 5280-68-2) and preparations based thereon with a Colourant C.I. Pigment Red 146 content of 70% or more (by weight) • Colourant C.I. Pigment Red 254 (CAS RN 84632-65-5) and preparations based thereon with a Colourant C.I. Pigment Red 254 content of 85 % or more (by weight) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made	

			up of different components containing these products.	
3204 19 00 90	0.00%	This Suspension only applies to: Preparation containing by weight: - 40 % or more but not more than 50 % of Solvent Red 19E (CAS RN 56358-09-9) - 10 % or more but not more than 20 % of Solvent Red 19T (CAS RN 57712-94-4) - 35 % or more but not more than 45 % Solvent naphtha (petroleum) (CAS RN 64742-94-5) OR Colourant C.I. Solvent Yellow 124 (CAS 34432-92-3) and preparations based thereon with a Colourant C.I. Solvent Yellow 124 content of 70 % or more (by weight) OR Colourant C.I. Solvent Green 3 (CAS RN 128-80-3) and preparations based thereon with a Colourant C.I. Solvent Green 3 content of 80 % or more (by weight) falling within this commodity code. This suspension does not apply to any mixtures,	Preparation containing by weight: - 40 % or more but not more than 50 % of Solvent Red 19E (CAS RN 56358-09-9) - 10 % or more but not more than 20 % of Solvent Red 19T (CAS RN 57712-94-4) - 35 % or more but not more than 45 % Solvent naphtha (petroleum) (CAS RN 64742-94-5) OR Colourant C.I. Solvent Yellow 124 (CAS 34432-92-3) and preparations based thereon with a Colourant C.I. Solvent Yellow 124 content of 70 % or more (by weight) OR Colourant C.I. Solvent Green 3 (CAS RN 128-80-3) and preparations based thereon with a Colourant C.I. Solvent Green 3 content of 80 % or more (by weight)	31st December 2024

		preparations or products made up of different components containing these products.		
3402 42 00 90	0.00%	This Suspension only applies to: • Surface-active preparation, containing propane-1,2-diol (CAS RN 57-55-6) and C16-C18 ethoxylated alcohols (CAS RN 68349-49-6) • Surface-active preparation, containing aziridine, polymer with methyloxirane and oxirane (CAS RN 52501-07-2) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Surface-active preparation, containing propane-1,2-diol (CAS RN 57-55-6) and C16-C18 ethoxylated alcohols (CAS RN 68349-49-6) • Surface-active preparation, containing aziridine, polymer with methyloxirane and oxirane (CAS RN 52501-07-2) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	31st December 2024
3402 90 10 90	0.00%	This Suspension only applies to: • Surface-active preparation, consisting of a mixture of sodium docusate and ethoxylated 2,4,7,9-tetramethyldec-5-yne-4,7-diol (CAS RN 577-11-7 and 9014-85-1) • Surface-active preparation, consisting of a mixture of polysiloxane and poly(ethylene glycol)	Surface-active preparation based on silicone	31st December 2024

		• Surface-active preparation based on silicone falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
3505 10 50 00	0.00%	This Suspension only applies to: Hydroxypropylated and thinned tapioca starch falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Hydroxypropylated and thinned tapioca starch	31st December 2024
3815 90 90 90	0.00%	This Suspension only applies to: Catalyst consisting of one or more of: • Calcium carbonate (CAS RN 471-34-1) • Copper oxide (CAS RN 1317-38-0) • Iron oxide (CAS RN 1309-37-1) • metal vanadates (eg magnesium vanadate (CAS RN 13573-13-2) • synthetic zeolites	Catalyst consisting of one or more of: • Calcium carbonate (CAS RN 471-34-1) • Copper oxide (CAS RN 1317-38-0) • Iron oxide (CAS RN 1309-37-1) • metal vanadates (eg magnesium vanadate (CAS RN 13573-13-2) • synthetic zeolites • aluminium o-phosphate (CAS RN 7784-30-7)	31st December 2024

		• aluminium o-phosphate (CAS RN 7784-30-7) • cerium oxide (CAS NR 1306-38-3) on a support of one or more of: o magnesium oxide (CAS RN 1309-48-4) o aluminium oxide (CAS RN 1344-28-1) o kaolin (CAS NR 1332-58-7) specifically ONLY for Fluid Cracking Catalyst (FCC) Additives including magnesium oxide, aluminium oxide and/or kaolin with active species including calcium for use in removing contaminants and impurities falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• cerium oxide (CAS NR 1306-38-3) on a support of one or more of: o magnesium oxide (CAS RN 1309-48-4) o aluminium oxide (CAS RN 1344-28-1) o kaolin (CAS NR 1332-58-7) specifically ONLY for Fluid Cracking Catalyst (FCC) Additives including magnesium oxide, aluminium oxide and/or kaolin with active species including calcium for use in removing contaminants and impurities	
3824 99 92 99	0.00%	This Suspension only applies to: Aqueous solution containing by weight: • 10% or more but not more than 42% of 2-(3-chloro-5-(trifluoromethyl)pyridin-2-yl)ethanamine (CAS RN 658066-44-5) • 10% or more but not more than 25% of sulphuric acid (CAS RN 7664-93-9),	Aqueous solution containing by weight: • 10% or more but not more than 42% of 2-(3-chloro-5-(trifluoromethyl)pyridin-2-yl)ethanamine (CAS RN 658066-44-5) • 10% or more but not more than 25% of sulphuric acid (CAS RN 7664-93-9),	31st December 2024

		• 0.5% or more but not more than 2,9% of methanol (CAS RN 67-56-1) • Diethylmethoxyborane (CAS RN 7397-46-8) in the form of a solution in tetrahydrofuran • N2-[1-(S)-Ethoxycarbonyl-3-phenylpropyl]-N6-trifluoroacetyl-L-lysyl-N2-carboxy anhydride in a solution of dichloromethane at 37% • 4-Methoxy-3-(3-morpholin-4-yl-propoxy)-benzonitrile (CAS RN 675126-28-0) in an organic solvent • Aqueous solution of caesium formate and potassium formate containing by weight: • 1% or more but not more than 84% of caesium formate (CAS RN 3495-36-1) • 1% or more but not more than 76% of potassium formate (CAS RN 590-24-1) • whether or not containing not more than 9% of additives • Calcium phosphonate phenate, dissolved in mineral oil • Preparation containing by weight: • 89% or more but not more than 98.9% of 1,2,3-trideoxy-4,6:5,7-bis-O-[(4-propylphenyl)methylene]-nonitol, • 0.1% or more but not more than 1% of colourants,	• 0.5% or more but not more than 2,9% of methanol (CAS RN 67-56-1) • Diethylmethoxyborane (CAS RN 7397-46-8) in the form of a solution in tetrahydrofuran • N2-[1-(S)-Ethoxycarbonyl-3-phenylpropyl]-N6-trifluoroacetyl-L-lysyl-N2-carboxy anhydride in a solution of dichloromethane at 37% • 4-Methoxy-3-(3-morpholin-4-yl-propoxy)-benzonitrile (CAS RN 675126-28-0) in an organic solvent • Aqueous solution of caesium formate and potassium formate containing by weight: • 1% or more but not more than 84% of caesium formate (CAS RN 3495-36-1) • 1% or more but not more than 76% of potassium formate (CAS RN 590-24-1) • whether or not containing not more than 9% of additives • Calcium phosphonate phenate, dissolved in mineral oil • Preparation containing by weight:	

		• 1% or more but not more than 10% of fluoro-polymers • Salicylonitrile (CAS RN 611-20-1), in the form of a solution in N,N-dimethylformamide (CAS RN 68-12-2), containing by weight 53 % or more but not more than 55 % of salicylonitrile • [(3H)-Benzoofuran-2-one] [2-Coumaranone] (CAS RN 553-86-6), in the form of a solution in acetic anhydride (CAS RN 108-24-7), containing by weight 25% or more but not more than 35% of [(3H)-Benzoofuran-2-one] [2-Coumaranone] • Preparation containing by weight 50% or more but not more than 60% of Tetrakis(vinyldime-thylsiloxy)silane (CAS RN 60111-54-8) • C12-13 ethoxylated alcohols (CAS RN 66455-14-9) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• 89% or more but not more than 98.9% of 1,2,3-trideoxy-4,6:5,7-bis-O-[(4-propylphenyl)methylene]-nonitol, • 0.1% or more but not more than 1% of colourants, • 1% or more but not more than 10% of fluoropolymers • Salicylonitrile (CAS RN 611-20-1), in the form of a solution in N,N-dimethylfor-mamide (CAS RN 68-12-2), containing by weight 53 % or more but not more than 55 % of salicylonitrile • [(3H)-Benzoofuran-2-one] [2-Coumara-none] (CAS RN 553-86-6), in the form of a solution in acetic anhydride (CAS RN 108-24-7), containing by weight 25% or more but not more than 35% of [(3H)-Benzoofuran-2-one] [2-Coumaranone] • Preparation containing by weight 50% or more but not more than 60% of Tetrakis(vinyldimethylsiloxy)silane (CAS RN 60111-54-8) • C12-13 ethoxylated alcohols (CAS RN 66455-14-9) falling within this commodity code.	
3901 90 80 99	0.00%	This Suspension only applies to: • Ethylene maleic anhydride copolymer, whether	Linear triblock copolymer based on styrene and ethylene/butylene with a	31st December 2024

		or not containing another olefin comonomer, with a melt flow rate of 1.3 g / 10 min or more at 190 °C / 2.16 kg (measured using ASTM D1238) And • Linear triblock copolymer based on styrene and ethylene/butylene with a polystyrene content of 12% or more but not more than 15% falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	polystyrene content of 12% or more but not more than 15%	
3903 30 00 00	0.00%	This Suspension only applies to: • Copolymer in the form of granules consisting by weight of: - 40% or more but not more than 60% of styrene - 15% or more but not more than 35% of acrylonitrile - 5% or more but not more than 30% of acrylonitrile. • Acrylonitrile styrene acrylate copolymers in the form of granules • Butadiene styrene block copolymers in the form of granules	• Copolymer in the form of granules consisting by weight of: - 40% or more but not more than 60% of styrene - 15% or more but not more than 35% of acrylonitrile - 5% or more but not more than 30% of acrylonitrile. • Acrylonitrile styrene acrylate copolymers in the form of granules • Butadiene styrene block copolymers in the form of granules	31st December 2024

		• Acrylonitrile butadiene-styrene (ABS) copolymers in the form of granules falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Acrylonitrile butadiene-styrene (ABS) copolymers in the form of granules falling within this commodity code.	
3904 21 00 90	0.00%	This Suspension only applies to: Poly(vinyl) Chloride falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Poly(vinyl) Chloride	31st December 2024
3907 10 00 90	0.00%	This Suspension only applies to: • Mixture of a trioxan-oxirane-copolymer and polytetrafluoroethylene • Polyoxymethylene (POM) falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Polyoxymethylene (POM)	31st December 2024
3907 40 00 90	0.00%	This Suspension only applies to:	Polycarbonate, in the form of granules	31st December 2024

		Polycarbonate, in the form of granules falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
3909 31 00 00	0.00%	This Suspension only applies to: Polymeric MDI falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Polymeric MDI	31st December 2024
3910 00 00 90	0.00%	This Suspension only applies to: Fluorosilicone rubber compound intermediates falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Fluorosilicone rubber compound intermediates	31st December 2024
3920 99 59 90	0.00%	This Suspension only applies to: Fluoroelastomers, in the form of sheets	Fluoroelastomers, in the form of sheets	31st December 2024

		and Tetrafluoroethylene film, put up in rolls, with: • a thickness of 50 µm, • a melting point of 260 °C, and • a specific gravity of 1.75 (ASTM D792) for use in the manufacture of semiconductor devices falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
3921 19 00 99	0.00%	This Suspension only applies to: Mixed cell silicone foam, in the form of rolls, of a thickness of not more than 30mm And Microporous monolayer film of polypropylene or a microporous trilayer film of polypropylene, polyethylene and polypropylene, each film with: • zero transversal production direction (TD) shrinkage,	Mixed cell silicone foam, in the form of rolls, of a thickness of not more than 30mm	31st December 2024

		• a total thickness of 10 µm or more but not more than 50 µm, • a width of 15 mm or more but not more than 900 mm, • a length of more than 200 m but not more than 3 000 m, and • an average pore size between 0.02 µm and 0.1 µm falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
3923 21 00 00	0.00%	This Suspension only applies to: • Damp-proof bag, consisting of layers of the following films: - Biaxially oriented coextruded polypropylene with a thickness of 23.75 micrometres or more but not more than 26.25 micrometres - Polyethylene terephthalate with a thickness of 11 micrometres or more but not more than 13 micrometres - Low density polyethylene with a thickness of	• Damp-proof bag, consisting of layers of the following films: - Biaxially oriented coextruded polypropylene with a thickness of 23.75 micrometres or more but not more than 26.25 micrometres - Polyethylene terephthalate with a thickness of 11 micrometres or more but not more than 13 micrometres	31st December 2024

		46.5 micrometres or more but not more than 53.5 micrometres - Of a length of 36.7 centimetres or more but not more than 89.4 centimetres and a width of 14.3 centimetres or more but not more than 35.7 centimetres. specifically for the purpose of transporting or storing moisture-sensitive toner ONLY falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	- Low density polyethylene with a thickness of 46.5 micrometres or more but not more than 53.5 micrometres - Of a length of 36.7 centimetres or more but not more than 89.4 centimetres and a width of 14.3 centimetres or more but not more than 35.7 centimetres. specifically for the purpose of transporting or storing moisture-sensitive toner	
3923 29 90 00	0.00%	This Suspension only applies to: Single-use bags, specifically for use in the bio-processing industry ONLY falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Single-use bags, specifically for use in the bioprocessing industry only	31st December 2024
3926 30 00 90	0.00%	This Suspension only applies to: Plastic logo of the automobile manufacturer with mounting brackets on the back side, whether or	Injection moulded vehicle badges, made of a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate for use in the	31st December 2024

		not chromed, for use in the manufacture of goods of Chapter 87 And Electroplated interior or exterior decorative parts consisting of: • a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate • layers of copper, nickel and chromium and Injection moulded vehicle badges, made of a co-polymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate for use in the manufacturing of parts for motor vehicles of heading 8701 to 8705 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	manufacturing of parts for motor vehicles of heading 8701 to 8705	
3926 90 97 90	0.00%	This Suspension only applies to: • Unexpansible microspheres of a copolymer of acrylonitrile, methacrylonitrile and isobornyl methacrylate, of a diameter of 3 µm or more but not more than 4.6 µm	• Foam donut with adhesives • Membrane assembly • Silicon gasket for filtration	31st December 2024

		• Electroplated interior or exterior decorative parts consisting of: • a copolymer of acrylonitrile-butadiene-styrene (ABS), whether or not mixed with polycarbonate, • layers of copper, nickel and chromium for use in the manufacturing of parts for motor vehicles of heading 8701 to 8705 falling under this CN10 code • Foam donut with adhesives • Membrane assembly • Silicon gasket for filtration • Polypropylene tubes: - of a length of 1.24" or more but not more than 5.782, - an internal diameter of 1.805" or more but not more than 1.845", and - an external diameter of 2.00" or more but not more than 2.04" falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Polypropylene tubes: - of a length of 1.24" or more but not more than 5.782, - an internal diameter of 1.805" or more but not more than 1.845", and - an external diameter of 2.00" or more but not more than 2.04"	
4011 50 00 00	0.00%	This Suspension only applies to:	Rubber tyres: - with a length of 25cm or more but not more than 68cm	31st December 2024

		Rubber tyres: - with a length of 25cm or more but not more than 68cm - with a width of 24cm or more but not more than 68cm - with a depth of 4cm or more but not exceeding 5cm - with a weight of 0.29cm or more but not more than 0.87kg, for use in the manufacture of bicycles of Chapter 87 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	- with a width of 24cm or more but not more than 68cm - with a depth of 4cm or more but not exceeding 5cm - with a weight of 0.29cm or more but not more than 0.87kg, for use in the manufacture of bicycles of Chapter 87	
4012 20 00 90	0.00%	This Suspension only applies to: Used pneumatic tyres of vulcanised rubber, intended for retreading, used in the manufacture of motor vehicles of Chapter 87, specifically for remanufacturing ONLY falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Used pneumatic tyres of vulcanised rubber, intended for retreading, used in the manufacture of motor vehicles of Chapter 87, specifically for remanufacturing ONLY	31st December 2024

7019 12 00 25	0.00%	This Suspension only applies to: Rovings ranging from 2 03 to 2 033 tex, composed of continuous glass filaments of 9 µm (± 0,5 µm) falling under this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Rovings ranging from 2 03 to 2 033 tex, composed of continuous glass filaments of 9 µm (± 0,5 µm)	31st December 2024
7606 12 11 00	0.00%	This Suspension only applies to: Sheets of cold-rolled aluminium alloys: - with a minimum tensille strength of 270 MPa or more but not more than 320 MPa - with a width of 692mm or more but not more than 1579mm - with a thickness of 0.240mm or more but not more than 0.272mm for use in the manufacture of beverage cans falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sheets of cold-rolled aluminium alloys: - with a minimum tensille strength of 270 MPa or more but not more than 320 MPa - with a width of 692mm or more but not more than 1579mm - with a thickness of 0.240mm or more but not more than 0.272mm for use in the manufacture of beverage cans	31st December 2024
7606 12 19 00	0.00%	This Suspension only applies to:	Sheets of cold-rolled aluminium alloys: - with a minimum tensille strength of 375	31st December 2024

		Sheets of cold-rolled aluminium alloys: - with a minimum tensille strength of 375 MPa or more but not more than 420 MPa - with a width of 1463mm or more but not more than 1468mm - with a thickness of 0.208mm for use in the manufacture of beverage cans falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	MPa or more but not more than 420 MPa - with a width of 1463mm or more but not more than 1468mm - with a thickness of 0.208mm for use in the manufacture of beverage cans	
7607 11 19 91	0.00%	This Suspension only applies to: Aluminium converter foil in reels, without a backing, which is rolled but not further worked: - with a purity of more than 95% by weight - with a thickness of 0.0065mm or more but not more than 0.18mm - with a width of 620mm or more but not more than 1280mm - with a reel outer diameter of 500mm or more but not more than 1300mm - with a reel weight of 200kg or more but not more than 2000kg falling within this commodity code.	Aluminium converter foil in reels, without a backing, which is rolled but not further worked: - with a purity of more than 95% by weight - with a thickness of 0.0065mm or more but not more than 0.18mm - with a width of 620mm or more but not more than 1280mm - with a reel outer diameter of 500mm or more but not more than 1300mm - with a reel weight of 200kg or more but not more than 2000kg	31st December 2024

		This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
8108 90 60 90	0.00%	This Suspension only applies to: • Seamless tubes and pipes of a titanium or an alloy of titanium with: - a diameter of 19 mm or more but not more than 159 mm, - a wall thickness of 0.4 mm or more but not more than 8 mm, and - a maximum length of 18 m • Titanium alloy tubes and pipes with alloy identifications Ti-A13 - 2.5 V, Ti-6AI - 4V, Grade 1-4, 9, of a kind used in aerospace applications falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Titanium alloy tubes and pipes with alloy identifications Ti-A13 - 2.5 V, Ti-6AI - 4V, Grade 1-4, 9, of a kind used in aerospace applications	31st December 2024
8407 33 20 90	0.00%	This Suspension only applies to: Used spark ignition reciprocating piston engines having a power of not less than 55kW but not more than 300kW, - with 4 cylinders with a displacement of 1.25,	This Suspension only applies to: Used spark ignition reciprocating piston engines having a power of not less than 55kW but not more than 300kW, - with 4 cylinders with a displacement of	31st December 2024

		1.4, 1.6 or 2 litres, or - with 6 cylinders with a displacement of 3 litres, or - with 8 cylinders with a displacement of 5 litres, of a kind used for the remanufacture of motor vehicle engines, specifically for the purpose of remanufacturing ONLY falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	1.25, 1.4, 1.6 or 2 litres, or - with 6 cylinders with a displacement of 3 litres, or - with 8 cylinders with a displacement of 5 litres, of a kind used for the remanufacture of motor vehicle engines, specifically for the purpose of remanufacturing ONLY	
8407 33 80 90	0.00%	This Suspension only applies to: Used spark ignition reciprocating piston engines having a power of not less than 300kW but not more than 390kW, with 8 cylinders with a displacement of 5 litres, of a kind used for the remanufacture of motor vehicle engines, specifically for the purpose of remanufacturing ONLY falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Used spark ignition reciprocating piston engines having a power of not less than 300kW but not more than 390kW, with 8 cylinders with a displacement of 5 litres, of a kind used for the remanufacture of motor vehicle engines, specifically for the purpose of remanufacturing ONLY	31st December 2024
8408 20 55 00	0.00%	This Suspension only applies to:	Used diesel engines having a power of not less than 55kW but not exceeding 200kW,	31st December 2024

		Used diesel engines having a power of not less than 55kW but not exceeding 200kW, of a kind used for the remanufacture of motor vehicle engines, specifically for the purpose of remanufacturing ONLY falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	of a kind used for the remanufacture of motor vehicle engines, specifically for the purpose of remanufacturing ONLY falling within this commodity code.	
8408 20 57 00	0.00%	This Suspension only applies to: Used diesel engines having a power of not less than 103kW but not exceeding 190kW, of a kind used for the remanufacture of motor vehicle engines, specifically for the purpose of remanufacturing ONLY falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Used diesel engines having a power of not less than 103kW but not exceeding 190kW, of a kind used for the remanufacture of motor vehicle engines, specifically for the purpose of remanufacturing ONLY	31st December 2024
8408 20 99 00	0.00%	This Suspension only applies to: Used diesel engines having a power of not less than 201kW but not exceeding 235kW, of a kind used for the remanufacture of motor vehicle engines, specifically for the purpose of remanufacturing ONLY	Used diesel engines having a power of not less than 201kW but not exceeding 235kW, of a kind used for the remanufacture of motor vehicle engines, specifically for the purpose of remanufacturing ONLY	31st December 2024

		falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
8511 40 00 90	0.00%	This Suspension only applies to: A 3-phase AC permanent Magnet Synchronous motor/generator with: - a stator with 3-phase copper windings, and a temperature sensor in the windings - a rotor with layers of steel laminate with permanently bonded magnets - a resolver contained in the rotor to provide rotor position information to an inverter falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	A 3-phase AC permanent Magnet Synchronous motor/generator with: - a stator with 3-phase copper windings, and a temperature sensor in the windings - a rotor with layers of steel laminate with permanently bonded magnets - a resolver contained in the rotor to provide rotor position information to an inverter	31st December 2024
8708 30 99 90	0.00%	This Suspension only applies to: Used brake calipers: - with a length of 20cm - with a width of 16cm - with a depth of 10cm - with a weight of approximately 3kg	Used brake calipers: - with a length of 20cm - with a width of 16cm - with a depth of 10cm - with a weight of approximately 3kg	31st December 2024

		For use in the manufacture of motor vehicles of Chapter 87, specifically for the purpose of re-manufacturing ONLY falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	For use in the manufacture of motor vehicles of Chapter 87, specifically for the purpose of remanufacturing ONLY	
8708 30 99 10	0.00%	This Suspension only applies to: • Stainless steel, plasma welded, fuel tank with: - an o-ring seal - an upper vent tube - an isolation valve, and - supports for the fuel tank, for use in the manufacture of motor vehicles of Chapter 87 ONLY falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	• Stainless steel, plasma welded, fuel tank with: - an o-ring seal - an upper vent tube - an isolation valve, and - supports for the fuel tank, for use in the manufacture of motor vehicles of Chapter 87	31st December 2024
8708 99 97 90	0.00%	This Suspension only applies to: • Car transfer case with single input, dual output, to distribute torque between front and rear axles	• Stainless steel, plasma welded, fuel tank with: - an o-ring seal	31st December 2024

		in an aluminium housing, with dimension of not more than 565 x 570 x 510 mm, comprising: - at least an actuator, and whether or not an interior distribution by chain • Support bracket of iron or steel, with mounting holes, whether or not with fixation nuts, for connecting the gearbox to the car body for use in the manufacture of goods of Chapter 87 • Holder of front radiator or intercooler, whether or not with rubber cushioning for use in the manufacture of goods of Chapter 87 • Six-layer composite fuel tank assembly comprising of: - a fuel inlet, - a pump flange assembly (PFA), - a ventilation with rollover valve mounted on the top of the tank, and threated holes for PFA assembly • Single input, dual output gearcase (transmission) in cast aluminium housing, with overall dimensions not exceeding 148 mm (± 1 mm) x 213 mm (± 1 mm) x 273 mm (± 1 mm) comprising at least:	- an upper vent tube - an isolation valve, and - supports for the fuel tank, for use in the manufacture of motor vehicles of Chapter 87	

		- two electro-magnetic one direction clutches in one cage, working in both directions, - an input shaft with outer diameter of 24 mm (± 1 mm), ended with spline of 22, - a coaxial output bushing with inner diameter of 22 mm or more but not more than 30 mm, ended with spline of 22 teeth or more but not more than 28 teeth • Stainless steel, plasma welded, fuel tank with: - an o-ring seal - an upper vent tube - an isolation valve, and - supports for the fuel tank, for use in the manufacture of motor vehicles of Chapter 87 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
8714 91 10 35	0.00%	This Suspension only applies to: Frames of aluminium: - with a length of 45.6cm or more but not more than 110cm - with a width of 21cm or more but not more than 56.5cm	Frames of aluminium: - with a length of 45.6cm or more but not more than 110cm - with a width of 21cm or more but not more than 56.5cm - with a depth of 10cm or more but not more than 15cm	31st December 2024

		- with a depth of 10cm or more but not more than 15cm - with a weight of 0.5kg or more but not more than 2.1kg for use in the manufacture of bicycles of Chapter 87 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	- with a weight of 0.5kg or more but not more than 2.1kg for use in the manufacture of bicycles of Chapter 87	
8714 91 30 39	0.00%	This Suspension only applies to: Front forks of aluminium with a length of 44.4cm or more but not more than 65.5cm, for use in the manufacture of bicycles of Chapter 87 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Front forks of aluminium with a length of 44.4cm or more but not more than 65.5cm, for use in the manufacture of bicycles of Chapter 87	31st December 2024
8714 91 30 89	0.00%	This Suspension only applies to: Rigid front forks of aluminium with a length of 44.4cm or more but not more than 65.5cm, for use in the manufacture of bicycles of Chapter 87	Rigid front forks of aluminium with a length of 44.4cm or more but not more than 65.5cm, for use in the manufacture of bicycles of Chapter 87	31st December 2024

		falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.		
8714 92 90 00	0.00%	This Suspension only applies to: Spokes: - with a length of 5.3cm or more but not more than 26.5cm, - with a width of 0.1cm - with a depth of 0.1cm - with a weight of 0.001kg for use in the manufacture of bicycles of Chapter 87 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Spokes: - with a length of 5.3cm or more but not more than 26.5cm, - with a width of 0.1cm - with a depth of 0.1cm - with a weight of 0.001kg for use in the manufacture of bicycles of Chapter 87	31st December 2024
8714 93 00 11	0.00%	This Suspension only applies to: Hubs: - with a length of 9cm or more but not more than 14.5cm - with a width of 4.9cm or more but not more than 6.7cm - with a depth of 4.1cm or more but not more	Hubs: - with a length of 9cm or more but not more than 14.5cm - with a width of 4.9cm or more but not more than 6.7cm - with a depth of 4.1cm or more but not more than 6.5cm - with a weight of 0.153kg or more but	31st December 2024

		than 6.5cm - with a weight of 0.153kg or more but not more than 0.452kg for use in in the manufacture of bicycles of Chapter 87 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	not more than 0.452kg for use in in the manufacture of bicycles of Chapter 87	
8714 93 00 19	0.00%	This Suspension only applies to: Hubs: - with a length of 9cm or more but not more than 14.5cm - with a width of 4.9cm or more but not more than 6.7cm - with a depth of 4.1cm or more but not more than 6.5cm - with a weight of 0.153kg or more but not more than 0.452kg for use in in the manufacture of bicycles of Chapter 87 falling within this commodity code. This suspension does not apply to any mixtures,	This Suspension only applies to: Hubs: - with a length of 9cm or more but not more than 14.5cm - with a width of 4.9cm or more but not more than 6.7cm - with a depth of 4.1cm or more but not more than 6.5cm - with a weight of 0.153kg or more but not more than 0.452kg for use in in the manufacture of bicycles of Chapter 87	31st December 2024

		preparations or products made up of different components containing these products.		
8714 94 90 11	0.00%	This Suspension only applies to: Brake levers: - with a length of 12.65cm or more but not more than 16cm - with a width of 3.2cm or more but not more than 3.5cm - with a depth of 0.9cm or more but not more than 0.95cm - with a weight of 0.089kg or more but not more than 0.095kg for use in the manufacture of bicycles of Chapter 87 ONLY falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Brake levers: - with a length of 12.65cm or more but not more than 16cm - with a width of 3.2cm or more but not more than 3.5cm - with a depth of 0.9cm or more but not more than 0.95cm - with a weight of 0.089kg or more but not more than 0.095kg for use in the manufacture of bicycles of Chapter 87	31st December 2024
8714 94 90 19	0.00%	This Suspension only applies to: Brake levers: - with a length of 12.65cm or more but not more than 16cm - with a width of 3.2cm or more but not more than 3.5cm - with a depth of 0.9cm or more but not more	Brake levers: - with a length of 12.65cm or more but not more than 16cm - with a width of 3.2cm or more but not more than 3.5cm - with a depth of 0.9cm or more but not more than 0.95cm	31st December 2024

		than 0.95cm - with a weight of 0.089kg or more but not more than 0.095kg for use in the manufacture of bicycles of Chapter 87 ONLY falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	- with a weight of 0.089kg or more but not more than 0.095kg for use in the manufacture of bicycles of Chapter 87 falling within this commodity code.	
8714 96 30 10	0.00%	This Suspension only applies to: Left and right Cranks and chain rings of aluminium: - with a length of 8.4cm or more but not more than 27cm - with a width of 1.55cm or more but not more than 16.5cm - with a depth of 3.5mm - with a weight of 0.14kg or more but not more than 0.438kg for use in in the manufacture of bicycles of Chapter 87 falling within this commodity code. This suspension does not apply to any mixtures,	Left and right Cranks and chain rings of aluminium: - with a length of 8.4cm or more but not more than 27cm - with a width of 1.55cm or more but not more than 16.5cm - with a depth of 3.5mm - with a weight of 0.14kg or more but not more than 0.438kg for use in in the manufacture of bicycles of Chapter 87	31st December 2024

		preparations or products made up of different components containing these products.		
8714 96 30 90	0.00%	This Suspension only applies to: Left and right cranks and chain rings of aluminium: - with a length of 8.4cm or more but not more than 27cm - with a width of 1.55cm or more but not more than 16.5cm - with a depth of 3.5mm - with a weight of 0.14kg or more but not more than 0.438kg for use in in the manufacture of bicycles of Chapter 87 falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Left and right cranks and chain rings of aluminium: - with a length of 8.4cm or more but not more than 27cm - with a width of 1.55cm or more but not more than 16.5cm - with a depth of 3.5mm - with a weight of 0.14kg or more but not more than 0.438kg for use in in the manufacture of bicycles of Chapter 87 falling within this commodity code.	31st December 2024
9401 99 90 90	0.00%	This Suspension only applies to: Outer part of a headrest made of perforated bovine leather, lined with a scrim-reinforced lamination liner and without foam padding, after reworking (stitching of the leather and embroidery application) used in manufacture of seats of motor vehicles	Backrest: - with a seat tilt adjustment with a drive and cable connections - whether or not with a headrest with a drive and cable connections - whether or not with a lumbar support	31st December 2024

		OR Backrest: - with a seat tilt adjustment with a drive and cable connections - whether or not with a headrest with a drive and cable connections - whether or not with a lumbar support for use in the manufacture of motor vehicle seats OR Spring Mat used to dampen the motive forces of motor vehicle occupants, for use in the manufacture of motor vehicle seats OR Height adjustment (cross) tube attached to side panel of motor vehicles, for use in the manufacture of motor vehicle seats OR Height adjustable shaft attached to rear of motor vehicle seats, with a toothing and height adjusting gear, for use in the manufacture of motor vehicle seats OR Link axle (inclination) adjustment shaft attached to front area of motor vehicle seats, for use in the manufacture of motor vehicle seats OR Unassembled assembly to adjust motor vehicle seats forwards and backwards: - with a bottom rail attached to a motor vehicle base plate - with a top rail mounted on a motor vehicle seat for use in the manufacture of motor vehicle seats OR	for use in the manufacture of motor vehicle seats OR Spring Mat used to dampen the motive forces of motor vehicle occupants, for use in the manufacture of motor vehicle seats OR Height adjustment (cross) tube attached to side panel of motor vehicles, for use in the manufacture of motor vehicle seats OR Height adjustable shaft attached to rear of motor vehicle seats, with a toothing and height adjusting gear, for use in the manufacture of motor vehicle seats OR Link axle (inclination) adjustment shaft attached to front area of motor vehicle seats, for use in the manufacture of motor vehicle seats OR Unassembled assembly to adjust motor vehicle seats forwards and backwards: - with a bottom rail attached to a motor vehicle base plate - with a top rail mounted on a motor vehicle seat for use in the manufacture of motor vehicle seats OR Seat shell used to hold a spring mat, for use in the manufacture of motor vehicle seats OR	

		Seat shell used to hold a spring mat, for use in the manufacture of motor vehicle seats OR Base assembly of motor vehicle seats, whether or not including adjusting elements to adjust the length, height and inclination of motor vehicle seats, for use in the manufacture of motor vehicle seats ONLY falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Base assembly of motor vehicle seats, whether or not including adjusting elements to adjust the length, height and inclination of motor vehicle seats, for use in the manufacture of motor vehicle seats falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	
1512 11 91 00	0.00%	This suspension only applies to sunflower-seed oil falling within this commodity code. This suspension does not apply to any mixtures, preparations or products made up of different components containing these products.	Sunflower-seed oil	31 December 2024